INTERNATIONAL STANDARD

ISO 7787-3

> First edition 1991-12-15

Dental rotary instruments — Cutters —

Part 3:

Carbide laboratory cutters for milling machines iTeh STANDARD PREVIEW

(Instruments rotatifs dentaires) — Fraises techniques —

Partie 3: Fraises techniques en carbure pour machines de meulage ISO 7787-3:1991

https://standards.iteh.ai/catalog/standards/sist/d1313c75-81db-4691-a5d7-1c3b2a0fb089/iso-7787-3-1991

INTILUNIATIONNAT





Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member VIEW bodies casting a vote.

International Standard ISO 7787-3 was prepared by Technical Committee ISO/TC 106, Dentistry, Sub-Committee SC 4, Dental instruments.

ISO 7787 consists of the following parts; tunder the general title Dental 81db-4691-a5d7-rotary instruments — Cutters: 1c3b2a0fb089/iso-7787-3-1991

- Part 1: Steel laboratory cutters
- Part 2: Carbide laboratory cutters
- Part 3: Carbide laboratory cutters for milling machines

© ISO 1991

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization Case Postale 56 ● CH-1211 Genève 20 ● Switzerland

Printed in Switzerland

Dental rotary instruments — Cutters —

Part 3:

Carbide laboratory cutters for milling machines

1 Scope

This part of ISO 7787 specifies the dimensional and other requirements for the three most commonly used carbide cutters for milling machines which are predominantly used in the dental laboratory.

Special characteristics of cutters, for example spiralled blades, cross-cut, are not covered by this International Standard. These will be dealt with in a future International Standard.

Attention is drawn to ISO 6360-1 which specifies a 15 digit number for the identification of dental rotary instruments of all types.

NOTE 1 The various dimensional and other requirements specified for carbide cutters are those considered important to ensure the interchangeability of these instruments

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO 7787. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO 7787 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 1797-1:1991¹⁾, Dental rotary instruments — Shanks — Part 1: Shanks made of metals.

ISO 2157:1984, Dental rotary instruments — Nominal sizes and designation.

ISO 2859-1:1989, Sampling procedures for inspection by attributes — Part 1: Sampling plans indexed by acceptable quality level (AQL) for lot-by-lot inspection.

ISO 6360-1)1985, Dental rotary instruments — Number coding system — Part 1: General characteristics.

SO 8325:1985, Dental rotary instruments — Test methods.

3 Symbols

The following symbols are used in this part of ISO 7787:

- d_1 diameter of the working part, head diameter
- d_2 diameter at the end of the working part
- l_1 length of the working part, head length
- $\mathit{l}_{\scriptscriptstyle 2}$ overall length of instrument

4 Material

The shaft shall be made of steel or other suitable material.

The working part shall be made of tungsten carbide.

The selection of the type of material and the treatment given to it is left to the discretion of the manufacturer.

¹⁾ To be published.

5 Dimensions and number of blades

All dimensions are in millimetres.

The dimensions, determined as described in ISO 8325, shall be as specified in the tables and figures for each type, with the nominal size as specified in ISO 2157.

The shank shall be type 2 or 4 of ISO 1797-1.

5.1 Cylindrical, side cutting only

A cylindrical cutter for side cutting only shall be as specified in figure 1 and table 1.




Figure 1

iTeh STANDARD PREVIEW

Table 1 — Dimensions and number of blades

Nominal size	d ₁ ± 0,08	Stantia ± 0,5 ISO 3	tus, ter ± 0,5 787-3:1991	max.	Number of blades min.
010 htt	ps://standards.ito	_	l .	,	91-a5d7- ₁₂
015	1,5	1c3b3a0fb08	9/iso-7787-3-1	991 _{1,58}	16
023	2,3	15	34	2,35	22

5.2 Hemispherical, cylindrical

A hemispherical, cylindrical cutter shall be as specified in figure 2 and table 2.




Figure 2

Table 2 — Dimensions and number of blades

Nominal size	h £0,08 A	l₁ ND±0,5RI	POSE	d₂ Max.V	Number of blades min.
010	(star	idards.	itel®.ai)	1,08	12
015	1,5	10	30	1,58	16
023	2,3	ISO ¹⁵ /87-3:1	<u>991</u> 34	2,35	22

https://standards.iteh.ai/catalog/standards/sist/d1313c75-81db-4691-a5d7-1c3b2a0fb089/iso-7787-3-1991

Truncated conical, side cutting only

A truncated conical cutter for side cutting only shall be as specified in figure 3 and table 3.




Figure 3

Table 3 — Dimensions and number of blades

Nominal size	а	tol.	l₁ ± 0,5	<i>l</i> ₂ ± 0,5	α° ± 20′	Number of blades min.
023	2,3				4	12
025	2,5	ST± 0,08	ADD	DDI	76	1 2
031	1 _{3,} 1 en	F 4.00	A_{13}	32	V &C	14
035	3,5	(stands	rde i	teh.ai	10	16
040	4,0	± 0,10	11 WS.1	wii.ai	12	18

ISO 7787-3:1991

https://standards.iteh.ai/catalog/standards/sist/d1313c75-81db-4691-a5d7-

Run-out

The total indicated run-out determined as specified in ISO 8325 shall not exceed 0,08 mm.

The measurement point is at the middle of the working part.

1c3b2a0fb089/iso-7787-3-1991 **7 Sampling and acceptance levels**

The acceptable quality level (AQL) according to ISO 2859-1 shall be 6.5.

iTeh STANDARD PREVIEW

(standards.iteh.ai)

This page intentionally left blank ISO 7787-3:1991

https://standards.iteh.ai/catalog/standards/sist/d1313c75-81db-4691-a5d7-1c3b2a0fb089/iso-7787-3-1991

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 7787-3:1991 https://standards.iteh.ai/catalog/standards/sist/d1313c75-81db-4691-a5d7-1c3b2a0fb089/iso-7787-3-1991

UDC 616.314-72:621.914.2

Descriptors: dentistry, laboratory equipment, dental rotary-cutting instruments, milling cutters, specifications, dimensions, dimensional tolerances.

Price based on 4 pages