

Edition 2.0 2006-09

INTERNATIONAL STANDARD





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2006 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad

IEC publications search - www.iec,ch/searchpub

The advanced search enables to find LEC publications by a variety of criteria (reference number text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore iec.ch/justpublished Stay up to date on all new IEC publications. Just Published

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading optine dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.


nttps



Edition 2.0 2006-09


INTERNATIONAL STANDARD

NORME INTERNATIONALE



Function blocks (FB) for process control –
Part 2: Specification of FB concept

Blocs fonctionnels (FB) pour les procédés industriels – Partie 2: Spécification du concept de FB



INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE CODE PRIX

ICS 25.040.40; 35.240.50 ISBN 978-2-8322-1459-6

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOF	REWORD	4
INT	RODUCTION	6
1	Scope	7
	Normative references	
2		
3	Terms, definitions and abbreviated terms and acronyms	
	3.1 Terms and definitions	
4	3.2 Abbreviated terms and acronyms	.14
4	4.4 Device etrusture (device model)	. 14
	4.1 Device structure (device model)4.2 Block combinations	.14
5	Detailed block definition	
J	5.1 General	
	5.1 General 5.2 Application FBs	
	5.3 Component FBs	36
	5.3 Component FBs 5.4 Technology Block 5.5 Device (Resource) Block 5.6 Algorithms common to all blocks FB Environment	.36
	5.5 Device (Resource) Block	.45
	5.6 Algorithms common to all blocks	.47
6	FB Environment	.49
7	Mapping to System Management	.49
8	Mapping to Communication	.49
9	Conformance statement	.51
Ann	nex A (informative) Parameter description 14-2:2006	52
Ann	nex B (normative) 1EC 61804 Conformance Declaration	4 <u>-</u> 2 58
, (1111	iex B (normative) 120 0004 combination Bestaration	.00
Dibl	liography.	50
וטוס	llography	. 59
Fiaı	ure 1— Position of the IEC 61804 series related to other standards and products	6
	ure 2 - FB structure is derived out of the process (P&ID view)	
_	ure 3 – FB structure may be distributed between devices	
	ure 4 – IEC 61804 FBs can be implemented in different devices	
_	ure 5 – General components of devices	
_	ure 6 – Block types of IEC 61804	
•	• •	
_	ure 7 – IEC 61804 block overview (graphical representation not normative)	
_	ure 8 – UML class diagram of the device model	
	ure 9 – Measurement process signal flow	
Figu	ure 10 – Actuation process signal flow	.26
Figu	ure 11 – Application process signal flow	. 27
Figu	ure 12 – Analog Input FB	. 28
Figu	ure 13 – Analog Output FB	. 30
Figu	ure 14 – Discrete input FB	. 31
Figu	ure 15 – Discrete Output FB	. 32

Figure 16 – Calculation FB	34
Figure 17 – Control FB	35
Figure 18 – Temperature Technology Block	36
Figure 19 – Pressure Technology Block	39
Figure 20 – Modulating actuation technology block	41
Figure 21 – On/Off Actuation Technology Block	43
Figure 22 – Harel state chart	46
Figure 23 – Application structure of ISO OSI Reference Model	49
Figure 24 – Client/Server relationship in terms of OSI Reference Model	50
Figure 25 – Mapping of IEC 61804 FBs to APOs	50
	0.4
Table 1 – References of model elements	21
Table 2 – Variables and parameter description template	24
Table 3 – Example of temperature sensors of Sensor_Type	37
Table 4 – Device status state table	45
Table 5 – Device status transition table	46
Table A.1 – Parameter description	52
Table B.1 – Conformance (sub)clause selection table	58
Table B.2 – Contents of (sub)clause selection tables	58

04-2:2006 025-3220-4a43-8ca6-1a779bebd286/iec-61804-2-2006

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FUNCTION BLOCKS (FB) FOR PROCESS CONTROL -

Part 2: Specification of FB concept

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an EC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document day involve the use of patents

U.S. Patent No. 5,333,114

U.S. Patent No. 5,485,400

U.S. Patent No. 5,825,664

U.S. Patent No. 5,909,368

U.S. Patent Pending No. 08/916,178

Australian Patent No. 638507

Canadian Patent No. 2,066,743

European Patent No. 0495001

Validated in:

UK - Patent No. 0495001

France - Patent No. 0495001

Germany - Patent No. 69032954.7

Netherlands - Patent No. 0495001

Japan Patent No. 3137643

IEC take no position concerning the evidence, validity and scope of this patent right. The holder of this patent right has assured the IEC that he is willing to negotiate licenses under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with IEC. Information may be obtained from:

Fieldbus Foundation,

9390 Research Boulevard, Suite II-250,

Austin, Texas, USA 78759,

Attention: President.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

This International Standard has been prepared by subcommittee 65C: Digital communications, of IEC technical committee 65: Industrial-process measurement and control.

This second edition, together with the first edition of IEC 61804-3, cancels and replaces the first edition of IEC 61804-2 published in 2004. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) transfer of the EDDL-specific clauses to IEC 61804-3;
- b) the FB-specific subclauses 4.1 and 4.2 as well as Clauses 5, 6, 7 and 8 are unchanged.

This bilingual version (2014-04) corresponds to the monolingual English version, published in 2006-09.

The text of this standard is based on the following documents:

			_ >	$\overline{}$			Λ				
7			CDV	/	Ye.			Re	port on	voting	
	$\left\langle \right\rangle$	65C	/405/	CQV				6	5C/420/	/RVC	
		\ \			,	\					

Full information on the voting for the approval of this standard can be found in the report on 2006 voting indicated in the above table.

The French version of this standard has not been voted upon.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

The list of all parts of the IEC 61804 series, under the general title *Function Blocks (FB) for process control*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 61804 provides conceptual Function Block specifications, which can be mapped to specific communication systems, and their accompanying definitions by industrial groups.

The EDDL fills the gap between the conceptual FB specification of IEC 61804-2 and a product implementation. Figure 1 shows these aspects.




Figure 1 - Position of the IEC 61804 series related to other standards and products

FUNCTION BLOCKS (FB) FOR PROCESS CONTROL -

Part 2: Specification of FB concept

1 Scope

This part of IEC 61804 is applicable to Function Blocks (FB) for process control.

This standard specifies FB by using the result of harmonization work as regards several elements:

- c) the device model which defines the components of an IEC 61804-2 conformant device;
- d) conceptual specifications of FBs for measurement, actuation and processing. This
 includes general rules for the essential features to support control, whilst avoiding details
 which stop innovation as well as specialization for different industrial sectors.

This standard defines a subset of the requirements of IEC 61804-1 (hereafter referred to as Part 1) only, while Part 1 describes requirements for a distributed system.

The conformance statement in Annex B, which covers the conformance declaration, is related to this standard only. Requirements of Part 1 are not part of these conformance declarations.

The standardization work for FB was carried out by harmonizing the description of concepts of existing technologies. It results in an abstract level that allowed the definition of the common features in a unique way. This abstract vision is called here the conceptual FB specification and mapped to specific communication systems and their accompanying definitions by the industrial groups. This standard is also based on the abstract definitions of IEC 61499-1.

NOTE This standard can be mapped to 150 15745.1.

There are solutions on the market today, which fulfil the requirements of this standard and show how the conceptual specification is implemented in a given technology. New technologies will need to find equivalent solutions (see Figure 4).

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-351:1998, International Electrotechnical Vocabulary (IEV) – Part 351: Automatic control

IEC 60584-1, Thermocouples - Part 1: Reference tables

IEC 61131-3:2003, Programmable controllers – Part 3: Programming languages

IEC 61158 (all parts), Digital data communications for measurement and control – Fieldbus for use in industrial control systems

IEC 61499-1:2005, Function blocks - Part 1: Architecture

IEC 61499-2:2005, Function blocks – Part 2: Software tools requirements

IEC 61804-1:2003, Function blocks (FB) for process control – Part 1: Overview of system aspects

ISO/IEC 7498-1:1994, Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model

ISO/IEC 9899, Programming languages - C

ISO/IEC 10646-1, Information technology – Universal Multiple-Octet Coded Character Set (UCS) – Part 1: Architecture and Basic Multilingual Plane

3 Terms, definitions, and abbreviated terms and acronyms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions, some of which have been compiled from the referenced documents, apply.

3.1.1

algorithm

finite set of well-defined rules for the solution of a problem in a finite number of operations

3.1.2

application

software functional unit that is specific to the solution of a problem in industrial-process measurement and control

NOTE An application may be distributed among resources and may communicate with other applications.

3.1.3

application function block

FB which has no input or output to the process

3.1.4

attribute

property or characteristic of an entity, for instance, the version identifier of an FB type specification

[IEC 61499-1]

NOTE The formal description of attributes is part of the solution profiles to achieve domain-specific interoperability. IEC 61804 defines the general rules to define the attributes and specifies the EDDL to describe attributes, which may be described in solution profiles.

3.1.5

component function block

FB instance which is used in the specification of an algorithm of a composite FB type

NOTE A component FB can be an FB or a composite FB type.

3.1.6

composite FB type

FB type whose algorithm is expressed entirely in terms of interconnected component FBs and variables

[IEC 61499-1]

configuration (of a system or device)

step in system design: selecting functional units, assigning their locations and defining their interconnections

[IEC 61499-1]

3.1.8

data

representation of facts, concepts or instructions in a formalized manner suitable for communication, interpretation or processing by human beings or by automatic means

[ISO/AFNOR Dictionary of Computer Science]

3.1.9

data connection

association established between functional units for conveyance of data

[IEC 61499-1]

3.1.10

data input

interface of an FB which receives data from a data connection

[IEC 61499-1]

3.1.11

data output

interface of an FB, which supplies data to a data connection

[IEC 61499-1]

3.1.12

set of values together with a set of permitted operations

[ISO 2382 series]

3.1.13

device

independent physical entity capable of performing one or more specified functions in a particular context and delimited by its interfaces

[IEC 61499-1]

3.1.14

device block

FB which has no input and no output

3.1.15

device management application

application whose primary function is the management of a multiple resources within a device

[IEC 61499-1]

3.1.16

Electronic Device Description Language (EDDL)

methodology for describing parameter(s) of an automation system component

Electronic Device Description (EDD)

data collection containing the device parameter(s), their dependencies, their graphical representation and a description of the data sets which are transferred.

NOTE The Electronic Device Description is created using the Electronic Device Description Language (EDDL).

3.1.18

entity

particular thing, such as a person, place, process, object, concept, association, or event

[IEC 61499-1]

3.1.19

event

instantaneous occurrence that is significant to scheduling the execution of an algorithm

[IEC 61499-1]

NOTE The execution of an algorithm may make use of variables associated with an event.

3.1.20

exception

event that causes suspension of normal execution

[IEC 61499-1]

3.1.21

function

specific purpose of an entity or its characteristic action

[IEC 61499-1]

3.1.22

functional unit

entity of hardware or software, or both, capable of accomplishing a specified purpose_61804_2_2006

[ISO/AFNOR Dictionary of Computer Science]

3.1.23

function block (function block instance)

software functional unit comprising an individual, named copy of a data structure and associated operations specified by a corresponding FB type

[IEC 61499-1]

NOTE Typical operations of an FB include modification of the values of the data in its associated data structure.

3.1.24

function block diagram

network in which the nodes are function block instances, variables, literals, and events

NOTE This is not the same as the function block diagram defined in IEC 61131-3.

[IEC 61499-1]

3.1.25

hardware

physical equipment, as opposed to programs, procedures, rules and associated documentation

[ISO/AFNOR Dictionary of Computer Science]

implementation

development phase in which the hardware and software of a system become operational [IEC 61499-1]

3.1.27

input variable

variable whose value is supplied by a data input, and which may be used in one or more operations of an FB

NOTE An input parameter of an FB, as defined in IEC 61131-3, is an input variable.

[IEC 61499-1]

3.1.28

instance

functional unit comprising an individual, named entity with the attributes of a defined type

[IEC 61499-1]

3.1.29

instance name

identifier associated with, and designating, an instance

[IEC 61499-1]

3.1.30

instantiation

creation of an instance of a specified type

[IEC 61499-1]

3.1.31

interface

shared boundary between two functional units, defined by functional characteristics, signal characteristics, or other characteristics as appropriate

[IEV 351-11-19:1998]

3.1.32

internal variable

variable whose value is used or modified by one or more operations of an FB but is not supplied by a data input or to a data output

[IEC 61499-1]

3.1.33

invocation

process of initiating the execution of the sequence of operations specified in an algorithm

[IEC 61499-1]

3.1.34

management function block

FB whose primary function is the management of applications within a resource

[IEC 61499-1]

mapping

set of values having defined correspondence with the quantities or values of another set

[ISO/AFNOR Dictionary of Computer Science]

3.1.36

model

representation of a real world process, device, or concept

[IEC 61499-1]

3.1.37

operation

well-defined action that, when applied to any permissible combination of known entities, produces a new entity

[ISO/AFNOR Dictionary of Computer Science]

3.1.38

output variable

variable whose value is established by one or more operations of a FB and is supplied to a data output

NOTE An output parameter of an FB, as defined in IEC 61 31 3, is an output warfable.

[IEC 61499-1]

3.1.39

parameter

variable that is given a constant value for a specified application and that may denote the application

[ISO/AFNOR Dictionary of Computer Science] 422006

Notice donds italy and location and applied 1075 2220 April 2006 10770 bald 286 line 61804 2 2006

3.1.40

resource

functional unit contained within a device which has independent control of its operation and which provides various services to applications, including the scheduling and execution of algorithms

NOTE 1 The RESOURCE defined in IEC 61131-3 is a programming language element corresponding to the resource defined above.

NOTE 2 A device contains one or more resources.

3.1.41

resource management application

application whose primary function is the management of a single resource

[IEC 61499-1]

3.1.42

sarvica

functional capability of a resource, which can be modelled by a sequence of service primitives

[IEC 61499-1]