

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Function blocks (FB) for process control –
Part 3: Electronic Device Description Language (EDDL)**

**Blocs fonctionnels (BF) pour les procédés industriels –
Partie 3: Langage de description électronique de produit (EDDL)**

IEC 61804-3:2006

<https://standards.iteh.ai/standards/iec/61804-3-2006>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2006 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.
If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.
Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Function blocks (FB) for process control –
Part 3: Electronic Device Description Language (EDDL)**

**Blocs fonctionnels (FB) pour les procédés industriels –
Partie 3: Langage de description électronique de produit (EDDL)**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE **XH**
CODE PRIX

ICS 25.040.40; 35.240.50

ISBN 978-2-83220-541-9


**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	16
INTRODUCTION.....	18
1 Scope.....	19
2 Normative references.....	19
3 Terms, definitions, abbreviated terms and acronyms.....	20
4 Conformance statement.....	26
5 Conventions for lexical structures.....	27
6 EDD and EDDL model.....	28
6.1 Overview of EDD and EDDL.....	28
6.2 EDD architecture.....	28
6.3 Concepts of EDD.....	28
6.4 Principles of the EDD development process.....	29
6.5 Interrelations between the lexical structure and formal definitions.....	30
6.6 Builtins.....	30
6.7 Profiles.....	30
7 Electronic Device Description Language.....	30
7.1 Overview.....	30
7.2 EDD identification information.....	40
7.3 AXIS.....	43
7.4 BLOCK.....	44
7.5 CHART.....	53
7.6 COLLECTION.....	56
7.7 COMMAND.....	57
7.8 CONNECTION.....	63
7.9 DOMAIN.....	64
7.10 EDIT_DISPLAY.....	65
7.11 FILE.....	67
7.12 GRAPH.....	67
7.13 GRID.....	69
7.14 IMAGE.....	72
7.15 IMPORT.....	74
7.16 LIKE.....	85
7.17 LIST.....	86
7.18 MENU.....	87
7.19 METHOD.....	98
7.20 PROGRAM.....	100
7.21 RECORD.....	101
7.22 REFERENCE_ARRAY.....	101
7.23 Relations.....	102
7.24 RESPONSE_CODES.....	103
7.25 SOURCE.....	104
7.26 VALUE_ARRAY.....	107
7.27 VARIABLE.....	108
7.28 VARIABLE_LIST.....	123

7.29	WAVEFORM	124
7.30	Common attributes	131
7.31	Output redirection (OPEN and CLOSE)	134
7.32	Conditional expression.....	134
7.33	Referencing.....	135
7.34	Strings.....	141
7.35	Expression	143
7.36	Text dictionary.....	149
Annex A (normative)	EDDL formal definition	150
Annex B (normative)	EDDL Builtin library.....	224
Annex C (informative)	EDD example	337
Annex D (normative)	Profiles of EDDL and Builtins	350
Annex E (informative)	Historical background	376
Bibliography.....		377
Figure 1 – Position of the IEC 61804 series related to other standards and products		18
Figure 2 – EDD generation process.....		29
Figure 3 – BLOCK_A.....		32
Figure 4 – CHART.....		32
Figure 5 – COLLECTION.....		33
Figure 6 – COMMAND.....		33
Figure 7 – DOMAIN.....		33
Figure 8 – EDIT_DISPLAY.....		34
Figure 9 – FILE.....		34
Figure 10 – GRAPH.....		34
Figure 11 – GRID.....		34
Figure 12 – IMAGE.....		35
Figure 13 – LIKE.....		35
Figure 14 – LIST.....		35
Figure 15 – MENU.....		36
Figure 16 – PROGRAM.....		36
Figure 17 – RECORD.....		36
Figure 18 – REFERENCE_ARRAY		37
Figure 19 – REFRESH		37
Figure 20 – UNIT		37
Figure 21 – WRITE_AS_ONE.....		37
Figure 22 – SOURCE.....		38
Figure 23 – VALUE_ARRAY		38
Figure 24 – VARIABLE.....		38
Figure 25 – VARIABLE_LIST.....		38
Figure 26 – WAVEFORM.....		39
Figure 27 – EDDL import mechanisms.....		74
Figure 28 – MENU activation (ACCESS OFFLINE).....		94

Figure 29 – Action performed after a new value is entered	95
Figure 30 – Action performed after all VARIABLE inputs of the MENU are accepted (ACCESS OFFLINE)	95
Figure 31 – Method execution	95
Figure 32 – MENU activation (ACCESS ONLINE)	96
Figure 33 – Cyclic reading of dynamic VARIABLES (ACCESS ONLINE)	97
Figure 34 – Action performed after all VARIABLE inputs of the MENU are accepted (ACCESS ONLINE)	97
Figure 35 – Time for read-and-write operation	122
Figure C.1 – Example of an operator screen using EDD	337
Table 1 – Field attribute descriptions	27
Table 2 – DD_REVISION attribute	40
Table 3 – DEVICE_REVISION attribute	41
Table 4 – DEVICE_TYPE attribute	41
Table 5 – EDD_PROFILE attribute	41
Table 6 – EDD_VERSION attribute	42
Table 7 – MANUFACTURER attribute	42
Table 8 – MANUFACTURER_EXT attribute	42
Table 9 – AXIS attributes	43
Table 10 – MAX_VALUE, MIN_VALUE attribute	43
Table 11 – SCALING attribute	44
Table 12 – BLOCK_A attributes	45
Table 13 – CHARACTERISTIC attribute	45
Table 14 – PARAMETER attributes	46
Table 15 – AXIS_ITEMS attribute	46
Table 16 – CHART_ITEMS attribute	46
Table 17 – COLLECTION_ITEMS attribute	47
Table 18 – EDIT_DISPLAY_ITEMS attribute	47
Table 19 – FILE_ITEMS attribute	47
Table 20 – GRAPH_ITEMS attribute	48
Table 21 – GRID_ITEMS attribute	48
Table 22 – IMAGE_ITEMS attribute	48
Table 23 – LIST_ITEMS attribute	48
Table 24 – MENU_ITEMS attribute	49
Table 25 – METHOD_ITEMS attribute	49
Table 26 – PARAMETER_LISTS attributes	50
Table 27 – REFERENCE_ARRAY_ITEMS attribute	50
Table 28 – REFRESH_ITEMS attribute	50
Table 29 – SOURCE_ITEMS attribute	51
Table 30 – UNIT_ITEMS attribute	51
Table 31 – WAVEFORM_ITEMS attribute	51
Table 32 – WRITE_AS_ONE_ITEMS attribute	51
Table 33 – BLOCK_B attributes	52



<https://www.studocu.com/pt-br/document/universidade-federal-de-pernambuco/engenharia-de-computacao/iec-61804-3-2006>

Table 34 – NUMBER attributes.....	52
Table 35 – TYPE attributes.....	53
Table 36 – CHART attributes.....	53
Table 37 – CYCLE_TIME attribute.....	54
Table 38 – HEIGHT/WIDTH attribute.....	54
Table 39 – LENGTH attribute.....	55
Table 40 – TYPE attribute.....	55
Table 41 – COLLECTION attributes.....	56
Table 42 – item-type.....	56
Table 43 – COMMAND attributes.....	58
Table 44 – OPERATION attribute.....	58
Table 45 – TRANSACTION attributes.....	59
Table 46 – REPLY and REQUEST attributes.....	60
Table 47 – INDEX attribute.....	61
Table 48 – BLOCK_B attribute.....	61
Table 49 – NUMBER attribute.....	61
Table 50 – SLOT attribute.....	62
Table 51 – CONNECTION attribute.....	62
Table 52 – HEADER attribute.....	62
Table 53 – MODULE attribute.....	63
Table 54 – CONNECTION attribute.....	63
Table 55 – APPINSTANCE attribute.....	63
Table 56 – DOMAIN attributes.....	64
Table 57 – HANDLING attribute.....	64
Table 58 – EDIT_DISPLAY attributes.....	65
Table 59 – EDIT_ITEMS attribute.....	65
Table 60 – DISPLAY_ITEM attributes.....	66
Table 61 – POST_EDIT_ACTIONS, PRE_EDIT_ACTIONS attribute.....	67
Table 62 – FILE attributes.....	67
Table 63 – GRAPH attributes.....	68
Table 64 – HEIGHT/WIDTH attribute.....	68
Table 65 – CYCLE_TIME attribute.....	69
Table 66 – X_AXIS attribute.....	69
Table 67 – GRID attributes.....	70
Table 68 – VECTORS attribute.....	70
Table 69 – HANDLING attribute.....	71
Table 70 – HEIGHT/WIDTH attribute.....	71
Table 71 – ORIENTATION attribute.....	72
Table 72 – VALIDITY attributes.....	72
Table 73 – IMAGE attributes.....	72
Table 74 – PATH attribute.....	73
Table 75 – LINK attribute.....	73
Table 76 – VALIDITY attributes.....	73

Table 77 – Importing Device Description.....	75
Table 78 – Redefinition attributes	76
Table 79 – Redefinition rules for AXIS attributes.....	76
Table 80 – Redefinition rules for BLOCK_A attributes	77
Table 81 – Redefinition rules for BLOCK_B attributes	77
Table 82 – Redefinition rules for CHART attributes	78
Table 83 – Redefinition rules for COLLECTION attributes	78
Table 84 – Redefinition rules for COMMAND attributes.....	78
Table 85 – Redefinition rules for CONNECTION attributes.....	79
Table 86 – Redefinition rules for DOMAIN attributes	79
Table 87 – Redefinition rules for EDIT_DISPLAY attributes.....	79
Table 88 – Redefinition rules for FILE attributes	79
Table 89 – Redefinition rules for GRAPH attributes.....	80
Table 90 – Redefinition rules for GRID attributes	80
Table 91 – Redefinition rules for IMAGE attributes.....	80
Table 92 – Redefinition rules for LIST attributes	81
Table 93 – Redefinition rules for MENU attributes.....	81
Table 94 – Redefinition rules for METHOD attributes.....	82
Table 95 – Redefinition rules for PROGRAM attributes.....	82
Table 96 – Redefinition rules for RECORD attributes.....	82
Table 97 – Redefinition rules for REFERENCE_ARRAY attributes	82
Table 98 – Redefinition rules for RESPONSE_CODES attributes	83
Table 99 – Redefinition rules for SOURCE attributes	83
Table 100 – Redefinition rules for VALUE_ARRAY attributes	83
Table 101 – Redefinition rules for VARIABLE attributes	84
Table 102 – Redefinition rules for VARIABLE_LIST attributes	85
Table 103 – Redefinition rules for WAVEFORM attributes.....	85
Table 104 – LIKE attributes.....	86
Table 105 – LIST attributes.....	86
Table 106 – TYPE attribute.....	86
Table 107 – CAPACITY, COUNT attribute	87
Table 108 – MENU attribute	88
Table 109 – ITEMS attribute.....	89
Table 110 – ACCESS attribute	89
Table 111 – ENTRY attribute.....	90
Table 112 – POST_EDIT_ACTIONS, PRE_EDIT_ACTIONS, POST_READ_ACTIONS, PRE_READ_ACTIONS, POST_WRITE_ACTIONS, PRE_WRITE_ACTIONS attributes.....	90
Table 113 – PURPOSE attribute.....	92
Table 114 – ROLE attribute.....	93
Table 115 – STYLE attribute	93
Table 116 – VALIDITY attributes	94
Table 117 – METHOD attributes.....	98
Table 118 – ACCESS attributes.....	98
Table 119 – TYPE attributes.....	99

Table 120 – VALIDITY attributes	99
Table 121 – PROGRAM attributes	100
Table 122 – ARGUMENT attribute	100
Table 123 – RECORD attributes	101
Table 124 – REFERENCE_ARRAY attribute	101
Table 125 – ELEMENTS attribute	102
Table 126 – REFRESH attributes	102
Table 127 – UNIT attributes	103
Table 128 – WRITE_AS_ONE attribute	103
Table 129 – RESPONSE_CODES attributes	104
Table 130 – SOURCE attributes	104
Table 131 – EMPHASIS attribute	105
Table 132 – LINE_COLOR attribute	105
Table 133 – LINE_TYPE attribute	106
Table 134 – Y_AXIS attribute	106
Table 135 – VALUE_ARRAY attributes	107
Table 136 – NUMBER_OF_ELEMENTS attribute	108
Table 137 – TYPE attribute	108
Table 138 – VARIABLE attributes	108
Table 139 – CLASS attributes	109
Table 140 – TYPE attributes	110
Table 141 – DOUBLE, FLOAT, INTEGER, UNSIGNED_INTEGER attributes	112
Table 142 – BIT_ENUMERATED attributes	114
Table 143 – status-class attributes	115
Table 144 – ALL, AO, DV, TV attributes	116
Table 145 – Enumerated types attributes	116
Table 146 – Index type attributes	117
Table 147 – Object reference type attribute	117
Table 148 – DEFAULT_REFERENCE attributes	117
Table 149 – String types attributes	119
Table 150 – CONSTANT_UNIT attribute	119
Table 151 – DEFAULT_VALUE attribute	119
Table 152 – HANDLING attribute	120
Table 153 – INITIAL_VALUE attribute	120
Table 154 – POST_EDIT_ACTIONS, PRE_EDIT_ACTIONS, POST_READ_ACTIONS, PRE_READ_ACTIONS, POST_WRITE_ACTIONS, PRE_WRITE_ACTIONS, REFRESH_ACTIONS attributes	121
Table 155 – READ/WRITE_TIMEOUT attributes	123
Table 156 – STYLE attribute	123
Table 157 – VALIDITY attributes	123
Table 158 – VARIABLE_LIST attributes	124
Table 159 – WAVEFORM attributes	124
Table 160 – TYPE attribute	125
Table 161 – XY attribute	125

Table 162 – YT attribute.....	126
Table 163 – HORIZONTAL attribute.....	127
Table 164 – VERTICAL attribute.....	127
Table 165 – EMPHASIS attribute.....	127
Table 166 – HANDLING attribute.....	128
Table 167 – EXIT_ACTIONS, INIT_ACTIONS, REFRESH_ACTIONS attribute.....	128
Table 168 – KEY_POINTS attribute.....	129
Table 169 – X_VALUES, Y_VALUES attribute.....	129
Table 170 – LINE_COLOR attribute.....	130
Table 171 – LINE_TYPE attribute.....	130
Table 172 – Y_AXIS attribute.....	131
Table 173 – DEFINITION attributes.....	131
Table 174 – HELP attribute.....	132
Table 175 – LABEL attribute.....	132
Table 176 – MEMBERS attributes.....	133
Table 177 – RESPONSE_CODES attribute.....	133
Table 178 – OPEN and CLOSE attributes.....	134
Table 179 – IF, SELECT conditional.....	135
Table 180 – Referencing an EDD instance.....	136
Table 181 – Referencing elements of VARIABLE.....	136
Table 182 – Referencing elements of RECORD.....	136
Table 183 – Referencing elements of VALUE_ARRAY.....	137
Table 184 – Referencing members of COLLECTION.....	137
Table 185 – Referencing members of REFERENCE_ARRAY.....	137
Table 186 – Referencing members of VARIABLE_LISTS.....	138
Table 187 – Referencing members of a BLOCK_A PARAMETERS.....	138
Table 188 – Referencing members of BLOCK_A PARAMETER_LISTS.....	138
Table 189 – Referencing members of BLOCK_A LOCAL_PARAMETER.....	138
Table 190 – Referencing BLOCK_A CHARACTERISTICS.....	139
Table 191 – Referencing members of FILE.....	139
Table 192 – Referencing elements of LIST.....	139
Table 193 – Referencing members of CHART.....	140
Table 194 – Referencing members of GRAPH.....	140
Table 195 – Referencing members of SOURCE.....	140
Table 196 – Referencing AXIS of a GRAPH. SOURCE, WAVEFORM.....	141
Table 197 – String as a string literal.....	141
Table 198 – String as a string variable.....	141
Table 199 – String as an enumeration value.....	142
Table 200 – String as a dictionary reference.....	142
Table 201 – Referencing HELP and LABEL attributes of EDD instances.....	142
Table 202 – String operation.....	143
Table 203 – Format specifier.....	143
Table 204 – Primary expressions.....	144

Table 205 – Attribute values of VARIABLES	144
Table 206 – AXIS Attribute Values	145
Table 207 – LIST Attribute Values	145
Table 208 – Unary expressions	145
Table 209 – Multiplicative operators	146
Table 210 – Additive operators	146
Table 211 – Shift operators	147
Table 212 – Relational operators	147
Table 213 – Equality operators	147
Table 214 – Text dictionary attributes	149
Table A.1 – Conventions for integer constants	154
Table A.2 – Using escape sequences in string literals	155
Table A.3 – Using language codes in string literals	155
Table A.4 – EDDL operators	156
Table A.5 – EDDL keywords	156
Table B.1 – Format for the Builtins lexical element tables	224
Table B.2 – Contents of the lexical element table	224
Table B.3 – Builtin abort	225
Table B.4 – Builtin abort_on_all_comm_errors	225
Table B.5 – Builtin ABORT_ON_ALL_COMM_STATUS	226
Table B.6 – Builtin ABORT_ON_ALL_DEVICE_STATUS	226
Table B.7 – Builtin ABORT_ON_ALL_RESPONSE_CODES	227
Table B.8 – Builtin abort_on_all_response_codes	227
Table B.9 – Builtin abort_on_comm_error	227
Table B.10 – Builtin ABORT_ON_COMM_ERROR	228
Table B.11 – Builtin ABORT_ON_COMM_STATUS	228
Table B.12 – Builtin ABORT_ON_DEVICE_STATUS	229
Table B.13 – Builtin ABORT_ON_NO_DEVICE	229
Table B.14 – Builtin ABORT_ON_RESPONSE_CODE	230
Table B.15 – Builtin abort_on_response_code	231
Table B.16 – Builtin abs	231
Table B.17 – Builtin ACKNOWLEDGE	232
Table B.18 – Builtin acknowledge	232
Table B.19 – Builtin acos	232
Table B.20 – Builtin add_abort_method	233
Table B.21 – Builtin add_abort_method	233
Table B.22 – Builtin asin	234
Table B.23 – Builtin assign	234
Table B.24 – Builtin assign_double	235
Table B.25 – Builtin assign_float	235
Table B.26 – Builtin assign_int	235
Table B.27 – Builtin assign_var	236
Table B.28 – Builtin atan	236

Table B.29 – Builtin ATOF	236
Table B.30 – Builtin atof	237
Table B.31 – Builtin ATOI	237
Table B.32 – Builtin atoi	237
Table B.33 – Builtin BUILD_MESSAGE	238
Table B.34 – Builtin cbrt	238
Table B.35 – Builtin ceil	238
Table B.36 – Builtin cos	239
Table B.37 – Builtin cosh	239
Table B.38 – Builtin dassign	239
Table B.39 – Builtin Date_to_DayOfMonth	240
Table B.40 – Builtin Date_to_Month	240
Table B.41 – Builtin Date_to_Year	240
Table B.42 – Builtin DELAY	241
Table B.43 – Builtin delay	241
Table B.44 – Builtin DELAY_TIME	242
Table B.45 – Builtin delayfor	242
Table B.46 – Builtin DICT_ID	243
Table B.47 – Builtin discard_on_exit	243
Table B.48 – Builtin display	244
Table B.49 – Builtin display_builtin_error	244
Table B.50 – Builtin display_comm_error	245
Table B.51 – Builtin display_comm_status	245
Table B.52 – Builtin display_device_status	245
Table B.53 – Builtin display_dynamics	246
Table B.54 – Builtin display_message	246
Table B.55 – Builtin display_response_code	247
Table B.56 – Builtin display_response_status	248
Table B.57 – Builtin display_xmtr_status	248
Table B.58 – Builtin edit_device_value	249
Table B.59 – Builtin edit_local_value	250
Table B.60 – Builtin exp	250
Table B.61 – Builtin ext_send_command	251
Table B.62 – Builtin ext_send_command_trans	251
Table B.63 – Builtin fail_on_all_comm_errors	252
Table B.64 – Builtin fail_on_all_response_codes	252
Table B.65 – Builtin fail_on_comm_error	253
Table B.66 – Builtin fail_on_response_code	253
Table B.67 – Builtin fassign	254
Table B.68 – Builtin fgetval	254
Table B.69 – Builtin float_value	254
Table B.70 – Builtin floor	255
Table B.71 – Builtin fmod	255

Table B.72 – Builtin fsetval	256
Table B.73 – Builtin ftoa	256
Table B.74 – Builtin fvar_value	256
Table B.75 – Builtin get_acknowledgement	257
Table B.76 – Builtin get_comm_error	258
Table B.77 – Builtin get_comm_error_string	258
Table B.78 – Builtin get_date	259
Table B.79 – Builtin get_date_value	259
Table B.80 – Builtin get_dds_error	260
Table B.81 – Builtin GET_DEV_VAR_VALUE	260
Table B.82 – Builtin get_dev_var_value	261
Table B.83 – Builtin get_dictionary_string	262
Table B.84 – Builtin get_double	262
Table B.85 – Builtin get_double_value	263
Table B.86 – Builtin get_enum_string	263
Table B.87 – Builtin get_float	264
Table B.88 – Builtin get_float_value	264
Table B.89 – Builtin GET_LOCAL_VAR_VALUE	265
Table B.90 – Builtin get_local_var_value	265
Table B.91 – Builtin get_more_status	266
Table B.92 – Builtin get_resolve_status	266
Table B.93 – Builtin get_response_code	267
Table B.94 – Builtin get_response_code_string	268
Table B.95 – Builtin get_signed	268
Table B.96 – Builtin get_signed_value	269
Table B.97 – Builtin get_status_code_string	269
Table B.98 – Builtin get_status_string	270
Table B.99 – Builtin get_stddict_string	270
Table B.100 – Builtin get_string	271
Table B.101 – Builtin get_string_value	271
Table B.102 – Builtin GET_TICK_COUNT	272
Table B.103 – Builtin get_unsigned	272
Table B.104 – Builtin get_unsigned_value	273
Table B.105 – Builtin iassign	273
Table B.106 – Builtin igetval	274
Table B.107 – Builtin IGNORE_ALL_COMM_STATUS	274
Table B.108 – Builtin IGNORE_ALL_DEVICE_STATUS	275
Table B.109 – Builtin IGNORE_ALL_RESPONSE_CODES	276
Table B.110 – Builtin IGNORE_COMM_ERROR	276
Table B.111 – Builtin IGNORE_COMM_STATUS	277
Table B.112 – Builtin IGNORE_DEVICE_STATUS	277
Table B.113 – Builtin IGNORE_NO_DEVICE	278
Table B.114 – Builtin IGNORE_RESPONSE_CODE	278

Table B.115 – Builtin int_value	278
Table B.116 – Builtin is_NaN.....	279
Table B.117 – Builtin isetval	279
Table B.118 – Builtin ITEM_ID.....	280
Table B.119 – Builtin ITOA	280
Table B.120 – Builtin itoa	280
Table B.121 – Builtin ivar_value	281
Table B.122 – Builtin lassign	281
Table B.123 – Builtin lgetval	281
Table B.124 – Builtin ListDeleteElementAt.....	282
Table B.125 – Builtin ListInsert.....	282
Table B.126 – Builtin log	283
Table B.127 – Builtin log10.....	283
Table B.128 – Builtin log2.....	284
Table B.129 – Lexical elements of Builtin LOG_MESSAGE.....	284
Table B.130 – Builtin long_value.....	284
Table B.131 – Builtin lsetval	285
Table B.132 – Builtin lvar_value	285
Table B.133 – Builtin MEMBER_ID	286
Table B.134 – Builtin MenuDisplay	286
Table B.135 – Builtin method_abort.....	287
Table B.136 – Builtin process_abort	287
Table B.137 – Builtin pow.....	287
Table B.138 – Builtin process_abort	288
Table B.139 – Builtin put_date.....	288
Table B.140 – Builtin put_date_value.....	289
Table B.141 – Builtin put_double.....	289
Table B.142 – Builtin put_double_value	290
Table B.143 – Builtin put_float.....	290
Table B.144 – Builtin put_float_value.....	291
Table B.145 – Builtin PUT_MESSAGE.....	291
Table B.146 – Builtin put_message.....	292
Table B.147 – Builtin put_signed	292
Table B.148 – Builtin put_signed_value	293
Table B.149 – Builtin put_string.....	294
Table B.150 – Builtin put_string_value.....	294
Table B.151 – Builtin put_unsigned.....	295
Table B.152 – Builtin put_unsigned_value	296
Table B.153 – Lexical elements of Builtin READ_COMMAND.....	296
Table B.154 – Builtin read_value	297
Table B.155 – Builtin remove_abort_method.....	297
Table B.156 – Builtin remove_abort_method.....	298
Table B.157 – Builtin remove_all_abort_methods.....	298