

INTERNATIONAL
STANDARD

IEC
61804-3

First edition
2006-09

**Function blocks (FB) for process control –
Part 3:
Electronic Device Description Language (EDDL)**

iTeH Standards
(<https://standards.iteh.ai>)

Document Preview

<https://standards.iteh.ai/doc/doc/standard/iec/ce6cda2-3fc4-426f-b95b-3a43deeeaf03/iec-61804-3-2006>



Reference number
IEC 61804-3:2006(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- IEC Web Site (www.iec.ch)
 - Catalogue of IEC publications

The on-line catalogue on the IEC web site (www.iec.ch/searchpub) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

- IEC Just Published

This summary of recently issued publications (www.iec.ch/online_news/justpub) is also available by email. Please contact the Customer Service Centre (see below) for further information.

- #### **• Customer Service Centre**

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

<https://standards.itec.ae> | 04-01-2023 | 4-426f-b95b-3a43deeeaf03/iec-61804-3-2006

INTERNATIONAL STANDARD

IEC
61804-3

First edition
2006-09

Function blocks (FB) for process control – Part 3: Electronic Device Description Language (EDDL)

iTech Standards
(<https://standards.itech.ai>)
Document Preview

<https://standards.itech.ai/catalog/standards/iec/8ce0cda2-3fc4-426f-b95b-3a43deeeaf03/iec-61804-3-2006>

© IEC 2006 – Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE XH

For price, see current catalogue

CONTENTS

FOREWORD	16
INTRODUCTION	18
1 Scope	19
2 Normative references	19
3 Terms, definitions, abbreviated terms and acronyms	20
4 Conformance statement	26
5 Conventions for lexical structures	27
6 EDD and EDDL model	28
6.1 Overview of EDD and EDDL	28
6.2 EDD architecture	28
6.3 Concepts of EDD	28
6.4 Principles of the EDD development process	29
6.5 Interrelations between the lexical structure and formal definitions	30
6.6 Builtins	30
6.7 Profiles	30
7 Electronic Device Description Language	30
7.1 Overview	30
7.2 EDD identification information	40
7.3 AXIS	43
7.4 BLOCK	44
7.5 CHART	53
7.6 COLLECTION	56
7.7 COMMAND	57
7.8 CONNECTION	63
7.9 DOMAIN	64
7.10 EDIT_DISPLAY	65
7.11 FILE	67
7.12 GRAPH	67
7.13 GRID	69
7.14 IMAGE	72
7.15 IMPORT	74
7.16 LIKE	85
7.17 LIST	86
7.18 MENU	87
7.19 METHOD	98
7.20 PROGRAM	100
7.21 RECORD	101
7.22 REFERENCE_ARRAY	101
7.23 Relations	102
7.24 RESPONSE_CODES	103
7.25 SOURCE	104
7.26 VALUE_ARRAY	107
7.27 VARIABLE	108
7.28 VARIABLE_LIST	123
7.29 WAVEFORM	124

7.30 Common attributes	131
7.31 Output redirection (OPEN and CLOSE).....	134
7.32 Conditional expression.....	134
7.33 Referencing.....	135
7.34 Strings.....	141
7.35 Expression	143
7.36 Text dictionary.....	149
Annex A (normative) EDDL formal definition	150
Annex B (normative) EDDL Builtin Library.....	224
Annex C (informative) EDD Example	337
Annex D (normative) Profiles of EDDL and Builtins	350
Annex E (informative) Historical background	376
Bibliography	377
Figure 1 – Position of the IEC 61804 series related to other standards and products	18
Figure 2 – EDD generation process	29
Figure 3 – BLOCK_A	32
Figure 4 – CHART	32
Figure 5 – COLLECTION	33
Figure 6 – COMMAND	33
Figure 7 – DOMAIN	33
Figure 8 – EDIT_DISPLAY	34
Figure 9 – FILE	34
Figure 10 – GRAPH	34
Figure 11 – GRID	34
Figure 12 – IMAGE	35
Figure 13 – LIKE	35
Figure 14 – LIST	35
Figure 15 – MENU	36
Figure 16 – PROGRAM	36
Figure 17 – RECORD	36
Figure 18 – REFERENCE_ARRAY	37
Figure 19 – REFRESH	37
Figure 20 – UNIT	37
Figure 21 – WRITE_AS_ONE	37
Figure 22 – SOURCE	38
Figure 23 – VALUE_ARRAY	38
Figure 24 – VARIABLE	38
Figure 25 – VARIABLE_LIST	38
Figure 26 – WAVEFORM.....	39
Figure 27 – EDDL import mechanisms.....	74
Figure 28 – MENU activation (ACCESS OFFLINE).....	94

Figure 29 – Action performed after a new value is entered	95
Figure 30 – Action performed after all VARIABLE inputs of the MENU are accepted (ACCESS OFFLINE)	95
Figure 31 – Method execution	95
Figure 32 – MENU activation (ACCESS ONLINE)	96
Figure 33 – Cyclic reading of dynamic VARIABLES (ACCESS ONLINE)	97
Figure 34 – Action performed after all VARIABLE inputs of the MENU are accepted (ACCESS ONLINE)	97
Figure 35 – Time for read-and-write operation	122
Figure C.1 – Example of an operator screen using EDD.....	337
Table 1 – Field attribute descriptions	27
Table 2 – DD_REVISION attribute	40
Table 3 – DEVICE_REVISION attribute	41
Table 4 – DEVICE_TYPE attribute.....	41
Table 5 – EDD_PROFILE attribute	41
Table 6 – EDD_VERSION attribute.....	42
Table 7 – MANUFACTURER attribute	42
Table 8 – MANUFACTURER_EXT attribute.....	42
Table 9 – AXIS attributes	43
Table 10 – MAX_VALUE, MIN_VALUE attribute.....	43
Table 11 – SCALING attribute	44
Table 12 – BLOCK_A attributes.....	45
Table 13 – CHARACTERISTIC attribute	45
Table 14 – PARAMETER attributes	46
Table 15 – AXIS_ITEMS attribute	46
Table 16 – CHART_ITEMS attribute	46
Table 17 – COLLECTION_ITEMS attribute	47
Table 18 – EDIT_DISPLAY_ITEMS attribute	47
Table 19 – FILE_ITEMS attribute.....	47
Table 20 – GRAPH_ITEMS attribute	48
Table 21 – GRID_ITEMS attribute	48
Table 22 – IMAGE_ITEMS attribute	48
Table 23 – LIST_ITEMS attribute.....	48
Table 24 – MENU_ITEMS attribute	49
Table 25 – METHOD_ITEMS attribute	49
Table 26 – PARAMETER_LISTS attributes	50
Table 27 – REFERENCE_ARRAY_ITEMS attribute.....	50
Table 28 – REFRESH_ITEMS attribute.....	50
Table 29 – SOURCE_ITEMS attribute	51
Table 30 – UNIT_ITEMS attribute	51
Table 31 – WAVEFORM_ITEMS attribute	51
Table 32 – WRITE_AS_ONE_ITEMS attribute	51
Table 33 – BLOCK_B attributes.....	52

Table 34 – NUMBER attributes	52
Table 35 – TYPE attributes.....	53
Table 36 – CHART attributes.....	53
Table 37 – CYCLE_TIME attribute	54
Table 38 – HEIGHT/WIDTH attribute	54
Table 39 – LENGTH attribute	55
Table 40 – TYPE attribute	55
Table 41 – COLLECTION attributes.....	56
Table 42 – item-type	56
Table 43 – COMMAND attributes.....	58
Table 44 – OPERATION attribute	58
Table 45 – TRANSACTION attributes	59
Table 46 – REPLY and REQUEST attributes	60
Table 47 – INDEX attribute.....	61
Table 48 – BLOCK_B attribute.....	61
Table 49 – NUMBER attribute.....	61
Table 50 – SLOT attribute	62
Table 51 – CONNECTION attribute	62
Table 52 – HEADER attribute	62
Table 53 – MODULE attribute.....	63
Table 54 – CONNECTION attribute	63
Table 55 – APPINSTANCE attribute	63
Table 56 – DOMAIN attributes.....	64
Table 57 – HANDLING attribute.....	64
Table 58 – EDIT_DISPLAY attributes	65
Table 59 – EDIT_ITEMS attribute	65
Table 60 – DISPLAY_ITEM attributes	66
Table 61 – POST_EDIT_ACTIONS, PRE_EDIT_ACTIONS attribute	67
Table 62 – FILE attributes	67
Table 63 – GRAPH attributes	68
Table 64 – HEIGHT/WIDTH attribute	68
Table 65 – CYCLE_TIME attribute	69
Table 66 – X_AXIS attribute	69
Table 67 – GRID attributes.....	70
Table 68 – VECTORS attribute	70
Table 69 – HANDLING attribute.....	71
Table 70 – HEIGHT/WIDTH attribute	71
Table 71 – ORIENTATION attribute	72
Table 72 – VALIDITY attributes	72
Table 73 – IMAGE attributes	72
Table 74 – PATH attribute	73
Table 75 – LINK attribute	73
Table 76 – VALIDITY attributes	73

Table 77 – Importing Device Description.....	75
Table 78 – Redefinition attributes	76
Table 79 – Redefinition rules for AXIS attributes.....	76
Table 80 – Redefinition rules for BLOCK_A attributes	77
Table 81 – Redefinition rules for BLOCK_B attributes	77
Table 82 – Redefinition rules for CHART attributes	78
Table 83 – Redefinition rules for COLLECTION attributes	78
Table 84 – Redefinition rules for COMMAND attributes.....	78
Table 85 – Redefinition rules for CONNECTION attributes.....	79
Table 86 – Redefinition rules for DOMAIN attributes	79
Table 87 – Redefinition rules for EDIT_DISPLAY attributes.....	79
Table 88 – Redefinition rules for FILE attributes	79
Table 89 – Redefinition rules for GRAPH attributes.....	80
Table 90 – Redefinition rules for GRID attributes	80
Table 91 – Redefinition rules for IMAGE attributes.....	80
Table 92 – Redefinition rules for LIST attributes	81
Table 93 – Redefinition rules for MENU attributes.....	81
Table 94 – Redefinition rules for METHOD attributes.....	82
Table 95 – Redefinition rules for PROGRAM attributes	82
Table 96 – Redefinition rules for RECORD attributes	82
Table 97 – Redefinition rules for REFERENCE_ARRAY attributes	82
Table 98 – Redefinition rules for RESPONSE_CODES attributes	83
Table 99 – Redefinition rules for SOURCE attributes	83
Table 100 – Redefinition rules for VALUE_ARRAY attributes	83
Table 101 – Redefinition rules for VARIABLE attributes	84
Table 102 – Redefinition rules for VARIABLE_LIST attributes	85
Table 103 – Redefinition rules for WAVEFORM attributes	85
Table 104 – LIKE attributes	86
Table 105 – LIST attributes	86
Table 106 – TYPE attribute	86
Table 107 – CAPACITY, COUNT attribute	87
Table 108 – MENU attribute	88
Table 109 – ITEMS attribute	89
Table 110 – ACCESS attribute	89
Table 111 – ENTRY attribute	90
Table 112 – POST_EDIT_ACTIONS, PRE_EDIT_ACTIONS, POST_READ_ACTIONS, PRE_READ_ACTIONS, POST_WRITE_ACTIONS, PRE_WRITE_ACTIONS attributes	90
Table 113 – PURPOSE attribute	92
Table 114 – ROLE attribute	93
Table 115 – STYLE attribute	93
Table 116 – VALIDITY attributes	94
Table 117 – METHOD attributes	98
Table 118 – ACCESS attributes	98
Table 119 – TYPE attributes	99

Table 120 – VALIDITY attributes	99
Table 121 – PROGRAM attributes	100
Table 122 – ARGUMENT attribute	100
Table 123 – RECORD attributes	101
Table 124 – REFERENCE_ARRAY attribute	101
Table 125 – ELEMENTS attribute	102
Table 126 – REFRESH attributes	102
Table 127 – UNIT attributes	103
Table 128 – WRITE_AS_ONE attribute.....	103
Table 129 – RESPONSE_CODES attributes	104
Table 130 – SOURCE attributes	104
Table 131 – EMPHASIS attribute.....	105
Table 132 – LINE_COLOR attribute.....	105
Table 133 – LINE_TYPE attribute	106
Table 134 – Y_AXIS attribute	106
Table 135 – VALUE_ARRAY attributes	107
Table 136 – NUMBER_OF_ELEMENTS attribute	108
Table 137 – TYPE attribute	108
Table 138 – VARIABLE attributes	108
Table 139 – CLASS attributes	109
Table 140 – TYPE attributes.....	110
Table 141 – DOUBLE, FLOAT, INTEGER, UNSIGNED_INTEGER attributes	112
Table 142 – BIT_ENUMERATED attributes.....	114
Table 143 – status-class attributes ...	115
Table 144 – ALL, AO, DV, TV attributes.....	116
Table 145 – Enumerated types attributes.....	116
Table 146 – Index type attributes.....	117
Table 147 – Object reference type attribute	117
Table 148 – DEFAULT_REFERENCE attributes	117
Table 149 – String types attributes	119
Table 150 – CONSTANT_UNIT attribute.....	119
Table 151 – DEFAULT_VALUE attribute.....	119
Table 152 – HANDLING attribute.....	120
Table 153 – INITIAL_VALUE attribute.....	120
Table 154 – POST_EDIT_ACTIONS, PRE_EDIT_ACTIONS, POST_READ_ACTIONS, PRE_READ_ACTIONS, POST_WRITE_ACTIONS, PRE_WRITE_ACTIONS, REFRESH_ACTIONS attributes.....	121
Table 155 – READ/WRITE_TIMEOUT attributes.....	123
Table 156 – STYLE attribute	123
Table 157 – VALIDITY attributes	123
Table 158 – VARIABLE_LIST attributes	124
Table 159 – WAVEFORM attributes.....	124
Table 160 – TYPE attribute	125
Table 161 – XY attribute.....	125

Table 162 – YT attribute	126
Table 163 – HORIZONTAL attribute	127
Table 164 – VERTICAL attribute.....	127
Table 165 – EMPHASIS attribute.....	127
Table 166 – HANDLING attribute.....	128
Table 167 – EXIT_ACTIONS, INIT_ACTIONS, REFRESH_ACTIONS attribute	128
Table 168 – KEY_POINTS attribute	129
Table 169 – X_VALUES, Y_VALUES attribute	129
Table 170 – LINE_COLOR attribute.....	130
Table 171 – LINE_TYPE attribute	130
Table 172 – Y_AXIS attribute	131
Table 173 – DEFINITION attributes	131
Table 174 – HELP attribute	132
Table 175 – LABEL attribute.....	132
Table 176 – MEMBERS attributes.....	133
Table 177 – RESPONSE_CODES attribute.....	133
Table 178 – OPEN and CLOSE attributes	134
Table 179 – IF, SELECT conditional	135
Table 180 – Referencing an EDD instance.....	136
Table 181 – Referencing elements of VARIABLE.....	136
Table 182 – Referencing elements of RECORD.....	136
Table 183 – Referencing elements of VALUE_ARRAY.....	137
Table 184 – Referencing members of COLLECTION	137
Table 185 – Referencing members of REFERENCE_ARRAY	137
Table 186 – Referencing members of VARIABLE_LISTS	138
Table 187 – Referencing members of a BLOCK_A PARAMETERS	138
Table 188 – Referencing members of BLOCK_A PARAMETER_LISTS	138
Table 189 – Referencing members of BLOCK_A LOCAL_PARAMETER.....	138
Table 190 – Referencing BLOCK_A CHARACTERISTICS	139
Table 191 – Referencing members of FILE	139
Table 192 – Referencing elements of LIST	139
Table 193 – Referencing members of CHART	140
Table 194 – Referencing members of GRAPH	140
Table 195 – Referencing members of SOURCE	140
Table 196 – Referencing AXIS of a GRAPH. SOURCE, WAVEFORM	141
Table 197 – String as a string literal	141
Table 198 – String as a string variable.....	141
Table 199 – String as an enumeration value	142
Table 200 – String as a dictionary reference	142
Table 201 – Referencing HELP and LABEL attributes of EDD instances	142
Table 202 – String operation	143
Table 203 – Format specifier.....	143
Table 204 – Primary expressions.....	144

Table 205 – Attribute values of VARIABLEs	144
Table 206 – AXIS Attribute Values.....	145
Table 207 – LIST Attribute Values	145
Table 208 – Unary expressions	145
Table 209 – Multiplicative operators	146
Table 210 – Additive operators	146
Table 211 – Shift operators	147
Table 212 – Relational operators	147
Table 213 – Equality operators	147
Table 214 – Text dictionary attributes	149
Table A.1 – Conventions for integer constants	154
Table A.2 – Using escape sequences in string literals.....	155
Table A.3 – Using language codes in string literals	155
Table A.4 – EDDL operators.....	156
Table A.5 – EDDL keywords	156
Table B.1 – Format for the Builtins lexical element tables	224
Table B.2 – Contents of the lexical element table.....	224
Table B.3 – Builtin abort	225
Table B.4 – Builtin abort_on_all_comm_errors.....	225
Table B.5 – Builtin ABORT_ON_ALL_COMM_STATUS.....	226
Table B.6 – Builtin ABORT_ON_ALL_DEVICE_STATUS	226
Table B.7 – Builtin ABORT_ON_ALL_RESPONSE_CODES	227
Table B.8 – Builtin abort_on_all_response_codes	227
Table B.9 – Builtin abort_on_comm_error	227
Table B.10 – Builtin ABORT_ON_COMM_ERROR	228
Table B.11 – Builtin ABORT_ON_COMM_STATUS	228
Table B.12 – Builtin ABORT_ON_DEVICE_STATUS	229
Table B.13 – Builtin ABORT_ON_NO_DEVICE	229
Table B.14 – Builtin ABORT_ON_RESPONSE_CODE	230
Table B.15 – Builtin abort_on_response_code	231
Table B.16 – Builtin abs	231
Table B.17 – Builtin ACKNOWLEDGE	232
Table B.18 – Builtin acknowledge	232
Table B.19 – Builtin acos	232
Table B.20 – Builtin add_abort_method	233
Table B.21 – Builtin add_abort_method	233
Table B.22 – Builtin asin	234
Table B.23 – Builtin assign	234
Table B.24 – Builtin assign_double	235
Table B.25 – Builtin assign_float	235
Table B.26 – Builtin assign_int	235
Table B.27 – Builtin assign_var	236
Table B.28 – Builtin atan	236

Table B.29 – Builtin ATOF	236
Table B.30 – Builtin atof	237
Table B.31 – Builtin ATOI	237
Table B.32 – Builtin atoi	237
Table B.33 – Builtin BUILD_MESSAGE.....	238
Table B.34 – Builtin cbtr	238
Table B.35 – Builtin ceil.....	238
Table B.36 – Builtin cos.....	239
Table B.37 – Builtin cosh.....	239
Table B.38 – Builtin dassign	239
Table B.39 – Builtin Date_to_DayOfMonth	240
Table B.40 – Builtin Date_to_Month.....	240
Table B.41 – Builtin Date_to_Year	240
Table B.42 – Builtin DELAY	241
Table B.43 – Builtin delay.....	241
Table B.44 – Builtin DELAY_TIME	242
Table B.45 – Builtin delayfor.....	242
Table B.46 – Builtin DICT_ID.....	243
Table B.47 – Builtin discard_on_exit.....	243
Table B.48 – Builtin display	244
Table B.49 – Builtin display_builtin_error	244
Table B.50 – Builtin display_comm_error	245
Table B.51 – Builtin display_comm_status	245
Table B.52 – Builtin display_device_status	245
Table B.53 – Builtin display_dynamics	246
Table B.54 – Builtin display_message	246
Table B.55 – Builtin display_response_code	247
Table B.56 – Builtin display_response_status	248
Table B.57 – Builtin display_xmtr_status.....	248
Table B.58 – Builtin edit_device_value.....	249
Table B.59 – Builtin edit_local_value	250
Table B.60 – Builtin exp	250
Table B.61 – Builtin ext_send_command	251
Table B.62 – Builtin ext_send_command_trans.....	251
Table B.63 – Builtin fail_on_all_comm_errors	252
Table B.64 – Builtin fail_on_all_response_codes	252
Table B.65 – Builtin fail_on_comm_error	253
Table B.66 – Builtin fail_on_response_code	253
Table B.67 – Builtin fassign	254
Table B.68 – Builtin fgetval.....	254
Table B.69 – Builtin float_value	254
Table B.70 – Builtin floor	255
Table B.71 – Builtin fmod	255

Table B.72 – Builtin fsetval	256
Table B.73 – Builtin ftoa	256
Table B.74 – Builtin fvar_value	256
Table B.75 – Builtin get_acknowledgement	257
Table B.76 – Builtin get_comm_error	258
Table B.77 – Builtin get_comm_error_string	258
Table B.78 – Builtin get_date	259
Table B.79 – Builtin get_date_value	259
Table B.80 – Builtin get_dds_error	260
Table B.81 – Builtin GET_DEV_VAR_VALUE	260
Table B.82 – Builtin get_dev_var_value	261
Table B.83 – Builtin get_dictionary_string	262
Table B.84 – Builtin get_double	262
Table B.85 – Builtin get_double_value	263
Table B.86 – Builtin get_enum_string	263
Table B.87 – Builtin get_float	264
Table B.88 – Builtin get_float_value	264
Table B.89 – Builtin GET_LOCAL_VAR_VALUE	265
Table B.90 – Builtin get_local_var_value	265
Table B.91 – Builtin get_more_status	266
Table B.92 – Builtin get_resolve_status	266
Table B.93 – Builtin get_response_code	267
Table B.94 – Builtin get_response_code_string	268
Table B.95 – Builtin get_signed	268
Table B.96 – Builtin get_signed_value	269
Table B.97 – Builtin get_status_code_string	269
Table B.98 – Builtin get_status_string	270
Table B.99 – Builtin get_stddict_string	270
Table B.100 – Builtin get_string	271
Table B.101 – Builtin get_string_value	271
Table B.102 – Builtin GET_TICK_COUNT	272
Table B.103 – Builtin get_unsigned	272
Table B.104 – Builtin get_unsigned_value	273
Table B.105 – Builtin iassign	273
Table B.106 – Builtin igetval	274
Table B.107 – Builtin IGNORE_ALL_COMM_STATUS	274
Table B.108 – Builtin IGNORE_ALL_DEVICE_STATUS	275
Table B.109 – Builtin IGNORE_ALL_RESPONSE_CODES	275
Table B.110 – Builtin IGNORE_COMM_ERROR	276
Table B.111 – Builtin IGNORE_COMM_STATUS	276
Table B.112 – Builtin IGNORE_DEVICE_STATUS	277
Table B.113 – Builtin IGNORE_NO_DEVICE	277
Table B.114 – Builtin IGNORE_RESPONSE_CODE	278

Table B.115 – Builtin int_value	278
Table B.116 – Builtin is_NaN	279
Table B.117 – Builtin isetval	279
Table B.118 – Builtin ITEM_ID	280
Table B.119 – Builtin ITOA	280
Table B.120 – Builtin itoa	280
Table B.121 – Builtin ivar_value	281
Table B.122 – Builtin lassign	281
Table B.123 – Builtin lgetval	281
Table B.124 – Builtin ListDeleteElementAt	282
Table B.125 – Builtin ListInsert	282
Table B.126 – Builtin log	283
Table B.127 – Builtin log10	283
Table B.128 – Builtin log2	284
Table B.129 – Lexical elements of Builtin LOG_MESSAGE	284
Table B.130 – Builtin long_value	284
Table B.131 – Builtin lsetval	285
Table B.132 – Builtin lvar_value	285
Table B.133 – Builtin MEMBER_ID	286
Table B.134 – Builtin MenuDisplay	286
Table B.135 – Builtin method_abort	287
Table B.136 – Builtin process_abort	287
Table B.137 – Builtin pow	287
Table B.138 – Builtin process_abort	288
Table B.139 – Builtin put_date	288
Table B.140 – Builtin put_date_value	289
Table B.141 – Builtin put_double	289
Table B.142 – Builtin put_double_value	290
Table B.143 – Builtin put_float	290
Table B.144 – Builtin put_float_value	291
Table B.145 – Builtin PUT_MESSAGE	291
Table B.146 – Builtin put_message	292
Table B.147 – Builtin put_signed	292
Table B.148 – Builtin put_signed_value	293
Table B.149 – Builtin put_string	294
Table B.150 – Builtin put_string_value	294
Table B.151 – Builtin put_unsigned	295
Table B.152 – Builtin put_unsigned_value	296
Table B.153 – Lexical elements of Builtin READ_COMMAND	296
Table B.154 – Builtin read_value	297
Table B.155 – Builtin remove_abort_method	297
Table B.156 – Builtin remove_abort_method	298
Table B.157 – Builtin remove_all_abort_methods	298