

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Connectors for electronic equipment – Tests and measurements –
Part 16-17: Mechanical tests on contacts and terminations – Test 16q: Tensile
and compressive strength, fixed male tabs**

**Connecteurs pour équipements électroniques – Essais et mesures –
Partie 16-17: Essais mécaniques des contacts et des sorties – Essai 16q:
Résistance à la traction et à la compression des languettes fixes**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2008 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

[IEC 60512-16-17:2008](#)

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch
Tél.: +41 22 919 02 11
Fax: +41 22 919 03 00



IEC 60512-16-17

Edition 1.0 2008-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Connectors for electronic equipment – Tests and measurements –
Part 16-17: Mechanical tests on contacts and terminations – Test 16q: Tensile
and compressive strength, fixed male tabs**

**Connecteurs pour équipements électroniques – Essais et mesures –
Partie 16-17: Essais mécaniques des contacts et des sorties – Essai 16q:
Résistance à la traction et à la compression des languettes fixes**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX



ICS 31.220.10

ISBN 2-8318-9885-4

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**CONNECTORS FOR ELECTRONIC EQUIPMENT –
TESTS AND MEASUREMENTS –**

**Part 16-17: Mechanical tests on contacts and terminations –
Test 16q: Tensile and compressive strength, fixed male tabs**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60512-16-17 has been prepared by subcommittee 48B, Connectors, of IEC technical committee 48: Electromechanical components and mechanical structures for electronic equipment.

This standard cancels and replaces Test 16q of IEC 60512-8, issued in 1993. This standard is to be read in conjunction with IEC 60512-1 and IEC 60512-1-100 which explains the structure of the IEC 60512 series.

The text of this standard is based on the following documents:

FDIS	Report on voting
48B/1891/FDIS	48B/1924/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60512 series, under the general title *Connectors for electronic equipment – Tests and measurements*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 60512-16-17:2008](#)

<https://standards.iteh.ai/catalog/standards/sist/15eb22f0-ee93-4610-914c-ee72379b449c/iec-60512-16-17-2008>

CONNECTORS FOR ELECTRONIC EQUIPMENT – TESTS AND MEASUREMENTS –

Part 16-17: Mechanical tests on contacts and terminations – Test 16q: Tensile and compressive strength, fixed male tabs

1 Scope and object

This part of IEC 60512, when required by the detail specification, is used for testing electromechanical components within the scope of technical committee 48. It may also be used for similar devices when specified in a detail specification.

The object of this part of IEC 60512 is to detail a standard test method to determine the ability of a fixed male tab and its fixing to withstand specified tensile and compressive forces. If so specified in the detail specification, forces other than tension and compression may be applied.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60512-1-1, *Connectors for electronic equipment – Tests and measurements – Part 1-1: General examination – Test 1a: Visual examination*
<https://standards.itec.org/en/standards/15eb22f0-ee93-4610-914c-ee72379b449c/iec-60512-16-17-2008>

3 Preparations

3.1 Preparation of specimen

The specimens shall consist of a connector fitted with one or more male tabs. They may be wired if so specified in the detail specification. Any preconditioning given in the detail specification shall be applied. Three such specimens shall be provided.

3.2 Equipment

For the application of the axial loads, a suitable device able to provide the controls on the loads (intensity, rate of increase, time of constant load application) shall be required (e.g.: a universal materials testing machine).

NOTE If the detail specification requires special preconditioning of the specimen, all the necessary equipment detailed in the relevant documents describing such conditioning would also be required.

An illustration of the application of force is given in Figure 1.

3.3 Mounting

If mounting of the specimen is appropriate, it shall be as specified in the component detail specification.




Figure 1a) – Tensile




Figure 1b) – Compression

Key

- L Length of the contact under test, tip to component surface
- $F_{t,c}$ Tensile and compressive forces, $F_{t,c}$
- D_{pt} Permanent Displacement of the tip of the specimen (tab)
- S_c Surface of the component

Figure 1 – Application of the tensile and compressive forces

4 Test method

4.1 General

At least 10 tabs shall be selected at random from the 3 specimens of which at least one tab shall be near the periphery, and one, at or near the centre of the connector insert or housing. For inserts or housings having 3 or less tabs, all tabs shall be tested. This shall be repeated, on an adjacent (new) tab, with the force being applied in the opposite direction (i.e. if tensile is first applied then compression is the next test).

A tensile or compressive force F shall be applied to the fixed tab. The tensile or compressive force shall be steadily increased from zero to that specified in the component specification. This tensile or compressive force shall be maintained for 1 minute.

The tensile or compressive force shall then be removed, and the (permanent) displacement of the tab shall be measured after the removal of the tensile or compressive force. Permanent displacement is defined as the difference between the initial position of the tab before application of any tensile or compressive forces and its position after all tensile and compressive force is removed.

4.2 Measurements and requirements

4.2.1 Before testing

Visual examination according to IEC 60512-1-1 shall be carried out. There shall be no defects, which would impair the validity of the test.

4.2.2 During testing

The displacement and permanent displacement of the component, measured at the plane of application of the tensile and compressive forces shall be measured.

NOTE In the case of a tab being made from a highly resilient material (e.g. spring steel or beryllium copper) the displacement may be large whilst the permanent displacement is negligible. In the case of a tab being held in a plastic material, recovery of deformation of that material may take place over a period. Furthermore, as the properties of such plastic materials may vary considerably with temperature, these tests will normally be done at laboratory temperatures (NTP), and any deviation from this should be given in the relevant detail specification.

The permanent displacement shall not exceed any value given in the detail specification.

4.2.3 After testing

Visual examination according to IEC 60512-1-1 shall be carried out. There shall be no defects that would impair the normal functioning of the connector. This shall be judged by a mating test with its counterpart.

If there is any damage to the specimen caused by the jaws of a testing machine, this shall not be considered as a defect.

5 Details to be specified

When this test is required by a detail specification, the following shall be given therein:

- a) whether preconditioning is required;
- b) whether the specimen is to be wired, and if so, details of this;
- c) whether special mounting of the specimen is required;
- d) tensile and compressive forces to be applied and orientation with respect to the tab;
- e) allowable permanent displacement;
- f) number of specimens to be tested, if other than 3;
- g) any deviation from the standard test method.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 60512-16-17:2008](https://standards.iteh.ai/catalog/standards/sist/15eb22f0-ee93-4610-914c-ee72379b449c/iec-60512-16-17-2008)

<https://standards.iteh.ai/catalog/standards/sist/15eb22f0-ee93-4610-914c-ee72379b449c/iec-60512-16-17-2008>