

INTERNATIONAL STANDARD

**Sound system equipment –
Part 16: Objective rating of speech intelligibility by speech transmission index**

International Standards
(<https://standards.iteh.ai>)
Document Preview

IEC 60268-16:2011

<https://standards.iteh.ai/catalog/standards/iec/e853df30-5553-4359-84cd-6c3fdbb333bc/iec-60268-16-2011>

Withhold



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2011 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/customerserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch

Tel.: +41 22 919 02 11

Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

**Sound system equipment –
Part 16: Objective rating of speech intelligibility by speech transmission index**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE **XB**

ICS 33.160.01

ISBN 978-2-88912-522-7

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	9
2 Normative references.....	9
3 Terms and definitions.....	9
4 Description of the STI method.....	15
4.1 General.....	15
4.1.1 Rationale for the STI method.....	15
4.1.2 Applicability of the STI method.....	15
4.2 Background of the STI method.....	16
4.2.1 General.....	16
4.2.2 Theoretical overview.....	17
4.2.3 Measurement of STI.....	18
4.3 Applicability of STI test methods.....	19
4.4 Use of direct and indirect methods.....	20
4.5 Limitations of the STI method.....	21
4.5.1 General.....	21
4.5.2 Frequency shifts.....	21
4.5.3 Centre clipping.....	22
4.5.4 Drop outs.....	22
4.5.5 Jitter.....	22
4.5.6 Vocoders.....	22
4.5.7 Overestimation of STI under low background noise conditions.....	22
4.5.8 Frequency response.....	22
4.5.9 Echoes.....	23
4.5.10 Fast amplitude compression and expansion.....	23
4.5.11 Non-linear distortion.....	24
4.5.12 Impulsive and fluctuating noise.....	24
4.5.13 Hearing impaired listeners.....	24
4.6 Conclusion.....	24
5 Direct method of measuring STI.....	24
5.1 Overview.....	24
5.2 STIPA.....	25
5.3 Application.....	26
5.4 Limitations.....	26
6 Indirect method of measuring STI using the impulse response.....	26
6.1 Overview.....	26
6.2 Application.....	27
6.3 Limitations (non-linear distortion).....	28
7 Measurement procedures, post-processing of data and applications.....	28
7.1 General.....	28
7.2 Acoustical input.....	28
7.3 Acoustical output.....	30
7.4 Electrical input.....	30
7.5 Electrical output.....	30
7.6 Examples of input/output combinations.....	30


7.6.1	Acoustical input – Acoustical output	30
7.6.2	Electrical input – Electrical output (e.g. assessment of wired and wireless) communication systems).....	30
7.6.3	Acoustical input – Electrical output (e.g. assessment of microphones).....	31
7.6.4	Electrical input – Acoustical output (e.g. assessment of PA systems)	31
7.7	Post-processing of measured MTF data	31
7.8	Issues concerning noise	31
7.8.1	General	31
7.8.2	Measurement of background noise	32
7.8.3	Fluctuating noise	32
7.9	Analysis and interpretation of the results	32
7.10	Binaural STI measurements	33
8	Use of STI as a design prediction tool	33
8.1	Overview	33
8.2	Statistical predictions	33
8.3	Prediction from simulated impulse response.....	34
Annex A (normative)	Speech transmission index (STI) and revised STI methods	35
Annex B (normative)	STIPA method.....	47
Annex C (normative)	STITEL method.....	48
Annex D (informative)	RASTI method (obsolete).....	49
Annex E (informative)	Qualification of the STI and relationships with other speech intelligibility measures.....	51
Annex F (informative)	Nominal qualification bands for STI.....	53
Annex G (informative)	Examples of STI qualification bands and typical applications	54
Annex H (informative)	Non-native listeners.....	55
Annex I (informative)	Effect of age-related hearing loss and hearing impairment on speech intelligibility.....	56
Annex J (normative)	Calibration of STI test signal level	57
Annex K (informative)	Example test report sheet for STI measurements	59
Annex L (normative)	Prediction of STI using statistical methods	61
Annex M (informative)	Adjustments to measured STI and STIPA results for simulation of occupancy noise and different speech levels	63
Annex N (informative)	Other methods of determining speech intelligibility.....	67
	Bibliography.....	69
	Figure 1 – Concept of the reduction in modulation due to a transmission channel	16
	Figure 2 – Modulation transfer function – Input/output comparison.....	17
	Figure A.1 – Envelope function (panel A) of a 10 s speech signal for the 250 Hz octave band and corresponding envelope spectrum (panel B).....	35
	Figure A.2 – Theoretical expression of the MTF.....	36
	Figure A.3 – Measurement system and frequencies for the STI method	38
	Figure A.4 – Auditory masking of octave band ($k - 1$) on octave band (k).....	39
	Figure D.1 – Illustration of a practical RASTI test signal	50
	Figure E.1 – Relationships between some speech intelligibility measures	51
	Figure E.2 – Relationship between STI, speech intelligibility scores and listening difficulty ratings [34], [35].....	52
	Figure F.1 – STI qualification bands.....	53

Table 1 – Comparison of STI test methods for different types of distortion	19
Table 2 – Applicability of test	20
Table 3 – Choice of method	21
Table A.1 – Auditory masking as a function of the octave band level.....	40
Table A.2 – Absolute speech reception threshold level in octave bands	41
Table A.3 – MTI octave band weighting factors	41
Table A.4 – Octave band levels (dB) relative to the A-weighted speech level.....	42
Table B.1 – Modulation frequencies for the STIPA method.....	47
Table C.1 – Modulation frequencies for the STITEL method.....	48
Table D.1 – Modulation frequencies for the RASTI method	49
Table E.1 – Categories for listening difficulty	52
Table G.1 – Examples between STI qualification bands and typical applications.....	54
Table H.1 – Adjusted intelligibility qualification tables for non-native listeners.....	55
Table I.1 – Adjusted intelligibility qualification tables for normal listeners and people over 60 years old with hearing loss	56
Table M.1 – Example calculation	63

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

<https://standards.iteh.ai> IEC 60268-16:2011

<https://standards.iteh.ai/catalog/standards/iec/e853df30-5553-4359-84cd-6c3fdbb333bc/iec-60268-16-2011>



INTERNATIONAL ELECTROTECHNICAL COMMISSION

SOUND SYSTEM EQUIPMENT –

**Part 16: Objective rating of speech intelligibility
by speech transmission index**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60268-16 has been prepared by IEC technical committee 100: Multimedia equipment and systems.

This fourth edition cancels and replaces the third edition, published in 2003, and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- development of more comprehensive, complete and unambiguous standardization of the STI methodology;
- the term STI_r is discontinued. A new function for the prediction of auditory masking effects is introduced;
- the concept of 'speech level' and the setting of the level of the test signal have been introduced;

- additional information has been included on prediction and measurement procedures.

NOTE See Introduction for a historical summary referring to the various changes from the first to the fourth edition (current edition).

The text of this standard is based on the following documents:

FDIS	Report on voting
100/1812/FDIS	100/1849/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 60268 series, published under the general title *Sound system equipment* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

The Speech Transmission Index (STI) is an objective measure to predict the intelligibility of speech transmitted from talker to listener by a transmission channel. The STI method has been the subject of ongoing development and refinement since its introduction in the 1970s. Major improvements of the STI have been consolidated by incorporating them in successive revisions of IEC 60268-16.

The history of revisions is as follows.

- Revision 1: 1988. In the first version of the STI standard, a gender-independent test signal spectrum was used.
- Revision 2: 1998. Gender specific test signals were introduced, for male and female talkers, each gender relating to a specific set of weighting factors. In addition, weightings were introduced for redundancy factors. The term STI_r was introduced to signify the use of these redundancy factors.
- Revision 3: 2003. Important differences between Revision 2 and Revision 3 are the introduction of
 - level dependent masking functions,
 - the STI derivative STIPA.STIPA was specially developed as a fast measurement method that could deal with electro-acoustic and acoustic effects while determining the speech transmission quality of PA systems.
- Revision 4: 2010. The aim of Revision 4 (this revision) is to provide a more comprehensive, complete and unambiguous standardization of the STI methodology. The term STI_r is now discontinued. A new function for the prediction of auditory masking effects is introduced.

Speech is considered to be the major method of communication between humans. In many situations the speech signal is degraded by the signal path or the transmission channel between talker and listener, resulting in a reduction of the intelligibility of the speech at the listener's location.

To quantify the deterioration of the speech intelligibility induced by the transmission channel, a fast and objective measuring method was developed; the Speech Transmission Index (STI). The STI method applies a specific test signal to the transmission channel and by analysing the received test signal; the speech transmission quality of the channel is derived and expressed in a value between 0 and 1, as the Speech Transmission Index (STI). Using the obtained STI-value, the potential speech intelligibility can be determined.

Although there are limitations to the STI method, the use of STI has proved useful in many situations and has gained international acceptance.

Items that have changed in this revision

Specific changes that have been incorporated in this revision are:

- refinement of the STI model with respect to the level dependent masking function;
- Room Acoustic Speech Transmission Index (RASTI) has become obsolete and should not be used;
- calculations to add or remove the effects of background noise and to change the speech level and a worked example;
- notes regarding limitations of the STI method;
- methods to predict the STI performance of transmission channels based on the predicted (as distinct from measured) performance of parts or all of the transmission channel;

- introduction of STI corrections for non-native language listeners;
- introduction of STI corrections for listeners with some specific forms of hearing loss;
- relationships between STI and 'Listening Difficulty' scale.

Potential applications of STI

STI may be used to measure the potential intelligibility of a wide range of electronic systems and acoustic environments. Typical applications include:

- measurement of Public Address and Sound Reinforcement Systems;
- measurement and Certification of Voice Alarm and emergency sound systems;
- measurement of communication channels / systems such as intercoms and wireless communication;
- measurement of potential speech intelligibility and communication in rooms and auditoria;
- evaluation of direct speech communication (situations without electronic amplification) in rooms or acoustic spaces including vehicles;
- evaluation of the potential intelligibility of Assistive Hearing Systems;

NOTE The STI method is not validated for the measurement and evaluation of speech privacy or speech masking systems.

Potential users of STI

The range of users of STI measurements is diverse. Among the users who may apply this method are:

- certifiers of voice alarm and other types of emergency systems;
- certifiers of sound reinforcement and audio systems;
- audio and telecommunication equipment manufacturers;
- audio and communication engineers;
- acoustical and electro-acoustical engineers;
- sound system installers;
- researchers into STI methods and developers of instruments to measure STI.

To avoid misinterpretation of STI results, it is important that all users have an understanding of the basic principles, the application domain and its limitations.

SOUND SYSTEM EQUIPMENT –

Part 16: Objective rating of speech intelligibility by speech transmission index

1 Scope

This part of IEC 60268 specifies objective methods for rating the transmission quality of speech with respect to intelligibility.

The objective of this standard is to provide a comprehensive manual for all types of users of the STI method in the fields of audio, communications and acoustics.

This standard does not provide STI criteria for certification of transmission channels (e.g. criteria for a voice-alarm system).

Three methods are presented, which are closely related and are referred to as STI, STIPA, and STITEL. The first two methods are intended for rating speech transmission performance with or without sound systems. The STITEL method has more restricted uses.

NOTE None of the methods are suitable for the measurement and assessment of speech privacy and speech masking systems, as STI has not been validated for conditions that represent speech privacy applications [1]¹.

The following information is included:

- measurement techniques;
- prediction techniques.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies:

IEC 61260:1995, *Electroacoustics – Octave-band and fractional-octave-band filters*
Amendment 1 (2001)

ISO 18233:2006, *Acoustics – Application of new measurement methods in building and room acoustics*

3 Terms and definitions

For the purpose of this document, the following terms and definitions apply.

3.1

speech intelligibility

rating of the proportion of speech that is understood

¹ Figures in square brackets refer to the Bibliography.

3.2

speech quality

rating of sound quality of a speech signal

3.3

speech transmission index

STI

metric ranging between 0 and 1 representing the transmission quality of speech with respect to intelligibility by a speech transmission channel

3.4

speech intelligibility index

SII

objective method for prediction of speech intelligibility based on the Articulation Index

3.5

STI method

FULL STI

objective method for prediction and measurement of the speech transmission index that uses 14 modulation frequencies over a range of 7 octave bands

3.6

distortion

any unintentional and generally undesired change of the form of a signal occurring in a speech transmission channel

NOTE Distortion can include both linear and non-linear effects in both frequency and time domain.

3.7

speech transmission index for public address systems

STIPA

method obtained by using a condensed version of the STI method but still responsive to distortions found in room acoustics and/or public address systems

NOTE STIPA is applied as a direct method.

3.8

speech transmission index for telecommunication systems

STITEL

method obtained by using a condensed version of the STI method but still responsive to distortions found in communication systems

NOTE STITEL is applied as a direct method.

3.9

room acoustical speech transmission index

RASTI

method obtained by using a condensed version of the STI method, to be used for screening purposes only and focused on direct communication between persons without making use of an electro-acoustic communication system

NOTE 1 RASTI accounts for noise interference and distortions in the time domain (echoes, reverberation).

NOTE 2 RASTI is now obsolete.

3.10

direct STI method

method using modulated (speech like) test signals to directly measure the modulation transfer function

3.11**indirect STI method**

method using the impulse response and forward energy integral (Schroeder integral) to derive the modulation transfer function

3.12**speech transmission channel**

acoustic or electro-acoustic signal path between a talker and a listener

3.13**public address system****PA**

electronic sound distribution system, employing microphones, amplifiers and loudspeakers, used to reinforce or amplify a given sound (such as an announcement or a pre-recorded message) and distributing the sound within a building or a space

3.14**voice alarm system****VAS**

sound distribution system that broadcasts speech messages or warning signals, or both, in an emergency

3.15**real speech level**

signal level of a speech signal in dB A where only the segments that contribute to the speech signal are taken into account; pauses and silences between words and sentences are ignored

NOTE See also Annex J.

3.16**reference speech level**

speech level equivalent to 60 dB A at 1 m distance in front of the talker's mouth

3.17**vocal effort**

exertion of the speaker, quantified objectively by the A-weighted speech level at 1 m distance in front of the mouth and qualified subjectively by a description

3.18**artificial mouth**

device consisting of a loudspeaker mounted in an enclosure and having a directivity and radiation pattern similar to those of the average human mouth

NOTE The degree of similarity required cannot be easily specified and depends on the particular application. See for example ITU-T P.50 [47].

3.19**non-native speaker**

person speaking a language which is different from the language that was learned as primary language during the childhood of the speaker

3.20**absolute speech reception threshold**

absolute threshold of hearing increased by the minimal required dynamic range for the correct recognition of speech

3.21

auditory masking

process by which the threshold of hearing (audibility) for one sound is raised by the presence of another (masking) sound

NOTE Within the STI method, auditory masking is also referred to as the upward spread of masking.

3.22

artificial ear

device with similar characteristics as the human ear for the reception of acoustic signals

NOTE See IEC 60318 [2].

3.23

intensity function

the squared amplitude signal as a function of time

3.24

envelope function

envelope of the intensity function

3.25

envelope spectrum

relative contribution of spectral components of the envelope function

3.26

modulation frequency

frequency of the sinusoidal variation of the envelope function

NOTE The modulation frequency f_m is expressed in Hertz (Hz).

3.27

modulation index

value between 0 and 1 that describes the depth of a sinusoidal modulation of the intensity function

3.28

modulation transfer ratio

ratio between the modulation depth of the received and the original (transmitted) modulation depth of the intensity function

3.29

modulation transfer function

MTF

modulation transfer ratios as a function of the modulation frequency

3.30

octave band weighting factor

α

relative contribution of each octave band to the speech transmission index

3.31

octave band redundancy factor

β

fraction of information overlap between two adjacent octave bands with respect to the speech intelligibility