



**SLOVENSKI STANDARD**  
**SIST EN 301 908-3 V2.2.1:2004**  
**01-julij-2004**

9`Y\_fca U[ bYfbUnXfi y`fj cghf9 A7L]b`nUXYj Yj`nj Ynj`nifUX]g\_ ja`gdY\_fca`f9FAŁ!  
6 UnbYdcghU`Yf6 GŁ]b`i dcfUVb]y\_UcdfYa Ufl 9ŁnUW] bUca fYy`UfYrY  
[ YbYfUW]Y`A H!&\$\$\$`!' "XY. < Ufa cb]nfUb]9B`nU`A H!&\$\$\$Z7 8 A5`Í 8 JfYWh  
GdfYUXÍ`fi HF5` : 8 8 Łf6 GŁz\_]nUYa UV]ghj YbY`nU hYj Y` `YbU' "&X]fY`Hj YF/ HH9

Electromagnetic compatibility and Radio spectrum Matters (ERM); Base Stations (BS), Repeaters and User Equipment (UE) for IMT-2000 Third-Generation cellular networks; Part 3: Harmonized EN for IMT-2000, CDMA Direct Spread (UTRA FDD) (BS) covering essential requirements of article 3.2 of the R&TE Directive

(standards.iteh.ai)

[SIST EN 301 908-3 V2.2.1:2004](https://standards.iteh.ai/catalog/standards/sist/623c3e81-6caa-49a0-b18a-7b1f0537ae7d/sist-en-301-908-3-v2-2-1-2004)

<https://standards.iteh.ai/catalog/standards/sist/623c3e81-6caa-49a0-b18a-7b1f0537ae7d/sist-en-301-908-3-v2-2-1-2004>

**Ta slovenski standard je istoveten z: EN 301 908-3 Version 2.2.1**

**ICS:**

33.060.99	Druga oprema za radijske komunikacije	Other equipment for radiocommunications
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general

**SIST EN 301 908-3 V2.2.1:2004 en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 301 908-3 V2.2.1:2004](https://standards.iteh.ai/catalog/standards/sist/623c3e81-6caa-49a0-b18a-7b1f0537ae7d/sist-en-301-908-3-v2-2-1-2004)

<https://standards.iteh.ai/catalog/standards/sist/623c3e81-6caa-49a0-b18a-7b1f0537ae7d/sist-en-301-908-3-v2-2-1-2004>

# ETSI EN 301 908-3 V2.2.1 (2003-10)

---

*Candidate Harmonized European Standard (Telecommunications series)*

**Electromagnetic compatibility  
and Radio spectrum Matters (ERM);  
Base Stations (BS), Repeaters and User Equipment (UE) for  
IMT-2000 Third-Generation cellular networks;  
Part 3: Harmonized EN for IMT-2000,  
CDMA Direct Spread (UTRA FDD) (BS)  
covering essential requirements  
of article 3.2 of the R&TTE Directive**

---

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 301 908-3 V2.2.1:2004](https://standards.iteh.ai/catalog/standards/sist/623c3e81-6caa-49a0-b18a-7b1f0537ae7d/sist-en-301-908-3-v2-2-1-2004)

<https://standards.iteh.ai/catalog/standards/sist/623c3e81-6caa-49a0-b18a-7b1f0537ae7d/sist-en-301-908-3-v2-2-1-2004>



## Reference

---

REN/ERM-TFES-002-3

## Keywords

---

3G, 3GPP, cellular, digital, IMT-2000, mobile,  
radio, regulation, UMTS, WCDMA

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 301 908-3 V2.2.1:2004

<https://standards.iteh.ai/catalog/standards/sist/623c3e81-6caa-49a0-b18a-7b1f0537ac40/sist-en-301-908-3-v2-2-1-2004>

**Important notice**

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, send your comment to:

[editor@etsi.org](mailto:editor@etsi.org)

---

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2003.  
All rights reserved.

**DECT™**, **PLUGTESTS™** and **UMTS™** are Trade Marks of ETSI registered for the benefit of its Members.  
**TIPHON™** and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.  
**3GPP™** is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

# Contents

Intellectual Property Rights .....	5
Foreword.....	5
Introduction .....	7
1 Scope .....	9
2 References .....	9
3 Definitions and abbreviations.....	10
3.1 Definitions .....	10
3.2 Abbreviations .....	11
4 Technical requirements specifications .....	12
4.1 Environmental profile.....	12
4.2 Conformance requirements .....	12
4.2.1 Introduction.....	12
4.2.2 Spectrum emissions mask .....	12
4.2.2.1 Definition .....	12
4.2.2.2 Limit.....	13
4.2.2.3 Conformance.....	14
4.2.3 Adjacent channel leakage power ratio (ACLR).....	14
4.2.3.1 Definition .....	14
4.2.3.2 Limits .....	14
4.2.3.3 Conformance.....	14
4.2.4 Transmitter spurious emissions.....	14
4.2.4.1 Definition .....	14
4.2.4.2 Limits .....	15
4.2.4.2.1 Spurious emissions .....	15
4.2.4.2.2 Co-existence with GSM 900.....	15
4.2.4.2.3 Co-existence with DCS 1800.....	16
4.2.4.2.4 Co-existence with services in adjacent frequency bands.....	16
4.2.4.2.5 Co-existence with UTRA-TDD.....	16
4.2.4.2.6 Protection of the BS receiver of own or different BS.....	16
4.2.4.3 Conformance.....	16
4.2.5 Base station maximum output power.....	17
4.2.5.1 Definition .....	17
4.2.5.2 Limit.....	17
4.2.5.3 Conformance.....	17
4.2.6 Transmit intermodulation .....	17
4.2.6.1 Definition .....	17
4.2.6.2 Limit.....	17
4.2.6.3 Conformance.....	17
4.2.7 Receiver spurious emissions .....	17
4.2.7.1 Definition .....	17
4.2.7.2 Limit.....	18
4.2.7.3 Conformance.....	18
4.2.8 Blocking characteristics .....	18
4.2.8.1 Definition .....	18
4.2.8.2 Limit.....	18
4.2.8.3 Conformance.....	19
4.2.9 Receiver intermodulation characteristics .....	19
4.2.9.1 Definition .....	19
4.2.9.2 Limit.....	19
4.2.9.3 Conformance.....	20
4.2.10 Receiver adjacent channel selectivity .....	20
4.2.10.1 Definition .....	20
4.2.10.2 Limit.....	20

4.2.10.3	Conformance .....	20
5	Testing for compliance with technical requirements.....	21
5.1	Conditions for testing .....	21
5.2	Interpretation of the measurement results .....	21
5.3	Essential radio test suites.....	23
5.3.1	Spectrum emission mask .....	23
5.3.1.1	Initial conditions .....	23
5.3.1.2	Procedures .....	23
5.3.2	Adjacent Channel Leakage power Ratio (ACLR) .....	24
5.3.2.1	Initial conditions .....	24
5.3.2.2	Procedure .....	24
5.3.3	Transmitter spurious emissions.....	24
5.3.3.1	Initial conditions .....	24
5.3.3.2	Procedure .....	24
5.3.4	Base station maximum output power.....	25
5.3.4.1	Initial conditions .....	25
5.3.4.2	Procedure .....	25
5.3.5	Transmit intermodulation .....	25
5.3.5.1	Initial conditions .....	25
5.3.5.2	Procedures .....	25
5.3.6	Receiver spurious emissions .....	26
5.3.6.1	Initial conditions .....	26
5.3.6.2	Procedure .....	26
5.3.7	Blocking characteristics .....	26
5.3.7.1	Initial conditions .....	26
5.3.7.2	Procedure .....	27
5.3.8	Receiver intermodulation characteristics .....	27
5.3.8.1	Initial conditions .....	27
5.3.8.2	Procedures .....	27
5.3.9	Adjacent Channel Selectivity (ACS) .....	28
5.3.9.1	Initial conditions .....	28
5.3.9.2	Procedure .....	28
<b>Annex A (normative):</b>	<b>EN Requirements Table (EN-RT) .....</b>	<b>29</b>
<b>Annex B (normative):</b>	<b>Base Station configurations.....</b>	<b>31</b>
B.1	Receiver diversity.....	31
B.2	Duplexers .....	31
B.3	Power supply options .....	31
B.4	Ancillary RF amplifiers.....	32
B.5	BS using antenna arrays .....	32
B.5.1	Receiver tests.....	33
B.5.2	Transmitter tests .....	33
<b>Annex C (informative):</b>	<b>Environmental profile specification .....</b>	<b>34</b>
<b>Annex D (informative):</b>	<b>Bibliography.....</b>	<b>35</b>
<b>Annex E (informative):</b>	<b>The EN title in the official languages .....</b>	<b>36</b>
History .....		37

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This Candidate Harmonized European Standard (Telecommunications series) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 98/34/EC (as amended) laying down a procedure for the provision of information in the field of technical standards and regulations.

The present document is intended to become a Harmonized Standard, the reference of which will be published in the Official Journal of the European Communities referencing the Directive 1999/5/EC [1] of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity ("the R&TTE Directive").

The present document is part 3 of a multi-part deliverable covering the Base Stations (BS), Repeaters and User Equipment (UE) for IMT-2000 Third-Generation cellular networks, as identified below:

- SIST EN 301 908-3 V2.2.1:2004  
<https://standards.etsi.org/standards-search/025e3c01-0ca4-49a0-818a-7610557ac7d0/sist-en-301-908-3-v2-2-1-2004>  
 (standards.iteh.ai)
- Part 1: "Harmonized EN for IMT-2000, introduction and common requirements, covering essential requirements of article 3.2 of the R&TTE Directive";
  - Part 2: "Harmonized EN for IMT-2000, CDMA Direct Spread (UTRA FDD) (UE) covering essential requirements of article 3.2 of the R&TTE Directive";
  - Part 3: "Harmonized EN for IMT-2000, CDMA Direct Spread (UTRA FDD) (BS) covering essential requirements of article 3.2 of the R&TTE Directive";**
  - Part 4: "Harmonized EN for IMT-2000, CDMA Multi-Carrier (cdma2000) (UE) covering essential requirements of article 3.2 of the R&TTE Directive";
  - Part 5: "Harmonized EN for IMT-2000, CDMA Multi-Carrier (cdma2000) (BS and Repeaters) covering essential requirements of article 3.2 of the R&TTE Directive";
  - Part 6: "Harmonized EN for IMT-2000, CDMA TDD (UTRA TDD) (UE) covering essential requirements of article 3.2 of the R&TTE Directive";
  - Part 7: "Harmonized EN for IMT-2000, CDMA TDD (UTRA TDD) (BS) covering essential requirements of article 3.2 of the R&TTE Directive";
  - Part 8: "Harmonized EN for IMT-2000, TDMA Single-Carrier (UWC 136) (UE) covering essential requirements of article 3.2 of the R&TTE Directive";
  - Part 9: "Harmonized EN for IMT-2000, TDMA Single-Carrier (UWC 136) (BS) covering essential requirements of article 3.2 of the R&TTE Directive";
  - Part 10: "Harmonized EN for IMT-2000 FDMA/TDMA (DECT) covering essential requirements of article 3.2 of the R&TTE Directive";
  - Part 11: "Harmonized EN for IMT-2000 CDMA Direct Spread (UTRA FDD) (Repeaters) covering essential requirements of article 3.2 of the R&TTE Directive".

Technical specifications relevant to Directive 1999/5/EC [1] are given in annex A of the present document and annex A of EN 301 908-1 [10].

<b>National transposition dates</b>	
Date of adoption of this EN:	3 October 2003
Date of latest announcement of this EN (doa):	31 January 2004
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 July 2004
Date of withdrawal of any conflicting National Standard (dow):	31 January 2006

## **iTeh STANDARD PREVIEW (standards.iteh.ai)**

[SIST EN 301 908-3 V2.2.1:2004](https://standards.iteh.ai/catalog/standards/sist/623c3e81-6caa-49a0-b18a-7b1f0537ae7d/sist-en-301-908-3-v2-2-1-2004)

<https://standards.iteh.ai/catalog/standards/sist/623c3e81-6caa-49a0-b18a-7b1f0537ae7d/sist-en-301-908-3-v2-2-1-2004>



## Introduction

The present document is part of a set of standards designed to fit in a modular structure to cover all radio and telecommunications terminal equipment under the R&TTE Directive [1]. Each standard is a module in the structure. The modular structure is shown in figure 1.




Figure 1: Modular structure for the various standards used under the R&TTE Directive

The left hand edge of the figure 1 shows the different clauses of article 3 of the R&TTE Directive [1].

For article 3.3 various horizontal boxes are shown. Dotted lines indicate that at the time of publication of the present document essential requirements in these areas have to be adopted by the Commission. If such essential requirements are adopted, and as far and as long as they are applicable, they will justify individual standards whose scope is likely to be specified by function or interface type.

The vertical boxes show the standards under article 3.2 for the use of the radio spectrum by radio equipment. The scopes of these standards are specified either by frequency (normally in the case where frequency bands are harmonized) or by radio equipment type.

For article 3.1b, Figure 1 shows EN 301 489 [6], the multi-part product EMC standard for radio under the EMC Directive [2].

For article 3.1a, the diagram shows the existing safety standards currently used under the LV Directive [3] and new standards covering human exposure to electromagnetic fields. New standards covering acoustic safety may also be required.

The bottom of figure 1 shows the relationship of the standards to radio equipment and telecommunications terminal equipment. A particular equipment may be radio equipment, telecommunications terminal equipment or both. A radio spectrum standard will apply if it is radio equipment. An article 3.3 standard will apply as well only if the relevant essential requirement under the R&TTE Directive [1] is adopted by the Commission and if the equipment in question is covered by the scope of the corresponding standard. Thus, depending on the nature of the equipment, the essential requirements under the R&TTE Directive [1] may be covered in a set of standards.

The modularity principle has been taken because:

- it minimizes the number of standards needed. Because equipment may, in fact, have multiple interfaces and functions it is not practicable to produce a single standard for each possible combination of functions that may occur in an equipment;
- it provides scope for standards to be added:
  - under article 3.2 when new frequency bands are agreed; or
  - under article 3.3 should the Commission take the necessary decisions without requiring alteration of standards that are already published;
- it clarifies, simplifies and promotes the usage of Harmonized Standards as the relevant means of conformity assessment.

The product specifications upon which all parts of EN 301 908 are based, differ in presentation; and this is reflected in the present document.

# 1 Scope

The present document applies to the following radio equipment type:

- base stations for IMT-2000 CDMA Direct Spread (UTRA FDD).

This radio equipment type is capable of operating in all or any part of the frequency bands given in table 1.

**Table 1: CDMA Direct Spread base station frequency bands**

Direction of transmission	CDMA Direct Spread base station frequency bands
Transmit	2 110 MHz to 2 170 MHz
Receive	1 920 MHz to 1 980 MHz

The present document covers requirements for UTRA FDD base stations for Release 99, 4 and 5, including base stations supporting HS-PDSCH transmission using QPSK and 16QAM modulation. It also covers Release 6 requirements for wide area base stations, medium range base stations and local area base stations.

The present document is intended to cover the provisions of Directive 1999/5/EC [1] (R&TTE Directive) article 3.2, which states that "[...] radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference".

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the R&TTE Directive [1] will apply to equipment within the scope of the present document.

NOTE: A list of such ENs is included on the web site <http://www.newapproach.org/>.

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)

# 2 References

SIST EN 301 908-3 V2.2.1:2004

[https://standards.iteh.ai/catalog/standards/sist/623c3e81-6caa-49a0-b18a-](https://standards.iteh.ai/catalog/standards/sist/623c3e81-6caa-49a0-b18a-7b1f0537ae7d/sist-en-301-908-3-v2-2-1-2004)

[7b1f0537ae7d/sist-en-301-908-3-v2-2-1-2004](https://standards.iteh.ai/catalog/standards/sist/623c3e81-6caa-49a0-b18a-7b1f0537ae7d/sist-en-301-908-3-v2-2-1-2004)

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication and/or edition number or version number) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

- [1] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).
- [2] Council Directive 89/336/EEC of 3 May 1989 on the approximation of the laws of the Member States relating to Electromagnetic Compatibility (EMC Directive).
- [3] Council Directive 73/23/EEC of 19 February 1973 on the harmonization of the laws of Member States relating to Electrical Equipment designed for use within certain voltage limits (LV Directive).
- [4] ETSI TR 100 028 (all parts) (V1.4.1): "Electromagnetic Compatibility and Radio Spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics".
- [5] ETSI TS 125 141 (V5.7.0): "Universal Mobile Telecommunications System (UMTS); Base station conformance testing (FDD) (3GPP TS 25.141 version 5.7.0 Release 5)".

- [6] ETSI EN 301 489 (all parts): "Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services".
- [7] ITU-R Recommendation SM.329-10 (2003): "Unwanted emissions in the spurious domain".
- [8] Void.
- [9] ITU-T Recommendation O.153: "Basic parameters for the measurement of error performance at bit rates below the primary rate".
- [10] ETSI EN 301 908-1: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Base Stations (BS), Repeaters and User Equipment (UE) for IMT-2000 Third-Generation cellular networks; Part 1: Harmonized EN for IMT-2000, introduction and common requirements, covering essential requirements of article 3.2 of the R&TTE Directive".

## 3 Definitions and abbreviations

### 3.1 Definitions

For the purposes of the present document, the terms and definitions given in the R&TTE Directive [1], and the following apply:

**ancillary equipment:** equipment (apparatus) used in connection with a Base Station, which is considered as an ancillary equipment (apparatus) if:

- the equipment is intended for use in conjunction with a BS to provide additional operational and/or control features to the radio equipment, (e.g. to extend control to another position or location);
- the equipment cannot be used on a stand alone basis to provide user functions independently of a BS; and
- the BS to which it is connected, is capable of providing some intended operation such as transmitting and/or receiving without the ancillary equipment (i.e. it is not a sub-unit of the main equipment essential to the main equipment basic functions).

**chip rate:** rate of "chips" (modulated symbols after spreading) per second

NOTE: The UTRA FDD chip rate is 3,84 Mchip/s.

**environmental profile:** range of environmental conditions under which equipment, within the scope of EN 301 908-3, is required to comply with the provisions of EN 301 908-3

**local area base station:** base stations characterized by requirements derived from picocell scenarios with a BS to UE minimum coupling loss equal to 45 dB

**maximum output power:** mean power level per carrier of the base station measured at the antenna connector in a specified reference condition

**mean power:** this is the power (transmitted or received) in a bandwidth of at least  $(1 + \alpha)$  times the chip rate of the radio access mod, when applied to a WCDMA-modulated signal

NOTE 1: The period of measurement shall be at least one timeslot unless otherwise stated.

NOTE 2:  $\alpha = 0,22$  is the roll-off factor of the WCDMA signal.

**medium range base station:** base stations characterized by requirements derived from microcell scenarios with a BS to UE minimum coupling loss equal to 53 dB

**output power:** mean power of one carrier of the base station, delivered to a load with resistance equal to the nominal load impedance of the transmitter

**rated output power:** rated output power of the base station is the mean power level per carrier that the manufacturer has declared to be available at the antenna connector