INTERNATIONAL STANDARD

ISO 8056-3

First edition 1987-07-01



INTERNATIONAL ORGANIZATION FOR STANDARDIZATION ORGANISATION INTERNATIONALE DE NORMALISATION МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ

Part 3: Crimp-type ring terminal ends Damensions VIEW (standards.iteh.ai)

Aéronefs — Câbles de compensation de couples thermoélectriques en nickel-chrome et en nickel-aluminium — ISO 8056-3:1987

https://standards.iteh.ai/catalog/standards/sist/4038407b-30da-4407-9c7f-

Partie 3: Cosses rondes du type à sertir 17 Dimensions 8056-3-1987

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at least 75 % approval by the member bodies voting TANDARD PREVIEW

International Standard ISO 8056-3 was prepared by Technical Committee ISO/TC 20, Aircraft and space vehicles.

Users should note that all International Standards undergo revision from time to time and that any reference made herein to any other international Standard implies its -30da-4407-9c7f-latest edition, unless otherwise stated.

44d1cf62bab/iso-8056-3-1987

ISO 8056-3: 1987 (E)

Aircraft — Nickel-chromium and nickel-aluminium thermocouple extension cables —

Part 3:

Crimp-type ring terminal ends — Dimensions

iTeh STANDARD PREVIEW (standards.iteh.ai)

Introduction

control systems with flexible thermocouple extension cables of ISO 8056-3:198 the nickel-chromium and nickel-aluminium types at a nominal This International Standard nor/nickel-chromium and nickel-rds/sist/voltage of 600 V and a maximum frequency of 2 000 Hz.

aluminium thermocouple extension cables for use in aircraft 0-8056-3-1987 comprises the following four parts:

Part 1: Conductors — General requirements and tests.

Part 2: Terminations — General requirements and tests. 1)

Part 3: Crimp-type ring terminal ends — Dimensions.

Part 4: Crimp-type butt connectors — Dimensions.

1 Scope and field of application

This part of ISO 8056 lays down the dimensions for crimp-type ring terminal ends for use in aircraft temperature indicator and NOTE - The general requirements and tests for terminations are specified in ISO 8056-2.

2 Dimensions, conductor size range and cable insulation range

The dimensions, conductor size range and cable insulation range shall be in accordance with the values given in the table.

¹⁾ At present at the stage of draft.

Cable insulation range

Table — Dimensions, conductor size range and cable insulation range

Code	Туре	Conductor size range		Stud hole ± 0,1	Cable insulation range	b max.	d	l ₁ max.	l ₂ max.	l ₃ min.	Colour code on sleeve; magnetic/antimagnetic
		mm²	AWG ¹⁾	mm	mm	mm	mm	mm	mm	mm	
Α	Ni-Al	0,5 to 1,5	22 to 16	3,7							
В	Ni-Cr										
С	Ni-Al			4,3	2,7 to 3,5 ST A	7,9	1,6 ^{+0,25}	19,8 PR F	15,9 V IE	9 7,1 E W	Ni-AI: green; magnetic Ni-Cr: grey; antimagnetic
D	Ni-Cr										
E	Ni-Al			5,0 (5,3) ²⁾				•			
F	Ni-Cr			6,0 (6,3) ²⁾		inda	rds.it	teh.a	1)		
G	Ni-Al	1,3 to 2,1	16 to 14	3,7	ards.iteh.ai/c 3,5 to 5,0,		056-3:198 ndards/sist b4s6-8056		30da-44 15,9	07-9c7f- 7,1	
Н	Ni-Cr										
J	Ni-Al			https://standa 4,3							
К	Ni-Cr										
L	Ni-Al			5,0 (5,3) ²⁾							
М	Ni-Cr										
N	Ni-Al	3,1 to 5,3	12 to 10	4,3	- 3,8 to 5,8	9,5	3,3+0,3	25	20,2	7,1	
Р	Ni-Cr										
R	Ni-Al			5,0 (5,3) ²⁾							
S	Ni-Cr										

¹⁾ American Wire Gauge.

UDC 621.315.2:621.362.2:629.7

Descriptors: aircraft, aircraft equipment, thermocouples, electric extension wires, terminal connectors, dimensions.

Price based on 2 pages

²⁾ For metric screws M5 and M6.