INTERNATIONAL STANDARD



INTERNATIONAL ORGANIZATION FOR STANDARDIZATION ORGANISATION INTERNATIONALE DE NORMALISATION МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ

Aircraft – Nickel-chromium and nickel-aluminium thermocouple extension cables -

Part 4:

Crimp-type butt connectors Dimensions EVIEW (standards.iteh.ai)

Aéronefs - Câbles de compensation de couples thermoélectriques en nickel-chrome et en ISO 8056-4:198 nickel-aluminium —

https://standards.iteh.ai/catalog/standards/sist/58367f2f-c916-40c9-9d88-Partie 4: Connecteurs bout à bout du type à sertir _____Dimensions

1987-07-01

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at least 75 % approval by the member bodies voting.

International Standard ISO 8056-4 was prepared by Technical Committee ISO/TC 20, Aircraft and space vehicles.

Users should note that all International Standards undergo revision from time to time and that any reference made hereinpto/any.lother.dhternational.Standards/implies/itts-c916-40c9-9d88-latest edition, unless otherwise stated. fff32317500c/iso-8056-4-1987

Aircraft — Nickel-chromium and nickel-aluminium thermocouple extension cables -

Part 4: Crimp-type butt connectors — Dimensions

iTeh STANDARD PREVIEW (standards.iteh.ai)

Introduction 0

This International Standard on nickel-chromium and nickel-aluminium thermoscouple extension cables of 600 V and a maximum to the standard standard standard standard to a maximum thermoscouple extension cables of 600 V and a maximum to the standard standa aluminium thermocouple extension cables for use in alternative site states of 600 V and a maximum frequency of 2 000 Hz. comprises the following four parts:

Part 1: Conductors - General requirements and tests.

Part 2: Terminations - General requirements and tests.¹⁾

Part 3: Crimp-type ring terminal ends – Dimensions.

Part 4: Crimp-type butt connectors - Dimensions.

1 Scope and field of application

This part of ISO 8056 lays down the dimensions for crimp-type butt connectors for use in aircraft temperature indicator and

NOTE - The general requirements and tests for terminations are specified in ISO 8056-2.

control systems with flexible thermocouple extension cables of

2 Dimensions, conductor size range and cable insulation range

The dimensions, conductor size range and cable insulation range shall be in accordance with the values given in the table.

¹⁾ At present at the stage of draft.

Table - Dimensions, conductor size range and cable insulation range



Code	Туре	Conductor size range		Cable insulation range	d	l max.	Colour code on sleeve; magnetic/antimagnetic
		mm ²	AWG ¹⁾	mm	mm	mm	magnetic/antimagnetic
Α	Ni-Al	0,5 to 1,5	22 to 16	2,7 to 3,5	1,6 ^{+0,25}	22	Ni-AI: green; magnetic Ni-Cr: grey; antimagnetic
В	Ni-Cr						
С	Ni-Al	1,3 to 2,1	16 to 14	3,5 to 5,0	2,2+0,25	25	
D	Ni-Cr						
E	Ni-Al	3,1 to 5,3	12 to 10	3,8 to 5,8	3,3 ^{+0,3}	33	
F	Ni-Cr						

1) American Wire Gauge.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 8056-4:1987</u> https://standards.iteh.ai/catalog/standards/sist/58367f2f-c916-40c9-9d88fff32317500c/iso-8056-4-1987

UDC 621.315.2 : 621.362.2 : 629.7

Descriptors : aircraft, aircraft equipment, thermocouples, electric extension wires, electric connectors, dimensions.

Price based on 2 pages