



IEC 61800-7-301

Edition 1.0 2007-11

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Adjustable speed electrical power drive systems –
Part 7-301: Generic interface and use of profiles for power drive systems –
Mapping of profile type 1 to network technologies

Entraînements électriques de puissance à vitesse variable –
Partie 7-301: Interface générique et utilisation de profils pour les entraînements
électriques de puissance – Mise en correspondance du profil de type 1 avec les
technologies de réseaux

<https://standards.iec.ch/expected-delivery/iec-61800-7-301-2007>





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2007 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.
<https://serviceiec.ecb-61800-7-301-2007>

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électriques et électroniques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 61800-7-301

Edition 1.0 2007-11

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Adjustable speed electrical power drive systems –
Part 7-301: Generic interface and use of profiles for power drive systems –
Mapping of profile type 1 to network technologies

Entraînements électriques de puissance à vitesse variable –
Partie 7-301: Interface générique et utilisation de profils pour les entraînements
électriques de puissance – Mise en correspondance du profil de type 1 avec les
technologies de réseaux

<https://standards.iec.ch/standards/iec61800-7-301-2007>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

XF

ICS 29.200; 35.100.05

ISBN 978-2-83220-711-6

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD	8
INTRODUCTION	10
1 Scope	13
2 Normative references	13
3 Terms, definitions and abbreviated terms	14
3.1 Terms and definitions	14
3.2 Abbreviated terms	17
4 General	17
5 Mapping to CANopen	17
5.1 Overview	17
5.2 Mapping of communication objects	17
5.3 Communication parameter objects	17
5.3.1 General	17
5.3.2 Object 1000 _h : Device type	18
5.3.3 Object 1029 _h : Error behaviour	19
5.3.4 Object 67FF _h : Single device type	20
5.4 Emergency message	20
5.5 Communication fault events	20
5.6 Sets of pre-defined PDOs	20
5.6.1 General	20
5.6.2 PDO set for generic drive device	21
5.6.3 PDO set for frequency converter	57
5.6.4 PDO set for servo drive	72
5.6.5 PDO set for stepper motor	91
5.7 PDO mapping attributes	110
6 Mapping to EtherCAT	114
6.1 Overview	114
6.2 Mapping of communication objects	114
6.3 Communication parameter objects	114
6.3.1 General	114
6.3.2 Object 1000 _h : Device type	115
6.4 Sets of pre-defined PDOs	115
6.5 PDO mapping attributes	115
7 Mapping to ETHERNET Powerlink	115
7.1 Overview	115
7.2 Mapping of communication objects	115
7.3 Communication parameter objects	116
7.3.1 General	116
7.3.2 Object 1000 _h : Device type	116
7.3.3 Object 67FF _h : Single device type	116
7.4 Emergency Information	116
7.5 Sets of pre-defined PDOs	116
7.5.1 General	116
7.5.2 PDO set for generic drive device	117
7.5.3 PDO set for frequency converter	123

7.5.4 PDO set for servo drive	127
7.5.5 PDO set for stepper motor	131
7.6 PDO mapping attributes	136
 Bibliography.....	137

Figure 1 – Structure of IEC 61800-7.....	12
--	----

Table 1 – List of used data types	18
Table 2 – Additional information field for generic PDO mapping	18
Table 3 – Additional information field for type-specific PDO mapping	19
Table 4 – Value definition	19
Table 5 – Object description	19
Table 6 – Entry description	19
Table 7 – Overview on RPDO	21
Table 8 – Overview on TPDO.....	21
Table 9 – Object description of communication parameters.....	22
Table 10 – Entry description of communication parameters.....	22
Table 11 – Object description of mapping parameters.....	23
Table 12 – Entry description of mapping parameters.....	23
Table 13 – Object description of communication parameters.....	24
Table 14 – Entry description of communication parameters.....	24
Table 15 – Object description of mapping parameters.....	25
Table 16 – Entry description of mapping parameters.....	25
Table 17 – Object description of communication parameters.....	26
Table 18 – Entry description of communication parameters.....	26
Table 19 – Object description of mapping parameters.....	27
Table 20 – Entry description of mapping parameters.....	27
Table 21 – Object description of communication parameters.....	28
Table 22 – Entry description of communication parameters.....	28
Table 23 – Object description of mapping parameters.....	29
Table 24 – Entry description of mapping parameters.....	29
Table 25 – Object description of communication parameters.....	31
Table 26 – Entry description of communication parameters.....	31
Table 27 – Object description of mapping parameters.....	32
Table 28 – Entry description of mapping parameters.....	32
Table 29 – Object description of communication parameters.....	33
Table 30 – Entry description of communication parameters.....	33
Table 31 – Object description of mapping parameters.....	34
Table 32 – Entry description of mapping parameters.....	34
Table 33 – Object description of communication parameters.....	35
Table 34 – Entry description of communication parameters.....	35
Table 35 – Object description of mapping parameters.....	36

Table 36 – Entry description of mapping parameters.....	36
Table 37 – Object description of communication parameters.....	38
Table 38 – Entry description of communication parameters.....	38
Table 39 – Object description of mapping parameters.....	39
Table 40 – Entry description of mapping parameters.....	39
Table 41 – Object description of communication parameters.....	40
Table 42 – Entry description of communication parameters.....	40
Table 43 – Object description of mapping parameters.....	41
Table 44 – Entry description of mapping parameters.....	41
Table 45 – Object description of communication parameters.....	42
Table 46 – Entry description of communication parameters.....	42
Table 47 – Object description of mapping parameters.....	43
Table 48 – Entry description of mapping parameters.....	44
Table 49 – Object description of communication parameters.....	45
Table 50 – Entry description of communication parameters.....	45
Table 51 – Object description of mapping parameters.....	46
Table 52 – Entry description of mapping parameters.....	46
Table 53 – Object description of communication parameters.....	47
Table 54 – Entry description of communication parameters.....	47
Table 55 – Object description of mapping parameters.....	48
Table 56 – Entry description of mapping parameters.....	49
Table 57 – Object description of communication parameters.....	50
Table 58 – Entry description of communication parameters.....	50
Table 59 – Object description of mapping parameters.....	51
Table 60 – Entry description of mapping parameters.....	51
Table 61 – Object description of communication parameters.....	52
Table 62 – Entry description of communication parameters.....	52
Table 63 – Object description of mapping parameters.....	53
Table 64 – Entry description of mapping parameters.....	54
Table 65 – Object description of communication parameters.....	55
Table 66 – Entry description of communication parameters.....	55
Table 67 – Object description of mapping parameters.....	56
Table 68 – Entry description of mapping parameters.....	56
Table 69 – Overview on RPDO	57
Table 70 – Overview on TPDO.....	58
Table 71 – Object description of communication parameters.....	58
Table 72 – Entry description of communication parameters.....	58
Table 73 – Object description of mapping parameters.....	59
Table 74 – Entry description of mapping parameters.....	59
Table 75 – Object description of communication parameters.....	60
Table 76 – Entry description of communication parameters.....	60
Table 77 – Object description of mapping parameters.....	61
Table 78 – Entry description of mapping parameters.....	61

Table 79 – Object description of communication parameters	62
Table 80 – Entry description of communication parameters	63
Table 81 – Object description of mapping parameters	63
Table 82 – Entry description of mapping parameters	64
Table 83 – Object description of communication parameters	65
Table 84 – Entry description of communication parameters	65
Table 85 – Object description of mapping parameters	66
Table 86 – Entry description of mapping parameters	66
Table 87 – Object description of communication parameters	67
Table 88 – Entry description of communication parameters	67
Table 89 – Object description of mapping parameters	68
Table 90 – Entry description of mapping parameters	69
Table 91 – Object description of communication parameters	70
Table 92 – Entry description of communication parameters	70
Table 93 – Object description of mapping parameters	71
Table 94 – Entry description of mapping parameters	71
Table 95 – Overview on RPDO	72
Table 96 – Overview on TPDO	72
Table 97 – Object description of communication parameters	73
Table 98 – Entry description of communication parameters	73
Table 99 – Object description of mapping parameters	74
Table 100 – Entry description of mapping parameters	74
Table 101 – Object description of communication parameters	75
Table 102 – Entry description of communication parameters	75
Table 103 – Object description of mapping parameters	76
Table 104 – Entry description of mapping parameters	76
Table 105 – Object description of communication parameters	77
Table 106 – Entry description of communication parameters	77
Table 107 – Object description of mapping parameters	78
Table 108 – Entry description of mapping parameters	78
Table 109 – Object description of communication parameters	79
Table 110 – Entry description of communication parameters	80
Table 111 – Object description of mapping parameters	80
Table 112 – Entry description of mapping parameters	81
Table 113 – Object description of communication parameters	82
Table 114 – Entry description of communication parameters	82
Table 115 – Object description of mapping parameters	83
Table 116 – Entry description of mapping parameters	83
Table 117 – Object description of communication parameters	84
Table 118 – Entry description of communication parameters	84
Table 119 – Object description of mapping parameters	85
Table 120 – Entry description of mapping parameters	85
Table 121 – Object description of communication parameters	86

Table 122 – Entry description of communication parameters	86
Table 123 – Object description of mapping parameters	88
Table 124 – Entry description of mapping parameters	88
Table 125 – Object description of communication parameters	89
Table 126 – Entry description of communication parameters	89
Table 127 – Object description of mapping parameters	90
Table 128 – Entry description of mapping parameters	90
Table 129 – Overview on RPDO	91
Table 130 – Overview on TPDO	92
Table 131 – Object description of communication parameters	92
Table 132 – Entry description of communication parameters	92
Table 133 – Object description of mapping parameters	93
Table 134 – Entry description of mapping parameters	93
Table 135 – Object description of communication parameters	94
Table 136 – Entry description of communication parameters	94
Table 137 – Object description of mapping parameters	95
Table 138 – Entry description of mapping parameters	95
Table 139 – Object description of communication parameters	96
Table 140 – Entry description of communication parameters	97
Table 141 – Object description of mapping parameters	97
Table 142 – Entry description of mapping parameters	98
Table 143 – Object description of communication parameters	99
Table 144 – Entry description of communication parameters	99
Table 145 – Object description of mapping parameters	100
Table 146 – Entry description of mapping parameters	100
Table 147 – Object description of communication parameters	101
Table 148 – Entry description of communication parameters	101
Table 149 – Object description of mapping parameters	102
Table 150 – Entry description of mapping parameters	102
Table 151 – Object description of communication parameters	103
Table 152 – Entry description of communication parameters	103
Table 153 – Object description of mapping parameters	104
Table 154 – Entry description of mapping parameters	104
Table 155 – Object description of communication parameters	106
Table 156 – Entry description of communication parameters	106
Table 157 – Object description of mapping parameters	107
Table 158 – Entry description of mapping parameters	107
Table 159 – Object description of communication parameters	108
Table 160 – Entry description of communication parameters	108
Table 161 – Object description of mapping parameters	109
Table 162 – Entry description of mapping parameters	110
Table 163 – PDO mapping attributes of CiA 402 objects	110
Table 164 – List of used data types	114

Table 165 – Additional information field for generic PDO mapping	115
Table 166 – List of used data types	116
Table 167 – Overview on objects in RPDO	117
Table 168 – Overview on objects in TPDO	117
Table 169 – Object description of communication parameters	117
Table 170 – Entry description of communication parameters	118
Table 171 – Object description of mapping parameters	118
Table 172 – Entry description of mapping parameters	118
Table 173 – Object description of communication parameters	120
Table 174 – Entry description of communication parameters	120
Table 175 – Object description of mapping parameters	121
Table 176 – Entry description of mapping parameters	121
Table 177 – Overview on objects in RPDO	123
Table 178 – Overview on objects in TPDO	123
Table 179 – Object description of communication parameters	123
Table 180 – Entry description of communication parameters	123
Table 181 – Object description of mapping parameters	124
Table 182 – Entry description of mapping parameters	124
Table 183 – Object description of communication parameters	125
Table 184 – Entry description of communication parameters	125
Table 185 – Object description of mapping parameters	126
Table 186 – Entry description of mapping parameters	126
Table 187 – Overview on objects in RPDO	127
Table 188 – Overview on objects in TPDO	127
Table 189 – Object description of communication parameters	128
Table 190 – Entry description of communication parameters	128
Table 191 – Object description of mapping parameters	128
Table 192 – Entry description of mapping parameters	129
Table 193 – Object description of communication parameters	129
Table 194 – Entry description of communication parameters	130
Table 195 – Object description of mapping parameters	130
Table 196 – Entry description of mapping parameters	130
Table 197 – Overview on objects in RPDO	131
Table 198 – Overview on objects in TPDO	132
Table 199 – Object description of communication parameters	132
Table 200 – Entry description of communication parameters	132
Table 201 – Object description of mapping parameters	133
Table 202 – Entry description of mapping parameters	133
Table 203 – Object description of communication parameters	134
Table 204 – Entry description of communication parameters	134
Table 205 – Object description of mapping parameters	135
Table 206 – Entry description of mapping parameters	135

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ADJUSTABLE SPEED ELECTRICAL POWER DRIVE SYSTEMS –

**Part 7-301: Generic interface and use
of profiles for power drive systems –
Mapping of profile type 1 to network technologies**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The International Standard IEC 61800-7-301 has been prepared by subcommittee SC 22G: Adjustable speed electric drive systems incorporating semiconductor power converters, of IEC technical committee TC 22: Power electronic systems and equipment.

This bilingual version (2013-04) corresponds to the monolingual English version, published in 2007-11.

The text of this standard is based on the following documents:

FDIS	Report on voting
22G/185/FDIS	22G/193/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61800 series, under the general title *Adjustable speed electrical power drive systems*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

**iTech Standards
(<https://standards.iteh.ai>)**
Document Preview

[IEC 61800-7-301:2007](https://standards.iteh.ai/cx001/Standards/iec/4d9e360-89d3-44de-b63d-996847a8c687/iec-61800-7-301-2007)

<https://standards.iteh.ai/cx001/Standards/iec/4d9e360-89d3-44de-b63d-996847a8c687/iec-61800-7-301-2007>

INTRODUCTION

The IEC 61800 series is intended to provide a common set of specifications for adjustable speed electrical power drive systems.

IEC 61800-7 describes a generic interface between control systems and power drive systems. This interface can be embedded in the control system. The control system itself can also be located in the drive (sometimes known as "smart drive" or "intelligent drive").

A variety of physical interfaces is available (analogue and digital inputs and outputs, serial and parallel interfaces, fieldbuses and networks). Profiles based on specific physical interfaces are already defined for some application areas (e.g. motion control) and some device classes (e.g. standard drives, positioner). The implementations of the associated drivers and application programmers interfaces are proprietary and vary widely.

IEC 61800-7 defines a set of common drive control functions, parameters, and state machines or description of sequences of operation to be mapped to the drive profiles.

IEC 61800-7 provides a way to access functions and data of a drive that is independent of the used drive profile and communication interface. The objective is a common drive model with generic functions and objects suitable to be mapped on different communication interfaces. This makes it possible to provide common implementations of motion control (or velocity control or drive control applications) in controllers without any specific knowledge of the drive implementation.

There are several reasons to define a generic interface:

For a drive device manufacturer

- Less effort to support system integrators
- Less effort to describe drive functions because of common terminology
- The selection of drives does not depend on availability of specific support

For a control device manufacturer

- No influence of bus technology
- Easy device integration
- Independent of a drive supplier

For a system integrator

- Less integration effort for devices
- Only one understandable way of modeling
- Independent of bus technology

Much effort is needed to design a motion control application with several different drives and a specific control system. The tasks to implement the system software and to understand the functional description of the individual components may exhaust the project resources. In some cases, the drives do not share the same physical interface. Some control devices just support a single interface which will not be supported by a specific drive. On the other hand, the functions and data structures are often specified with incompatibilities. This requires the system integrator to write special interfaces for the application software and this should not be his responsibility.

Some applications need device exchangeability or integration of new devices in an existing configuration. They are faced with different incompatible solutions. The efforts to adopt a solution to a drive profile and to manufacturer specific extensions may be unacceptable. This will reduce the degree of freedom to select a device best suited for this application to the selection of the unit which will be available for a specific physical interface and supported by the controller.

IEC 61800-7-1 is divided into a generic part and several annexes as shown in Figure 1. The drive profile types for CiA 402¹, CIP Motion^{TM2}, PROFIdrive³ and SERCOS interface^{TM4} are mapped to the generic interface in the corresponding annex. The annexes have been submitted by open international network or fieldbus organizations which are responsible for the content of the related annex and use of the related trademarks.

The different profile types 1, 2, 3, 4 are specified in IEC 61800-7-201, IEC 61800-7-202, IEC 61800-7-203 and IEC 61800-7-204.

This part of IEC 61800-7 specifies how the profile type 1 (CiA 402) is mapped to the network technologies CANopen⁵, EtherCAT^{TM6} and Ethernet Powerlink^{TM7}.

IEC 61800-7-302, IEC 61800-7-303 and IEC 61800-7-304 specify how the profile types 2, 3 and 4 are mapped to different network technologies (such as DeviceNet^{TM8}, ControlNet^{TM9}, EtherNet/IP^{TM10}, PROFIBUS¹¹, PROFINET¹² and SERCOS interface)

-
- ~~1 CiA 402 is a trade name of CAN in Automation, e.V. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade name holder or any of its products. Compliance to this profile does not require use of the trade name CiA 402.~~
 - ~~2 CIP Motion™ is a trade name of Open DeviceNet Vendor Association, Inc. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance to this profile does not require use of the trade name CIP Motion™. Use of the trade name CIP Motion™ requires permission of Open DeviceNet Vendor Association, Inc.~~
 - ~~3 PROFIdrive is a trade name of PROFIBUS International. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade name holder or any of its products. Compliance to this profile does not require use of the trade name PROFIdrive. Use of the trade name PROFIdrive requires permission of PROFIBUS International.~~
 - ~~4 SERCOS™ and SERCOS interface™ are trade names of SERCOS International e.V. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade name holder or any of its products. Compliance to this profile does not require use of the trade names SERCOS or SERCOS interface. Use of the trade name SERCOS and SERCOS interface requires permission of the trade name holder.~~
 - ~~5 CANopen is an acronym for Controller Area Network open and is used to refer to EN 50325-4.~~
 - ~~6 EtherCAT™ is a trade name of Beckhoff, Verl. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance to this profile does not require use of the trade name EtherCAT™. Use of the trade name EtherCAT™ requires permission of the trade name holder.~~
 - ~~7 Ethernet Powerlink™ is a trade name of P&R, control of trade name use is given to the non profit organization EPSG. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance to this profile does not require use of the trade name Ethernet Powerlink™. Use of the trade name Ethernet Powerlink™ requires permission of the trade name holder.~~
 - ~~8 DeviceNet™ is a trade name of Open DeviceNet Vendor Association, Inc. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance to this profile does not require use of the trade name DeviceNet™. Use of the trade name DeviceNet™ requires permission of Open DeviceNet Vendor Association, Inc.~~
 - ~~9 ControlNet™ is a trade name of ControlNet International, Ltd. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance to this profile does not require use of the trade name ControlNet™. Use of the trade name ControlNet™ requires permission of ControlNet International, Ltd.~~
 - ~~10 EtherNet/IP™ is a trade name of ControlNet International, Ltd. and Open DeviceNet Vendor Association, Inc. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance to this profile does not require use of the trade name EtherNet/IP™. Use of the trade name EtherNet/IP™ requires permission of either ControlNet International, Ltd. or Open DeviceNet Vendor Association, Inc.~~
 - ~~11 PROFIBUS is a trade name of PROFIBUS International. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade name holder or any of its products. Compliance to this profile does not require use of the trade name PROFIBUS. Use of the trade name PROFIBUS requires permission of PROFIBUS International.~~
 - ~~12 PROFINET is a trade name of PROFIBUS International. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade name holder or any of its products. Compliance to this profile does not require use of the trade name PROFINET. Use of the trade name PROFINET requires permission of PROFIBUS International.~~




Figure 1 – Structure of IEC 61800-7

<https://standards.iec.ch/standard/iec-61800-7-301:2007>