



Edition 2.1 2018-06 CONSOLIDATED VERSION

INTERNATIONAL STANDARD



Communication networks and systems for power utility automation –
Part 6: Configuration description language for communication in power utility automation systems related to IEDs

Document Preview

IEC 61850-6:2009

009-6-1850-6-1209/https://standards.iteh.ai/catalog/standards/iec/5199cb59-d304-4d07-8d9c-3cde70a5811





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Tel.: +41 22 919 02 11

info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

EC 61850-6:2009

009-6-1850-6-1850-6-1850-6-2009.https://standards/iec/5199cb59-d304-4d07-8d9c-3cde70a5811c/iec





Edition 2.1 2018-06 CONSOLIDATED VERSION

INTERNATIONAL STANDARD



Communication networks and systems for power utility automation – Part 6: Configuration description language for communication in power utility automation systems related to IEDs

Document Preview

IEC 61850-6:2009

https://standards.iteh.ai/catalog/standards/iec/5f99ch59-d304-4d07-8d9c-3cde70a5811c/iec-61850-6-2009

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 33,200 ISBN 978-2-8322-5802-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FC	REWO	PRD	7
IN	TRODU	JCTION	12
1	Scop	pe	13
	1.1	General	13
	1.2	Namespace name and version	13
	1.3	Code Component distribution	
2	Norm	native references	
3	Term	ns and definitions	16
4		eviations	
5	Inten	ided engineering process with SCL	18
Ū	5.1	General	
	5.2	Scope of SCL	
	5.3	Use of SCL in the engineering process	
	5.4	IED modifications	
	5.5	Data exchange between projects	
6		SCL object model	
	6.1	General	
	6.2	The process model	
	6.3	The product (IED) model	
	6.4	The communication system model	31
	6.5	Modelling of redundancy	32
	6.6	Data flow modelling	33
7		description file types	
8		language <u>IEC 61850-6:2009</u>	
os://:	standard 8.1	Specification method	
	8.2	Language versions and compatibility	
	8.2.1		
	8.2.2		
	8.2.3	•	
	8.3	SCL language extensions	
	8.3.1		
	8.3.2		
	8.3.3	Additional semantics to existing syntax elements	42
	8.3.4	Data type constraints	42
	8.3.5	XML name spaces	42
	8.3.6	Private data	43
	8.3.7	Another XML syntax	44
	8.3.8	Summary: Standard conformance for extension handling	44
	8.3.9	Extension example	44
	8.4	General structure	44
	8.5	Object and signal designation	45
	8.5.1	General	45
	8.5.2	, ,	
	8.5.3	, ,	
	8.5.4	Signal identifications usable by applications	48

	8.5.5	Naming example	49
9	The S	SCL syntax elements	49
	9.1	Header	49
	9.2	Process description	52
	9.2.1	General	52
	9.2.2	Voltage level	57
	9.2.3	Bay level	58
	9.2.4	Power equipment	59
	9.2.5	SubEquipment level	66
	9.2.6	Process function logical nodes	67
	9.2.7	Non power equipment	68
	9.2.8	Substation section example	69
	9.3	IED description	71
	9.3.1	General	71
	9.3.2	The IED, Services and Access Point	75
	9.3.3	The IED server	87
	9.3.4	The logical device	88
	9.3.5	LN0 and other Logical Nodes	89
	9.3.6	Data object (DOI) definition	91
	9.3.7		
	9.3.8	Report control block	96
	9.3.9	o / https://ctop.dowdc.itoh.oll	
	9.3.1	0 GSE control block	100
	9.3.1	' I I O O I I MONT L'EON I ONT	
	9.3.1	2 Setting control block	104
	9.3.1	3	
	9.3.1		
	9.4dard	Communication system description	
	9.4.1	General	
	9.4.2		
	9.4.3		
	9.4.4	GSE address definition	
	9.4.5	SMV address definition	
	9.4.6	,	
	9.4.7	•	
	9.5	Data type templates	
	9.5.1	General	
	9.5.2	21	
	9.5.3	71	
	9.5.4		
	9.5.5	71	
	9.5.6	71	
4.0	9.5.7	71 1	
10		and project engineering rights	
	10.1	IED configurator	
	10.2	System configurator	
	10.3	Right transfer between projects	
Ar	nex A (normative) SCL syntax: XML schema definition	133

	rmative) SCL enumerations according to IEC 61850-7-3 0-7-4	185
	rmative) Syntax extension examples	
	ension syntax for drawing layout coordinates	
	rmative) Example	
D.1 Exa	ample specification	188
D.1.1	General	
D.1.2	Substation configuration	188
D.1.3	Communication system configuration	189
D.1.4	Transformer IED	189
D.2 Exa	ample SCL file contents	190
Annex E (info	rmative) SCL syntax: General XML schema definition	203
E.1 Ge	neral	203
E.2 Bas	se types	203
E.3 Sub	ostation syntax	218
E.4 Dat	a type templates	218
E.5 IEC	capabilities and structure	219
E.6 Cor	mmunication subnetworks	232
E.7 Ma	in SCL	232
Annex F (info	rmative) XML schema definition of SCL variants	234
	mative) SCL Implementation Conformance Statement (SICS)	
Annex H (info	rmative) ExtRef use cases	245
Annex I (norm	native) SCL – mixed version projects	249
I.1 Ge	neral Document Preview	249
I.2 Dov	wngrading rules	252
1.2.1	Data Model related downgrading rules	252
s.//stal.2.2	SCL IED and Substation Model related compatibility rules	256
1.2.3	Generic rules	259
I.3 Upg	grading rules	259
1.3.1	Data Model Structure related upgrading rules	259
1.3.2	SCL Element related upgrading rules	261
I.4 Mix	ed version projects involving Ed2, Ed2.1 devices / SCTs	262
1.4.1	General	262
1.4.2	Downgrading rules	265
1.4.3	Upgrading rules	
Bibliography		269
•	ference model for information flow in the configuration process	
Figure 2 – IEI	O type description to System Configurator	21
Figure 3 – IEI	Dinstance description to System Configurator	22
Figure 4 – Mo	dification process	23
Figure 5 – En	gineering right handling in projects	25
_	L substation object model	
	System Configuration example	
	D files describing implementable IED types of a general IED class	
_		
_	IL diagram overview of SCL schema	
Figure 10 - F	lements of the signal identification as defined in IEC 61850-7-2	46

Figure 11 – Elements of the signal name using product naming	. 47
Figure 12 – Possible elements of the signal name using functional naming	.48
Figure 13 – Names within different structures of the object model	.49
Figure 14 – UML diagram of Header section	.50
Figure 15 – UML diagram of Substation section	.53
Figure 16 – UML diagrams for equipment type inheritance and relations	.60
Figure 17 – Substation section example	.70
Figure 18 – IED structure and access points	.72
Figure 19 – UML description of IED-related schema part – Base	.73
Figure 20 – UML description of IED-related schema part for Control blocks	.74
Figure 21 – UML description of IED-related schema part – LN definition	.75
Figure 22 – UML diagram overview of the Communication section	111
Figure 23 – UML overview of DataTypeTemplate section	118
Figure 24 – UML diagram of Process and Line elements	.56
Figure C.1 – Coordinate example	186
Figure D.1 – T1-1 Substation configuration	188
Figure D.2 – T1-1 Communication configuration	189
Figure D.3 – T1-1 Transformer bay	
Figure I.1 – Edition 1-Edition 2 – Area of compatibility	249
Figure I.2 – Edition 1-Edition 2 Mixed engineering with different SCL versions	
Figure I.3 – Edition 1-Edition 2 Mixed engineering with different SCL versions with one SCT managing data flow restriction	251
Figure I.4 – Edition 1-Edition 2 Mixed engineering with same SCL version – restricted to (Ed1∩Ed2)UEd2	
Figure I.5 – Workflow with SED 2007B4 import following mustUnderstand/maylgnore rules	263
Figure I.6 – Workflow with ICT A imports SCD 2007B4 following the mustUnderstand rules	264
Figure I.7 – Workflow with SCT exports SCD 2007B following the downgrading rules	265
Table 1 – The files composing the XML schema definition for SCL	.37
Table 2 – Attributes of the Private element	.43
Table 3 – Attributes of the Header element	.51
Table 4 – Attributes of the History item (Hitem) element	.52
Table 5 – Primary apparatus device type codes	.64
Table 6 – Attributes of the Terminal element	.66
Table 7 – Attributes of the SubEquipment element	.67
Table 8 – Attributes of the LNode element	.68
Table 9 – General Equipment codes from IEC 61850-7-4	.69
Table 10 – Attributes of the IED element	.76
Table 11 – List of service capabilities and setting elements and attributes	.78
Table 12 – Attributes of the Access point element	.84
Table 13 – Attributes of the IED server element	.88
Table 14 – Attributes of the Authentication element	88

0	IEC	20	1	8

Table 15 – Attributes of the LDevice element	89
Table 16 – Attributes of the LN0 element	90
Table 17 – Attributes of the LN element	91
Table 18 – Attributes of the DOI element	92
Table 19 – Attributes of the DAI element	93
Table 20 – Attributes of the SDI element	93
Table 21 – Attributes of the DataSet element	94
Table 22 – Attributes of the FCDA element	95
Table 23 – Attributes of the report control block element	96
Table 24 – Attributes of the RptEnabled element	98
Table 25 – Attributes of the ClientLN element	98
Table 26 – Attributes of the log control block element	100
Table 27 – Attributes of the GSE control block element	101
Table 28 – Attributes of the IEDName element	102
Table 29 – Attributes of the sampled value control block element	103
Table 30 – Attributes of the Smv Options element	104
Table 31 – Deprecated Smv options	104
Table 32 – Attributes of the setting control block element	
Table 33 – Attributes of the Input/ExtRef element	107
Table 34 – Attributes of the association element	110
Table 35 – Attributes of the Subnetwork element	
Table 36 – Attributes of the ConnectedAP element	113
Table 37 – Attributes of the GSE element	114
Table 38 – Attributes of the SMV element .6.1850.6.2000	
Table 39 - PhysConn P-Type definitions	116
Table 40 – Template definition elements	119
Table 41 – Attributes of the LNodeType element	120
Table 42 – Attributes of the DO element	120
Table 43 – Attributes of the DOType element	121
Table 44 – Attributes of the SDO element	121
Table 45 – Data type mapping	122
Table 46 – Attribute value kind (Valkind) meaning	123
Table 47 – Attributes of the DA element	124
Table 48 – Attributes of the BDA element	127
Table 49 – Attributes of the EnumType element	128
Table 50 – Usage of Service element at IED level and Server / ServerAt level	85
Table 51 – Usage of ExtRef attributes in different use cases	108
Table 52 – Allowed SCT engineering actions	132
Table G.1 – IED configurator conformance statement	240
Table G.2 – System configurator conformance statement	242

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMUNICATION NETWORKS AND SYSTEMS FOR POWER UTILITY AUTOMATION –

Part 6: Configuration description language for communication in power utility automation systems related to IEDs

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 61850-6 edition 2.1 contains the second edition (2009-12) [documents 57/1025/FDIS and 57/1041/RVD] and its amendment 1 (2018-06) [documents 57/1918/FDIS and 57/1940/RVD].

- 8 -

International Standard IEC 61850-6 has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

This second edition constitutes a technical revision.

The main changes with respect to the previous edition are as follows:

- functional extensions added based on changes in other Parts, especially Parts 7-2 and 7-3;
- functional extensions concerning the engineering process, especially for configuration data exchange between system configuration tools, added;
- provision of clarifications and corrections. Issues that require clarification are published in a database available at http://tissue.iec61850.com. Arising incompatibilities are listed in 8.2.3.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 61850 series, under the general title *Communication networks* and systems for power utility automation, can be found on the IEC website.

This IEC standard includes Code Components i.e. components that are intended to be directly processed by a computer. Such content is any text found between the markers <CODE BEGINS> and <CODE ENDS>, or otherwise is clearly labeled in this standard as a Code Component.

The purchase of this IEC standard carries a copyright license for the purchaser to sell software containing Code Components from this standard directly to end users and to end users via distributors, subject to IEC software licensing conditions, which can be found at: http://www.iec.ch/CCv1.

If any updates are required to the published code component that needs to apply immediately and can not wait for an amendment (i.e. fixing a major problem), a new release of the Code Component will be issued and distributed through the IEC WebSite. Any new release of the Code Component related to this part will supersede any previously published Code Component including the one published within the current document.

The Code Component(s) included in this IEC standard are a set of .xsd. This Code Component is published through the IEC WebSite; for details see 1.3 of the present IEC standard.

This consolidated edition brings two distinct sets of changes:

- 1) Resolved Interop Issues (covered by the table below) which have already followed the technical issues (Tissues) process as described in IEC 61850-1 and have reached the green "status".
- 2) Resolved Editorial Tissues which may have lead to interoperability issues.

The resolutions of these issues which lead to these changes are described in greater detail in the Tissue database hosted at http://tissue.iec61850.com.

The only new features compared to the original IEC 61850-6:2009 are the inclusion of the Process and Line elements supporting other application areas than substations, and necessary enhancements to fully support the amended communication related parts. Apart from this, this consolidated edition strictly respects the scope of the original edition.

Technical issues summary

N°, Subject, Cat, Clause and Paragraph are as they appear on the Tissue database hosted at http://tissue.iec61850.com where all technical issues have been stored from the origin of IEC 61850.

"Cat" defines whether this has been considered as an Interoperability Issue (IntOp2) or just a need for amending IEC 61850-6:2009.

The Tissues which have been considered are:

N°	Subject	Cat	Clause	Paragraph	
658	Tracking related features	IntOp2	Annex A		
660	XML encoding header repeat	Ed2	Annex A.4		
663	FCDA element cannot be a "functionally constrained logical node"	IntOp2	9.3.7	Table 22	
668	Modeling of autotransformer	IntOp2	9.2.4		
678, 699	DO type description table	Ed2		Table 43	
687	ResvTms attribute at the SGCB	Ed2	9.3.12		
719	ConfDataSet maxAttributes defineds FCDA elements in data set	IntOp2	9.3.2	Table 11	
721	Log element name	IntOp2	9.3.5	ai)	
731	SCL example inconsistent	Ed2	9.3.4§		
752	Input section naming	Ed2	9.3.13		
768	bType VisString65 is missing	IntOp2	Annex A		
779	Relative object references	IntOp2	9.5.4.1		
787andar	SICS 145 inconsistency dards/iec/5f	Ed259-d	Annex G -8d9c-3c	le70a5811c/iec-6185	0-6-2009
788	SICS S56 from optional to mandatory	IntOp2	Annex G		
789 (822)	ConfLdName for services applies to client and server	IntOp2	9.3.2	Table 11	
804	valKind and IED versus system configurator	IntOp2	9.5.4.1		
806	Max length of log name incosnsten to part 7-2	Ed2	Annex A	SCL_BaseSimpleTypes	
807	Indicate if 'owner' is present in RCB	Ed2	9.3.2	Table 11	
823	valKind for structured data attributes	IntOp2	9.5.4.1		
824	Short addresses at structured data attributes	IntOp2	9.3.6, 9.5.4.1		
825	Floating point values	IntOp2	9.5.4.1	Table 45	
845	SGCB ResvTms	IntOp2	9.3.2	Table 11	
853	SBO and ProtNs	IntOp2	9.5.5		
855	recursive SubFunction	Ed2	9.2.7		
856	Voltage level frequency and phases	Ed2	9.2.2		
857	Function/SubFunction for primary equipment	Ed2	9.2.4		
873	Examples for "curvpts"	Ed2	9.3.6	end of paragraph	
886	Missing 8-1 P-Types	Ed2	Annex A		

[&]quot;Subject" defines very briefly the topic under focus.

N°	Subject	Cat	Clause	Paragraph
901	tServices at Ap and at IED	Ed2	9.3.2	below Table 12
936	SupSubscription parameter usage is difficult	IntOp2	9.3.2	Table 11
948	Enumeration (string) value format	IntOp2	9.5.6	
949	type of LN inst is ambiguous	Ed2	9.3.5	Table 17
1118	RptEnabled definition	Ed2	9.3.8	
1147	Filehandling service capability	Ed2	9.3.2	Table 11
1195	Typographical error	Ed2	9.3.2	
1208	IP V6 address format	IntOp2	A.5	
1284	SCSM mapping may require a communication section in an ICD file	Ed2	7	
1298	How to differentiate preconfigured Report data sets from those generated by the system tool	Ed2	9.3.2	Table 11
1304	Error in SCL object model	Ed2		Figure 6
1318	SSD will not validate against XSD	Ed2	9.2.6	Note 2
1327	SICS: import of SCD by IED tool	Ed2	Annex G	Table G.1
1328	Limitation of the size of identifiers	Ed2	9.5.2, 9.5.3, 9.5.6	
1354	Changes to SICS	Ed2	Annex G	Tables G.1, G.2
1359	Replace "c37_238" with "61850-9-3"	Ed2	9.3.2	
1365	Need to tighten up the XSD in regards to IED name usage	IntOp2	9.2.6 0 S. iteh	3
1395	Client LN attributes	IntOp2	9.3.8	
1396	The use and configuration flow of LGOS and LSVS is Unclear	Ed2	9.3.2	Table 11
1397	Subscription limitation visible in IxD file	Ed2 C 61850-6	Annex G	
1398 ndar	originalScIVersion management in SCT	Ed259-d3	9.3.2107-8d9c-3d	ede70a5811c/iec-6185
1402	Extref during engineering	Ed2	9.3.13, Annex H(new)	
1415	SICS-S110 IID import mandatory	Ed2	Annex G	Table G.2
1419	Support of IdName on other IEDs	Ed2	Annex G	Table G.1
1434	Add capability to change nofASDU is missing	Ed2	9.3.2	Table 11
1444	Need to support fixed and SCT controlled data sets	Ed2		
1445	ConfReportControl and a fixed reportSettings	Ed2	9.3.2	
1447	Restriction on EnumTypes in SCL	Ed2		
1448	Not possible to determine the restriction on number of BRCBs if rptMod=both	Ed2		
1450	originalSclXxx computation rules	IntOp2	9.3.2	
1457	Multiple DOI nodes with the same name	Ed2		
1458	New ExtRef attributes for later binding	Ed2		
	•			

https

IEC 61850-6:2009+AMD1:2018 CSV - 11 - © IEC 2018

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 61850-6:2009

https://standards.iteh.ai/catalog/standards/iec/5f99ch59-d304-4d07-8d9c-3cde70a5811c/iec-61850-6-2009

INTRODUCTION

This part of IEC 61850 specifies a description language for the configuration of power utility IEDs. This language is called System Configuration description Language (SCL). It is used to describe IED configurations and communication systems according to IEC 61850-5 and IEC 61850-7-x. It allows the formal description of the relations between the utility automation system and the process (substation, switch yard). At the application level, the switch yard topology itself and the relation of the switch yard structure to the SAS functions (logical nodes) configured on the IEDs can be described.

While this part describes the language to describe the configuration of IEC 61850 systems, other parts of the standard describe how to configure the system and possible restrictions. Therefore implementations claiming conformance to this standard shall take into account constraints from the other normative references. Some references to the other parts have been included for the purpose of clarification but these references are not all inclusive.

NOTE The process description, which is in this standard restricted to switch yards and general process functions, will be enhanced by appropriate add-ons for wind mills, hydro plants and distributed energy resources (DER).

SCL allows the description of an IED configuration to be passed to a communication and application system engineering tool, and to pass back the whole system configuration description to the IED configuration tool in a compatible way. Its main purpose is to allow the interoperable exchange of communication system configuration data between an IED configuration tool and a system configuration tool from different manufacturers.

IEC 61850-8-x and IEC 61850-9-x, which concern the mapping of IEC 61850-7-x to specific communication stacks, may extend these definitions according to their need with additional parts, or simply by restrictions on the way the values of objects have to be used.

Document Preview

TEC 61850_6:2009

https://standards.iteh.ai/catalog/standards/iec/5f99ch59-d304-4d07-8d9c-3cde70a5811c/iec-61850-6-2009