

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Specifications for particular types of winding wires –
Part 0-3: General requirements – Enamelled round aluminium wire**

**Spécifications pour types particuliers de fils de bobinage –
Partie 0-3: Exigences générales – Fil de section circulaire en aluminium émaillé**

[IEC 60317-0-3:2008](https://standards.iteh.ai/catalog/standards/iec/33f5352a-e10c-4a74-90eb-1a06996ec366/iec-60317-0-3-2008)

<https://standards.iteh.ai/catalog/standards/iec/33f5352a-e10c-4a74-90eb-1a06996ec366/iec-60317-0-3-2008>





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



IEC 60317-0-3

Edition 3.2 2019-08
CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Specifications for particular types of winding wires –
Part 0-3: General requirements – Enamelled round aluminium wire**

**Spécifications pour types particuliers de fils de bobinage –
Partie 0-3: Exigences générales – Fil de section circulaire en aluminium émaillé**

[IEC 60317-0-3:2008](https://standards.iteh.ai/catalog/standards/iec/33f5352a-e10c-4a74-90eb-1a06996ec366/iec-60317-0-3-2008)

<https://standards.iteh.ai/catalog/standards/iec/33f5352a-e10c-4a74-90eb-1a06996ec366/iec-60317-0-3-2008>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.060.10

ISBN 978-2-8322-7317-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

REDLINE VERSION

VERSION REDLINE



**Specifications for particular types of winding wires –
Part 0-3: General requirements – Enamelled round aluminium wire**

**Spécifications pour types particuliers de fils de bobinage –
Partie 0-3: Exigences générales – Fil de section circulaire en aluminium émaillé**

[IEC 60317-0-3:2008](https://standards.iteh.ai/)

<https://standards.iteh.ai/catalog/standards/iec/33f5352a-e10c-4a74-90eb-1a06996ec366/iec-60317-0-3-2008>

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms, definitions and , general notes on methods of tests and appearance.....	7
3.1 Definitions	7
3.2 General notes on methods of test	8
3.2.1 Methods of test.....	8
3.2.2 Winding wire.....	9
3.3 Appearance.....	9
4 Dimensions	9
4.1 Conductor diameter.....	9
4.2 Out of roundness of conductor	12
4.3 Minimum increase in diameter due to the insulation and the bonding layer	12
4.3.1 Enamelled wires without a bonding layer	12
4.3.2 Enamelled wires with a bonding layer	12
4.4 Maximum overall diameter.....	12
4.4.1 Enamelled wires without a bonding layer	12
4.4.2 Enamelled wires with a bonding layer	12
5 Electrical resistance	13
6 Elongation	13
7 Springiness	13
8 Flexibility and adherence.....	13
8.1 Mandrel winding test (nominal conductor diameters up to and including 1,600 mm).....	13
8.2 Stretching test (nominal conductor diameters over 1,000 mm).....	14
8.3 Jerk test (nominal conductor diameters up to and including 1,000 mm)	14
8.4 Peel test (nominal conductor diameters over 1,000 mm).....	14
9 Heat shock	14
9.1 Nominal conductor diameters up to and including 1,600 mm	14
9.2 Nominal conductor diameters over 1,600 mm	14
10 Cut-through	14
11 Resistance to abrasion	14
12 Resistance to solvents.....	14
13 Breakdown voltage	15
13.1 General.....	15
13.2 Nominal conductor diameters up to and including 2,500 mm	15
13.3 Nominal conductor diameters over 2,500 mm	15
14 Continuity of insulation (nominal conductor diameters up to and including 1,600 mm).....	16
15 Temperature index	16
16 Resistance to refrigerants.....	16
17 Solderability	16
18 Heat or solvent bonding.....	16

19	Dielectric dissipation factor.....	16
20	Resistance to transformer oil.....	16
21	Loss of mass.....	17
23	Pin hole test.....	17
30	Packaging.....	17
	Annex A (informative) Dimensions for intermediate nominal conductor diameters (R 40).....	18
	Annex B (informative normative) Method for the calculation of linear resistance.....	20
	Annex C (informative) Resistance.....	21
	Bibliography.....	
	Table 1 – Dimensions of enamelled wires (R 20).....	11
	Table 2 – Dimensions of enamelled wires with a bonding layer (R 20).....	12
	Table 3 – Elongation.....	13
	Table 4 – Mandrel winding.....	13
	Table 5 – Heat shock.....	14
	Table 6 – Breakdown voltage.....	15
	Table 7 – Breakdown voltage.....	15
	Table 8 – Continuity of insulation.....	16
	Table A.1 – Dimensions of enamelled wires (R 40).....	18
	Table A.2 – Dimensions of enamelled wires with a bonding layer (R 40).....	19
	Table C.1 – Electrical resistances.....	21

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SPECIFICATIONS FOR PARTICULAR TYPES OF WINDING WIRES –**Part 0-3: General requirements –
Enamelled round aluminium wire**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendments has been prepared for user convenience.

IEC 60317-0-3 edition 3.2 contains the third edition (2008-04) [documents 55/1056/FDIS and 55/1068/RVD], its amendment 1 (2013-09) [documents 55/1405/FDIS and 55/1426/RVD] and its amendment 2 (2019-08) [documents 55/1783/FDIS and 55/1800/RVD].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendments 1 and 2. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 60317-0-3 has been prepared by IEC technical committee 55: Winding wires.

Technical changes from the previous edition include clarification to appearance requirements, revisions to the wire size ranges applicable to the flexibility and adherence tests, and clarification that pin hole test requirements are under consideration.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 60317 series, under the general title *Specifications for particular types of winding wires*, can be found on the IEC website.

This standard is to be read in conjunction with the IEC 60851 series. The clause numbers used in this part of IEC 60317 are identical with the respective test numbers of IEC 60851.

In case of inconsistencies between IEC 60851 and this part of IEC 60317, the latter shall prevail.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 60317 is one of a series that deals with insulated wires used for windings in electrical equipment. The series has three groups describing

- 1) winding wires and test methods (IEC 60851);
- 2) specifications for particular types of winding wires (IEC 60317);
- 3) packaging of winding wires (IEC 60264).

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[IEC 60317-0-3:2008](https://standards.itih.ai/catalog/standards/iec/33f5352a-e10c-4a74-90eb-1a06996ec366/iec-60317-0-3-2008)

<https://standards.itih.ai/catalog/standards/iec/33f5352a-e10c-4a74-90eb-1a06996ec366/iec-60317-0-3-2008>

SPECIFICATIONS FOR PARTICULAR TYPES OF WINDING WIRES –

Part 0-3: General requirements – Enamelled round aluminium wire

1 Scope

This part of IEC 60317 specifies the general requirements of enamelled round aluminium winding wires with or without a bonding layer.

The range of nominal conductor diameters is given in the relevant specification sheet.

~~When reference is made to a winding wire according to a standard of the IEC 60317 series mentioned under Clause 2, the following information is given in the description:~~

- ~~— reference to IEC specification;~~
- ~~— nominal conductor diameter, in millimetres;~~
- ~~— grade.~~

~~EXAMPLE: IEC 60317-14 – 0,500 Grade 1~~

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

[IEC 60317-0-3:2008](https://standards.iteh.ai/IEC/60317-0-3-2008)

<https://standards.iteh.ai/IEC/60172-1-2008>, *Test procedure for the determination of the temperature index of enamelled winding wires*

IEC 60317 (all parts), *Specifications for particular types of winding wires*

IEC 60851 (all parts), *Winding wires – Test methods*

ISO 3, *Preferred numbers – Series of preferred numbers*

ASTM B233-97, *Standard Specification for Aluminum 1350 Drawing Stock for Electrical Purposes*

EN 1715-2, *Aluminium and aluminium alloys – Drawing stock – Part 2: Specific requirements for electrical applications*

3 Terms, definitions ~~and~~, general notes ~~on methods of tests~~ and appearance

For the purposes of this document, the following terms, definitions and general notes apply.

3.1 Definitions

3.1.1

bonding layer

material which is deposited on an enamelled wire and which has the specific function of bonding wires together

3.1.2

class

the thermal performance of a wire expressed by the temperature index and the heat shock temperature

3.1.3

coating

material which is deposited on a conductor or wire by a suitable means and then dried and/or cured

3.1.4

conductor

the bare metal after removal of the insulation

3.1.5

crack

opening in the insulation which exposes the conductor to view at the stated magnification

3.1.6

dual coating

insulation composed of two different materials, an underlying and a superimposed coating

3.1.7

enamelled wire

wire coated with an insulation of cured resin

3.1.8

grade

the range of thickness of the insulation of a wire

3.1.9

insulation

coating or covering on the conductor with the specific function of withstanding voltage

3.1.10

nominal conductor dimension

designation of the conductor size in accordance with the IEC 60317 series

3.1.11

normal vision

20/20 vision, with corrective lenses, if necessary

3.1.12

winding wire

wire used for winding a coil to provide a magnetic field

3.1.13

wire

conductor coated or covered with an insulation

3.2 **General notes** ~~on methods of test~~

3.2.1 **Methods of test**

All methods of test to be used for this part of IEC 60317 are given in IEC 60851.

The clause numbers used in this standard are identical with the respective test numbers of IEC 60851.

In case of inconsistencies between the publication on methods of test and this standard, IEC 60317-0-3 shall prevail.

Where no specific range of nominal conductor diameters is given for a test, the test applies to all nominal conductor diameters covered by the specification sheet.

Unless otherwise specified, all tests shall be carried out at a temperature from 15 °C to ~~35~~ 40 °C and a relative humidity ~~from 45~~ of 25 % to 75 %. Before measurements are made, the specimens shall be preconditioned under these atmospheric conditions for a time sufficient to allow the specimens to reach stability.

The wire to be tested shall be removed from the packaging in such a way that the wire will not be subjected to tension or unnecessary bends. Before each test, sufficient wire should be discarded to ensure that any damaged wire is not included in the test specimens.

3.2.2 Winding wire

See the relevant specification sheet.

In addition, when reference is made to a winding wire according to a standard of the IEC 60317 series mentioned under Clause 2, the following information is given in the description:

- reference to IEC specification;
- nominal conductor diameter in millimetres;
- grade.

EXAMPLE IEC 60317-1 – 0,500 Grade 2

3.3 Appearance

The film coating shall be essentially smooth and continuous, free from streaks, blisters and foreign material when examined with normal vision, as wound on the original spool or reel.

When agreed upon between the user and supplier, examination using 6× to 10× magnification shall be used for wires with a nominal diameter less than 0,10 mm.

4 Dimensions

4.1 Conductor diameter

The series of preferred nominal conductor diameters shall correspond to series R 20 according to ISO 3. The actual values and their tolerances are given in Tables 1 and 2.

The series of intermediate diameters from which the user may select intermediate nominal conductor diameters, when required for technical reasons, shall correspond to series R 40 according to ISO 3. The actual values and their tolerances are given in Annex A.

The conductor diameter shall not differ from the nominal diameter by more than the limit given in Tables 1 or 2.

For intermediate nominal conductor diameters, the minimum increase figure corresponding to the next larger nominal conductor diameter applies.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC 60317-0-3:2008](https://standards.iteh.ai/catalog/standards/iec/33f5352a-e10c-4a74-90eb-1a06996ec366/iec-60317-0-3-2008)

<https://standards.iteh.ai/catalog/standards/iec/33f5352a-e10c-4a74-90eb-1a06996ec366/iec-60317-0-3-2008>