

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



GROUP SAFETY PUBLICATION  
PUBLICATION GROUPEE DE SÉCURITÉ

**Safety requirements for power electronic converter systems and equipment –  
Part 1: General**

**Exigences de sécurité applicables aux systèmes et matériels électroniques de  
conversion de puissance –  
Partie 1: Généralités**

IEC 62477-1:2012

<https://standards.iteh.ai/standards/iec/62477-1/2012>



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



GROUP SAFETY PUBLICATION  
PUBLICATION GROUPEE DE SÉCURITÉ

**Safety requirements for power electronic converter systems and equipment –  
Part 1: General**

**Exigences de sécurité applicables aux systèmes et matériels électroniques de  
conversion de puissance –  
Partie 1: Généralités**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 29.200

ISBN 978-2-8322-3546-1

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

Withdrawn

iTech Standards  
(<https://standards.itih.ai>)  
Document Preview

[IEC 62477-1:2012](#)

<https://standards.itih.ai/standards/iec/62477-1:2012>

## REDLINE VERSION

## VERSION REDLINE



GROUP SAFETY PUBLICATION  
PUBLICATION GROUPEE DE SÉCURITÉ

**Safety requirements for power electronic converter systems and equipment –  
Part 1: General**

**Exigences de sécurité applicables aux systèmes et matériels électroniques de  
conversion de puissance –  
Partie 1: Généralités**

IEC 62477-1:2012

<https://standards.iteh.ai/standards/iec/62477-1:2012>

## CONTENTS

FOREWORD .....	8
INTRODUCTION .....	10
1 Scope .....	11
2 Normative references .....	12
3 Terms and definitions .....	14
4 Protection against hazards .....	24
4.1 General .....	24
4.2 Fault and abnormal conditions .....	25
4.3 Short circuit and overload protection .....	26
4.3.1 General .....	26
4.3.2 Specification of input short-circuit withstand strength and output short circuit current ability .....	27
4.3.3 Short-circuit coordination (backup protection) .....	29
4.3.4 Protection by several devices .....	29
4.3.5 <i>Input ports short time withstand current, <math>I_{cw}</math></i> .....	29
4.4 Protection against electric shock .....	29
4.4.1 General .....	29
4.4.2 <i>Decisive voltage class</i> .....	30
4.4.3 Provision for <i>basic protection</i> .....	35
4.4.4 Provision for <i>fault protection</i> .....	37
4.4.5 <i>Enhanced protection</i> .....	43
4.4.6 Protective measures .....	44
4.4.7 Insulation .....	46
4.4.8 <i>Compatibility with residual current-operated protective devices (RCD)</i> .....	61
4.4.9 Capacitor discharge .....	62
4.5 Protection against electrical energy hazards .....	62
4.5.1 Operator access areas .....	62
4.5.2 Service access areas .....	63
4.6 Protection against fire and thermal hazards .....	63
4.6.1 Circuits representing a fire hazard .....	63
4.6.2 Components representing a fire hazard .....	63
4.6.3 <i>Fire enclosures</i> .....	64
4.6.4 Temperature limits .....	68
4.6.5 Limited power sources .....	71
4.7 Protection against mechanical hazards .....	72
4.7.1 General .....	72
4.7.2 Specific requirements for liquid cooled <i>PECS</i> .....	73
4.8 Equipment with multiple sources of supply .....	74
4.9 Protection against environmental stresses .....	75
4.10 Protection against sonic pressure hazards .....	76
4.10.1 General .....	76
4.10.2 Sonic pressure and sound level .....	76
4.11 Wiring and connections .....	76
4.11.1 General .....	76
4.11.2 Routing .....	76

4.11.3	Colour coding .....	77
4.11.4	Splices and connections .....	77
4.11.5	Accessible connections .....	77
4.11.6	Interconnections between parts of the <i>PECS</i> .....	77
4.11.7	Supply connections .....	78
4.11.8	Terminals .....	78
4.12	<i>Enclosures</i> .....	79
4.12.1	General .....	79
4.12.2	Handles and manual controls .....	80
4.12.3	Cast metal .....	80
4.12.4	Sheet metal .....	80
4.12.5	Stability test for <i>enclosure</i> .....	83
5	Test requirements .....	84
5.1	General .....	84
5.1.1	Test objectives and classification .....	84
5.1.2	Selection of test samples .....	84
5.1.3	Sequence of tests .....	84
5.1.4	Earthing conditions .....	84
5.1.5	General conditions for tests .....	84
5.1.6	Compliance .....	85
5.1.7	Test overview .....	86
5.2	Test specifications .....	87
5.2.1	Visual inspections ( <i>type test</i> , <i>sample test</i> and <i>routine test</i> ) .....	87
5.2.2	Mechanical tests .....	87
5.2.3	Electrical tests .....	91
5.2.4	Abnormal operation and simulated faults tests .....	105
5.2.5	Material tests .....	111
5.2.6	Environmental tests ( <i>type tests</i> ) .....	115
5.2.7	Hydrostatic pressure test ( <i>type test</i> and <i>routine test</i> ) .....	120
6	Information and marking requirements .....	120
6.1	General .....	120
6.2	Information for selection .....	122
6.3	Information for installation and commissioning .....	123
6.3.1	General .....	123
6.3.2	Mechanical considerations .....	123
6.3.3	Environment .....	123
6.3.4	Handling and mounting .....	123
6.3.5	<i>Enclosure</i> temperature .....	123
6.3.6	Connections .....	124
6.3.7	Protection requirements .....	124
6.3.8	Commissioning .....	126
6.4	Information for use .....	126
6.4.1	General .....	126
6.4.2	Adjustment .....	126
6.4.3	Labels, signs and signals .....	126
6.5	Information for maintenance .....	128
6.5.1	General .....	128
6.5.2	Capacitor discharge .....	129



6.5.3	Auto restart/bypass connection .....	129
6.5.4	Other hazards .....	129
6.5.5	Equipment with multiple sources of supply .....	129
Annex A (normative)	Additional information for protection against electric shock .....	130
Annex B (informative)	Considerations for the reduction of the pollution degree .....	150
Annex C (informative)	Symbols referred to in IEC 62477-1 .....	151
Annex D (normative)	Evaluation of clearance and creepage distances .....	152
Annex E (informative)	Altitude correction for clearances .....	160
Annex F (normative)	Clearance and creepage distance determination for frequencies greater than 30 kHz .....	161
Annex G (informative)	Cross-sections of round conductors .....	167
Annex H (informative)	Guidelines for RCD compatibility .....	168
Annex I (informative)	Examples of overvoltage category reduction .....	172
Annex J (informative)	Burn thresholds for touchable surfaces .....	179
Annex K (informative)	Table of electrochemical potentials .....	182
Annex L (informative)	Measuring instrument for <i>touch current</i> measurements .....	183
Annex M (informative)	Test probes for determining access .....	184
Annex N (informative)	Guidance regarding short-circuit current .....	187
Bibliography	.....	200
Figure 1	– Touch time - d.c. peak voltage zones of <i>ventricular fibrillation</i> in dry skin condition .....	33
Figure 2	– Touch time - d.c. peak voltage zones of <i>ventricular fibrillation</i> in water-wet skin condition .....	33
Figure 3	– Touch time - d.c. peak voltage zones of <i>ventricular fibrillation</i> in saltwater-wet skin condition .....	34
Figure 4	– Example of a <i>PECS</i> assembly and its associated <i>protective equipotential bonding</i> .....	39
Figure 5	– Example of a <i>PECS</i> assembly and its associated <i>protective equipotential bonding</i> .....	40
Figure 6	– <i>Fire enclosure</i> bottom openings below an unenclosed or partially enclosed fire-hazardous component .....	66
Figure 7	– <i>Fire enclosure</i> baffle construction .....	67
Figure 8	– Supported and unsupported <i>enclosure</i> parts .....	81
Figure 9	– Impact test using a steel ball .....	89
Figure 10	– Voltage test procedures .....	96
Figure 11	– Protective equipotential bonding impedance test for separate unit with power fed from the <i>PECS</i> with protection for the power cable .....	102
Figure 12	– Protective equipotential bonding impedance test for sub-assembly with accessible parts and with power fed from the <i>PECS</i> .....	103
Figure 13	– Circuit for high-current arcing test .....	112
Figure 14	– Test fixture for hot-wire ignition test .....	113
Figure A.1	– Protection by <i>DVC As</i> with <i>protective separation</i> .....	130
Figure A.2	– Protection by means of <i>protective impedance</i> .....	131
Figure A.3	– Protection by using limited voltages .....	132
Figure A.4	– Touch time- d.c. voltage zones for dry skin condition .....	135



Figure A.5 – Touch time- d.c. voltage zones for water-wet skin condition.....	135
Figure A.6 – Touch time- d.c. voltage for saltwater-wet skin condition .....	136
Figure A.7 – Touch time- d.c. voltage zones of dry skin condition .....	137
Figure A.8 – Touch time- d.c. voltage zones of water-wet skin condition.....	137
Figure A.9 – Touch time- d.c. voltage zones of saltwater-wet skin condition .....	138
Figure A.10 – Touch time- d.c. voltage zones of dry skin condition .....	139
Figure A.11 – Touch time- d.c. voltage zones of water-wet skin condition.....	139
Figure A.12 – Touch time- a.c. voltage zones for dry skin condition.....	140
Figure A.13 – Touch time- a.c. voltage zones of water-wet skin condition.....	141
Figure A.14 – Touch time- a.c. voltage of saltwater-wet skin condition.....	141
Figure A.15 – Touch time- a.c. voltage zones of dry skin condition .....	142
Figure A.16 – Touch time- a.c. voltage zones of water-wet skin condition.....	143
Figure A.17 – Touch time- a.c. voltage zones of saltwater-wet skin condition.....	143
Figure A.18 – Touch time- a.c. voltage zones of dry skin condition .....	144
Figure A.19 – Touch time- a.c. voltage zones of water-wet skin condition.....	145
Figure A.20 – Typical waveform for a.c. <i>working voltage</i> .....	146
Figure A.21 – Typical waveform for d.c. <i>working voltage</i> .....	146
Figure A.22 – Typical waveform for pulsating <i>working voltage</i> .....	147
Figure F.1 – Diagram for dimensioning of clearances.....	162
Figure F.2 – Diagram for dimensioning of creepage distances.....	164
Figure H.1 – Flow chart leading to selection of the RCD type upstream of a <i>PECS</i> .....	168
Figure H.2 – Fault current waveforms in connections with power electronic converter devices.....	170
Figure F.3 – Permissible field strength for dimensioning of solid <i>insulation</i> according to Equation (1).....	166
Figure I.1 – <i>Basic insulation</i> evaluation for circuits connected to the origin of the <i>installation mains supply</i> .....	172
Figure I.2 – <i>Basic insulation</i> evaluation for circuits connected to the <i>mains supply</i> .....	173
Figure I.3 – <i>Basic insulation</i> evaluation for single and three phase equipment not <i>permanently connected</i> to the <i>mains supply</i> .....	173
Figure I.4 – <i>Basic insulation</i> evaluation for circuits connected to the origin of the <i>installation mains supply</i> where internal <i>SPDs</i> are used .....	173
Figure I.5 – <i>Basic insulation</i> evaluation for circuits connected to the <i>mains supply</i> where internal <i>SPDs</i> are used.....	174
Figure I.6 – Example of <i>protective separation</i> evaluation for circuits connected to the <i>mains supply</i> where internal <i>SPDs</i> are used.....	174
Figure I.7 – Example of <i>protective separation</i> evaluation for circuits connected to the <i>mains supply</i> where internal <i>SPDs</i> are used.....	175
Figure I.8 – Example of <i>protective separation</i> evaluation for circuits connected to the <i>mains supply</i> where internal <i>SPDs</i> are used.....	175
Figure I.9 – <i>Basic insulation</i> evaluation for circuits not connected directly to the <i>mains supply</i> .....	175
Figure I.10 – <i>Basic insulation</i> evaluation for circuits not connected directly to the supply mains .....	176
Figure I.11 – Functional <i>insulation</i> evaluation within circuits affected by external transients .....	176

Figure I.12 – <i>Basic insulation</i> evaluation for circuits both connected and not connected directly to the <i>mains supply</i> .....	177
Figure I.13 – <i>Insulation</i> evaluation for accessible circuit of <i>DVC A</i> .....	177
Figure I.14 – <i>PEC</i> with <i>mains</i> and <i>non-mains supply</i> without galvanic separation .....	178
Figure I.15 – Transformer (basic) isolated <i>PEC</i> inverter with <i>SPD</i> and transformer to reduce impulse voltage for functional and <i>basic insulation</i> .....	178
Figure J.1 – Burn threshold spread when the skin is in contact with a hot smooth surface made of bare (uncoated) metal .....	179
Figure J.2 – Rise in the burn threshold spread from Figure J.1 for metals which are coated by shellac varnish of a thickness of 50 µm, 100 µm and 150 µm.....	180
Figure J.3 – Rise in the burn threshold spread from Figure J.1 for metals coated with the specific materials .....	180
Figure J.4 – Burn threshold spread when the skin is in contact with a hot smooth surface made of ceramics, glass and stone materials .....	181
Figure J.5 – Burn threshold spread when the skin is in contact with a hot smooth surface made of plastics .....	181
Figure K.1 – Electrochemical potentials (V).....	182
Figure L.1 – Measuring instrument.....	183
Figure M.1 – Sphere 50 mm probe (IPXXA).....	184
Figure M.2 – Jointed test finger (IPXXB) .....	185
Figure M.3 – Test rod 2,5 mm (IP3X) .....	186
Figure N.1 – Example of short-circuit current curve under specification of $I_{CC}$ .....	189
Figure N.2 – Example of tripping characteristic of a circuit breaker .....	190
Figure N.3 – Example of tripping characteristic of a current-limiting fuse .....	190
Figure N.4 – Example of short-circuit current curve under specification of $I_{CW}$ .....	191
Figure N.5 – Two <i>PECS</i> with different specifications .....	192
Figure N.6 – One <i>PECS</i> with different specification for each input <i>mains supply port</i> .....	194
Figure N.7 – Flowchart for classification of $I_{CC}$ or $I_{CW}$ .....	197
Table 1 – Alphabetical list of terms .....	15
Table 2 – Selection of <i>DVC</i> for touch voltage to protect against <i>ventricular fibrillation</i> .....	31
Table 3 – Selection of body contact area.....	31
Table 4 – Selection of humidity condition of the skin .....	31
Table 5 – Steady state voltage limits for the <i>decisive voltage classes</i> .....	32
Table 6 – Protection requirements for circuit under consideration .....	35
Table 7 – <i>PE conductor</i> cross-section <sup>a</sup> .....	41
Table 8 – Definitions of pollution degrees.....	47
Table 9 – Impulse withstand voltage and <i>temporary overvoltage</i> versus system voltage.....	49
Table 10 – Clearance distances for <i>functional, basic</i> or <i>supplementary insulation</i> .....	54
Table 11 – Creepage distances (in millimetres).....	56
Table 12 – Generic materials for the direct support of uninsulated <i>live parts</i> .....	58
Table 13 – Permitted openings in <i>fire enclosure</i> bottoms .....	67
Table 14 – Maximum measured total temperatures for internal materials and components.....	69
Table 15 – Maximum measured temperatures for accessible parts of the <i>PECS</i> .....	71

Table 16 – Limits for sources without an overcurrent protective device .....	72
Table 17 – Limits for power sources with an overcurrent protective device .....	72
Table 18 – Environmental service conditions.....	75
Table 19 – Wire bending space from terminals to <i>enclosure</i> .....	79
Table 20 – Thickness of sheet metal for <i>enclosures</i> : carbon steel or stainless steel.....	82
Table 21 – Thickness of sheet metal for <i>enclosures</i> : aluminium, copper or brass .....	83
Table 22 – Test overview .....	86
Table 23 – Pull values for handles and manual control securement .....	91
Table 24 – Impulse voltage test .....	92
Table 25 – Impulse test voltage .....	93
Table 26 – AC or d.c. test voltage for circuits connected directly to <i>mains supply</i> .....	94
Table 27 – A.c. or d.c. test voltage for circuits connected to <i>non-mains supply</i> without <i>temporary overvoltages</i> .....	95
Table 28 – Partial discharge test.....	98
Table 29 – Test duration for <i>protective equipotential bonding</i> test.....	104
Table 30 – Environmental tests.....	116
Table 31 – Dry heat test (steady state) .....	117
Table 32 – Damp heat test (steady state).....	118
Table 33 – Vibration test.....	119
Table 34 – Salt mist test.....	119
Table 35 – Dust and sand test .....	120
Table 36 – Information requirements.....	121
<b>Table 37 – A.c. short time withstand current test, minimum PECS requirements .....</b>	<b>111</b>
Table A.1 – Selection of touch voltage sets to protect against <i>ventricular fibrillation</i> .....	133
Table A.2 – Selection of touch voltage sets to protect against <i>muscular reaction</i> .....	134
Table A.3 – Selection of touch voltage sets to protect against <i>startle reaction</i> .....	134
Table A.4 – Examples for protection against electrical shock.....	149
Table C.1 – Symbols used .....	151
Table D.1 – Width of grooves by pollution degree.....	152
Table E.1 – Correction factor for clearances at altitudes between 2 000 m and 20 000 m .....	160
Table E.2 – Test voltages for verifying clearances at different altitudes .....	160
Table F.1 – Minimum values of clearances in air at atmospheric pressure for inhomogeneous field conditions (Table 1 of IEC 60664-4:2005).....	163
Table F.2 – Multiplication factors for clearances in air at atmospheric pressure for approximately homogeneous field conditions .....	163
Table F.3 – Minimum values of creepage distances for different frequency ranges (Table 2 of IEC 60664-4:2005).....	165
Table G.1 – Standard cross-sections of round conductors .....	167

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SAFETY REQUIREMENTS FOR POWER ELECTRONIC  
CONVERTER SYSTEMS AND EQUIPMENT –****Part 1: General**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

**This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.**

**IEC 62477-1 edition 1.1 contains the first edition (2012-07) [documents 22/200/FDIS and 22/204/RVD] and its amendment 1 (2016-07) [documents 22/270A/FDIS and 22/274/RVD].**

**In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.**

International Standard IEC 62477-1 has been prepared by IEC technical committee 22: Power electronic systems and equipment.

It has the status of a group safety publication in accordance with IEC Guide 104.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 62477 series, published under the general title *Safety requirements for power electronic convertor systems and equipment* can be found on the IEC website.

In this standard, terms in *italic* are defined in Clause 3.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

[IEC 62477-1:2012](https://standards.iteh.ai/en/standards/iec/62477-1:2012)

<https://standards.iteh.ai/en/standards/iec/62477-1:2012>

## INTRODUCTION

This International Standard relates to products that include power electronic converters, with a rated system voltage not exceeding 1 000 V a.c. or 1 500 V d.c. It specifies requirements to reduce risks of fire, electric shock, thermal, energy and mechanical hazards, except functional safety as defined in IEC 61508. The objectives of this document are to establish a common terminology and basis for the safety requirements of products that contain power electronic converters across several IEC technical committees.

This standard has been developed with the intention:

- to be used as a reference document for product committees inside TC 22 in the development of product standards for power electronic converter systems and equipment;
- to replace IEC 62103 as a product family standard providing minimum requirements for safety aspects of power electronic converter systems and equipment in apparatus for which no product standard exists; and

NOTE The scope of IEC 62103 contains reliability aspects, which are not covered by this standard.

- to be used as a reference document for product committees outside TC 22 in the development of product standards of power electronic converter systems and equipment intended renewable energy sources. TC 82, TC 88, TC 105 and TC 114, in particular, have been identified as relevant technical committees at the time of publication.

Technical committees using this document should carefully consider the relevance of each paragraph in this document for the product under consideration and reference, add, replace or modify requirement as relevant. Product specific topics not covered by this document are in the responsibility of the technical committees using this document as reference document.

This group safety standard will not take precedence on any product specific standard according to IEC Guide 104. IEC Guide 104 provides information about the responsibility of product committees to use group safety standards for the development of their own product standards.

<https://standards.iteh.ai/catalog/standards-iec/62477-1-2012>