IEC 62317-1

Edition 1.0 2007-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Ferrite cores – Dimensions –
Part 1: General specification

Noyaux ferrites – Dimensions –
Partie 1: Spécification générale

IEC 62317-1:2007

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,…).
It also gives information on projects, replaced and withdrawn publications.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,…).
Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

IEC 62317-1

Edition 1.0 2007-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Ferrite cores – Dimensions – Part 1: General specification

Noyaux ferrites – Dimensions – Partie 1: Spécification générale

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE
CODE PRIX H

ICS 29.100.10

ISBN 978-2-83220-707-9

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FERRITE CORES – DIMENSIONS –

Part 1: General specification

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62317-1 has been prepared IEC technical committee 51: Magnetic components and ferrite materials.

This bilingual version (2013-05) corresponds to the monolingual English version, published in 2007-07.

The text of this standard is based on the following documents:

CDV	Report on voting
51/874/CDV	51/890/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 62317 series, published under the general title *Ferrite cores – Dimensions*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

FERRITE CORES – DIMENSIONS –

Part 1: General specification

1 Scope

This part of IEC 62317 specifies the standards and existing projects dealing with dimensions of ferrite cores.

It is intended that this standard will include ferrite cores which are widely used and referenced in industry, either because they are included in national standards, or because they are seen to have broad-based use in industry. Where applicable, it is intended that the existing industrial name for each standard part should appear with the part within this series.

It is intended that this standard will exclude ferrite cores which are specialty cores with limited use. Also, special cores which are only marginal variations upon standard cores are excluded.

Examples:

E24/25 (USA) and E24,5 (Metric) are two similar parts, yet they are included separately in this series because they are national standards, widely used.

E-187 (USA) and FEE19A (Japan) are two similar parts, yet they are included separately in this series because they are national standards, widely used.

EP5 has small dimensional differences when comparing different manufacturers, yet only one EP5 is shown in this series, because they are only minor variations on the single basic part.

A ferrite core produced by only one or two suppliers may generally be considered a specialty part, and not suitable as a standard core within this series. A ferrite core produced by three or more competing manufacturers may generally be considered to be a candidate to be included in this series.

IEC publishes electrical standards for families of ferrite cores, as well as this series of dimensional standards for families of ferrite cores. Modifications to the ferrite cores listed in one type of standard should be reflected in the other type.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60133, *Dimensions of pot-cores made of magnetic oxides and associated parts*

IEC 60647, *Dimensions for magnetic oxide cores intended for use in power supplies (EC-cores)*

IEC 61185, *Ferrite cores (ETD-cores) intended for use in power supply applications – Dimensions*

IEC 61247, *PM-cores made of magnetic oxides and associated parts – Dimensions*

IEC 61596, *Magnetic oxide EP-cores and associated parts for use in inductors and transformers – Dimensions*

IEC 62317-4, *Ferrite cores – Dimensions – Part 4: RM-cores and associated parts*

IEC 62317-7, *Ferrite cores – Dimensions – Part 7: EER-cores*

IEC 62317-8, *Ferrite cores – Dimensions – Part 8: E-cores*

IEC 62317-9, *Ferrite cores – Dimensions – Part 9: Planar cores*

IEC 62323, *Dimensions of half pot-cores made of ferrite for inductive proximity switches*

IEC/TR 61604, *Dimensions of uncoated ring cores of magnetic oxides*

3 Transition of existing publications and projects

The standards that are to be included within the IEC 62317 series include existing standards, future standards already in development, and future standards that may be developed later. The new references should be recorded on the IEC web site as follows:

a) for existing projects: the new project numbers should be recorded on the IEC web site at the time of circulation of next working drafts, with an explanatory note on the cover sheet;

b) for existing publications: the publication numbers should be updated at the time of each new revision of these standards. An explanatory note should be included in the foreword of future publications;

c) for future new projects, the new project numbers should be selected to be consistent with the IEC 62317 series.

A table showing existing project (or publication) references and the proposed new project (or publication) references is given in Table A.1.

4 Dimension descriptions

Table 1 and Table 2 describe the alphabetic character assignments for the major dimensions of ferrite shapes. All other minor core dimension designations are left to the discretion of the specifier.

Table 1 – Toroid core dimension designations

Letter	Dimension description
A	Toroid outside diameter
B	Toroid inside diameter
C	Toroid height

Table 2 – Ferrite shape dimension designations

Letter	Dimension description
A	Overall length of the core back or diameter
B	Outside leg length or height of core
C	Core width or floor width at wire aperture
D	Inside leg length or available bobbin depth
E	Window width or available bobbin width
F	Centre post thickness or diameter
G	Wire aperture or slot width
H	Centre post hole diameter
J	RM core side-to-side parallel width
K	Centre post offset dimension
S	Slot width in outside legs
T	Distance between slot depths in outside legs

5 Locations and functions of core parts and surfaces (see Figure 1)

5.1 Mating surfaces

These surfaces are generally ground in order to reduce the residual air gap between the two core halves. Consequently, irregularities on these surfaces shall be considered as major ones, and carefully evaluated with regard to their influence on the magnetic properties of the complete circuit.

5.2 Centre post

This should be considered as the most important part of the core due to its function of carrying the total flux generated by the winding. The centre post of ferrite cores is generally circular (with or without a hole) or rectangular.

5.3 Outer walls or legs

The main function of the outer walls (e.g. pot-cores) or the outer legs (e.g. E-cores) is to guide the magnetic flux in a closed magnetic circuit.

5.4 Back wall, bottom and back surfaces

The back wall has the same magnetic function as the outer walls or legs; it may include wire-slots and wire-way areas (e.g. on RM-cores), the shapes and dimensions of which are dictated by the winding and isolation requirements.

Besides accommodating the clamping, the back surface (ground or not) serves as a reference plane for grinding the mating surface in order to achieve the required parallelism and flatness.

5.5 Wire-slot area

Lateral area of the outer walls, interfacing with the cut-out portion.

5.6 Wire-way area

This is located on the bottom (inside) surface of the back wall, running radially from the centre post to the wire-slot, centred with respect to the wire-slot.

It takes out the leads of the wound coil from inside to outside for termination.

5.7 Clamping recess area

Recess area on the back wall is to accommodate clamping clips.



Figure 1 – Location of main core parts and surfaces – Example of RM-core type

A table showing existing project (or publication) references and the proposed new project (or publication) references is given in Table A.1.

Annex A
(informative)

Original and new references and titles

Table A.1 – Original and new references and titles

New standard	Original standard
IEC 62317-1, Ferrite cores – Dimensions – Part 1: General specification	///
IEC 62317-2, Ferrite cores – Dimensions – Part 2: Pot cores (future standard)	IEC 60133 Ed.4: 2000 (current standard)
IEC 62317-3, Ferrite cores – Dimensions – Part 3: Half pot cores (future standard)	IEC 62323 Ed.1 : 2005 (current standard)
IEC 62317-4 : 2005, Ferrite cores – Dimensions – Part 4: RM-cores and associated parts	IEC 60431 Ed.3 : 2005 (former standard)
IEC 62317-5, Ferrite cores – Dimensions – Part 5: EP-cores (future standard)	IEC 61596 Ed.1: 1995 (current standard)
IEC 62317-6, Ferrite cores – Dimensions – Part 6: ETD-cores (future standard)	IEC 61185 Ed.2 : 2005 (current standard)
IEC 62317-7 : 2005, Ferrite cores – Dimensions – Part 7: EER-cores	///
IEC 62317-8 : 2006, Ferrite cores – Dimensions – Part 8: E-cores	IEC 61246 Ed.1.1, 2002 (former standard)
IEC 62317-9 : 2006, Ferrite cores – Dimensions – Part 9: Planar cores	IEC 61860 Ed.1, 2000 (former standard)
IEC 62317-10, Ferrite cores – Dimensions – Part 10: PM-cores (future standard)	IEC 61247 Ed.1, 1995 (current standard)
IEC 62317-11, Ferrite cores – Dimensions – Part 11: EC-cores (future standard)	IEC 60647 Ed.1, 1979 (current standard)
IEC 62317-12, Ferrite cores – Dimensions – Part 12: Uncoated ring cores (future standard)	IEC/TR 61604 Ed.1, 1997 (current standard)
IEC 62317-13, Ferrite cores – Dimensions – Part 13: PQ-cores for use in power supply applications (future standard)	///
IEC 62317-14, Ferrite cores – Dimensions – Part 14: EFD-cores for use in power supply applications (future standard)	///