

INTERNATIONAL STANDARD

QC 302000

**Fixed capacitors for use in electronic equipment –
Part 20: Sectional specification – Fixed metallized polyphenylene sulfide film
dielectric surface mount d.c. capacitors**

WITHDRAWN

IEC 60384-20:2008

<https://standards.iteh.ai/catalog/standards/iec/astd/61c9a-2a2b-4e72-bf96-61423e0e763a/iec-60384-20-2008>





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2008 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch

Tel.: +41 22 919 02 11

Fax: +41 22 919 03 00

<https://standards.iteh.ai/catalog/standards/iec/astd/iec9a-2a2b-4e72-bf96-61423e0e763a/iec-60384-20-2008>

INTERNATIONAL STANDARD

QC 302000

**Fixed capacitors for use in electronic equipment –
Part 20: Sectional specification – Fixed metallized polyphenylene sulfide film
dielectric surface mount d.c. capacitors**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

T

CONTENTS

FOREWORD.....	4
1 General.....	6
1.1 Scope.....	6
1.2 Object.....	6
1.3 Normative references.....	6
1.4 Information to be given in a detail specification.....	6
1.4.1 Outline drawing and dimensions.....	7
1.4.2 Mounting.....	7
1.4.3 Ratings and characteristics.....	7
1.4.4 Marking.....	7
1.5 Terms and definitions.....	8
1.6 Marking.....	8
2 Preferred ratings and characteristics.....	9
2.1 Preferred characteristics.....	9
2.1.1 Preferred climatic categories.....	9
2.2 Preferred values of ratings.....	9
2.2.1 Rated capacitance (C_R).....	9
2.2.2 Tolerance on rated capacitance.....	9
2.2.3 Rated voltage (U_R).....	10
2.2.4 Category voltage (U_C).....	10
2.2.5 Rated temperature.....	10
3 Quality assessment procedures.....	10
3.1 Primary stage of manufacture.....	10
3.2 Structurally similar components.....	10
3.3 Certified records of released lots.....	10
3.4 Qualification approval.....	10
3.4.1 Qualification approval on the basis of the fixed sample size procedure.....	10
3.4.2 Tests.....	11
3.5 Quality conformance inspection.....	16
3.5.1 Formation of inspection lots.....	16
3.5.2 Test schedule.....	17
3.5.3 Delayed delivery.....	17
3.5.4 Assessment levels.....	17
4 Test and measurement procedures.....	18
4.1 Mounting.....	18
4.2 Visual examination and check of dimensions.....	18
4.2.1 Visual examination.....	18
4.2.2 Requirements.....	18
4.3 Electrical tests.....	18
4.3.1 Voltage proof.....	18
4.3.2 Capacitance.....	19
4.3.3 Tangent of loss angle ($\tan \delta$).....	19
4.3.4 Insulation resistance.....	20
4.4 Adhesion.....	21

4.5	Bond strength of the end of plating	21
4.5.1	Initial measurement	21
4.5.2	Final inspection	21
4.6	Resistance to soldering heat	21
4.6.1	Initial measurement	21
4.6.2	Test conditions	21
4.6.3	Final inspection, measurements and requirements	21
4.7	Solderability	22
4.7.1	Test conditions	22
4.7.2	Final inspection, measurements and requirements	22
4.8	Rapid change of temperature	22
4.8.1	Initial measurements	22
4.8.2	Number of cycles: 5	22
4.8.3	Intermediate inspection	22
4.9	Climatic sequence	22
4.9.1	Initial measurements	22
4.9.2	Dry heat	22
4.9.3	Damp heat, cyclic, test Db, first cycle	22
4.9.4	Cold	22
4.9.5	Damp heat, cyclic, test Db, remaining cycles	23
4.9.6	Final inspection, measurements and requirements	23
4.10	Damp heat, steady state	23
4.10.1	Initial measurements	23
4.10.2	Final inspection, measurements and requirements	23
4.11	Endurance	23
4.11.1	Initial measurements	23
4.12	Charge and discharge	24
4.12.1	Initial measurements	24
4.13	Component solvent resistance (if applicable)	24
4.14	Solvent resistance of the marking (if applicable)	24
Table 1 – Fixed sample size test plan for qualification approval – Assessment level EZ		12
Table 2 – Test schedule for qualification approval		13
Table 3 – Lot-by-lot inspection		17
Table 4 – Periodic tests		18
Table 5 – Test voltages		19
Table 6 – Tangent of loss angle limits		20
Table 7 – Requirements insulation resistance		20
Table 8 – Correction factor dependent on test temperature		21
Table 9 – Endurance test Grade 1, Grade 2 and Grade 3 capacitors		23

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT –

**Part 20: Sectional specification –
Fixed metallized polyphenylene sulfide film
dielectric surface mount d.c. capacitors**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60384-20 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment.

This second edition cancels and replaces the first edition published in 1996 and constitutes a minor revision related to tables and references.

The text of this standard is based on the following documents:

FDIS	Report on voting
40/1871/FDIS	40/1888/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all parts of the IEC 60384 series, under the (new) general title *Fixed capacitors for use in electronic equipment*, can be found on the IEC website.

The QC number that appears on the front cover of this publication is the specification number in the IECQ Quality Assessment System for Electronic Components.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

The contents of the corrigendum of February 2008 have been included in this copy.

WITHDRAWN

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

IEC 60384-20:2008

<https://standards.iteh.ai/catalog/standards/iec/a61c1c9a-2a2b-4e72-bf96-61423e0e763a/iec-60384-20-2008>

FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT –

Part 20: Sectional specification – Fixed metallized polyphenylene sulfide film dielectric surface mount d.c. capacitors

1 General

1.1 Scope

This part of IEC 60384 is applicable to fixed surface mount capacitors for direct current, with metallized electrodes and polyphenylene sulfide dielectric for use in electronic equipment. These capacitors have metallized connecting pads or soldering strips and are intended to be mounted directly onto substrates for hybrid circuits or onto printed boards. These capacitors may have "self-healing properties" depending on conditions of use. They are primarily intended for applications where the a.c. component is small with respect to the rated voltage.

Capacitors for radio interference suppression are not included, but are covered by IEC 60384-14.

1.2 Object

The object of this standard is to prescribe preferred ratings and characteristics and to select from IEC 60384-1, the appropriate quality assessment procedures, tests and measuring methods and to give general performance requirements for this type of capacitor. Test severities and requirements prescribed in detail specifications referring to this sectional specification shall be of equal or higher performance level, lower performance levels are not permitted.

1.3 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60062, *Marking codes for resistors and capacitors*

IEC 60063, *Preferred number series for resistors and capacitors*

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

NOTE For the tests in the IEC 60068 series of publications, the editions referenced in the applicable test clauses of the generic specification are applicable.

IEC 60384-1:1999, *Fixed capacitors for use in electronic equipment – Part 1: Generic specification*

IEC 60410, *Sampling plans and procedures for inspection by attributes*

ISO 3, *Preferred numbers - Series of preferred numbers*

1.4 Information to be given in a detail specification

Detail specifications shall be derived from the relevant blank detail specification.

Detail specifications shall not specify requirements inferior to those of the generic, sectional or blank detail specification. When more severe requirements are included, they shall be listed in 1.9 of the detail specification and indicated in the test schedules, for example by an asterisk.

NOTE The information given in 1.4.1 may for convenience, be presented in tabular form.

The following information shall be given in each detail specification and the values quoted shall preferably be selected from those given in the appropriate clause of this sectional specification.

1.4.1 Outline drawing and dimensions

There shall be an illustration of the capacitor as an aid to easy recognition and for comparison of the capacitor with others. Dimensions and their associated tolerances, which affect interchangeability and mounting, shall be given in the detail specification. All dimensions shall preferably be stated in millimetres, however, when the original dimensions are given in inches, the converted metric dimensions in millimetres shall be added.

Normally the numerical values shall be given for the length, width and height of the body. When necessary, for example when a number of items (sizes and capacitance/voltage ranges) is covered by a detail specification, the dimensions and their associated tolerances shall be placed in a table below the drawing.

When the configuration is other than described above, the detail specification shall state such dimensional information as will adequately describe the capacitor.

1.4.2 Mounting

The detail specification shall give guidance on methods of mounting for normal use. Mounting for test and measurement purposes (when required) shall be in accordance with 4.1.

1.4.3 Ratings and characteristics

The ratings and characteristics shall be in accordance with the relevant clauses of this specification, together with the following.

1.4.3.1 Rated capacitance range

See 2.2.1.

NOTE When products approved to the detail specification have different ranges, the following statement should be added: "The range of capacitance values available in each voltage range is given on the IEC online service, www.iecq.org/certificates."

1.4.3.2 Particular characteristics

Additional characteristics may be listed, when they are considered necessary to specify adequately the component for design and application purposes.

1.4.3.3 Soldering

The detail specification shall prescribe the test methods, severities and requirements applicable for the solderability and the resistance to soldering heat tests.

1.4.4 Marking

The detail specification shall specify the content of the marking on the capacitor and on the package. Deviations from 1.6 shall be specifically stated.

1.5 Terms and definitions

For the purposes of this document and in addition to the applicable terms and definitions of IEC 60384-1 the following definitions apply.

1.5.1

surface mount capacitor

capacitor whose small dimensions and nature or shape of terminations make it suitable for surface mounting in hybrid circuits and on printed boards

1.5.2

performance grade 1 capacitors (long-life)

capacitors for long-life applications with stringent requirements for the electrical parameters

1.5.3

performance grade 2 capacitors (general purpose)

capacitors for general application where the stringent requirements for grade 1 capacitors are not necessary

1.5.4

performance grade 3 capacitors (low power, miniature type)

miniature type capacitors having a rated voltage of less than 63 V and for which less stringent requirements than for grade 2 capacitors are acceptable

1.5.5

rated voltage (U_R)

maximum d.c. voltage which may be applied continuously to a capacitor at the rated temperature

NOTE The sum of the d.c. voltage and the peak a.c. voltage applied to the capacitor should not exceed the rated voltage. The value of the peak a.c. voltage should not exceed the following percentages of the rated voltage at the frequencies stated and should not be greater than 280 V,

50 Hz:	20 %
100 Hz:	15 %
1 000 Hz:	3 %
10 000 Hz:	1 %

unless otherwise specified in the detail specification.

1.6 Marking

See 2.4 of IEC 60384-1, with the following details:

1.6.1 The information given in the marking is normally selected from the following list. The relative importance of each item is indicated by its position in the list:

- a) rated capacitance (in clear or code according to IEC 60062);
- b) rated voltage (d.c. voltage may be indicated by the symbol --- or —);
- c) tolerance on rated capacitance;
- d) category voltage;
- e) year and month (or week) of manufacture;
- f) manufacturer's name or trade mark;
- g) climatic category;
- h) manufacturer's type designation;