

SLOVENSKI
STANDARD

**SIST EN 60264-5-
1:2001/A1:2004**

februar 2004

Packaging of winding wires - Part 5-1: Cylindrical bared delivery spools with conical flanges - Basic dimensions (IEC 60264-5-1:1997/A:2003)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 60264-5-1:2001/A1:2004](https://standards.iteh.ai/catalog/standards/sist/62f4fcb5-a90d-4921-9a74-d98a7dab8e6c/sist-en-60264-5-1-2001-a1-2004)
<https://standards.iteh.ai/catalog/standards/sist/62f4fcb5-a90d-4921-9a74-d98a7dab8e6c/sist-en-60264-5-1-2001-a1-2004>

ICS 29.060.10; 55.060

Referenčna številka
SIST EN 60264-5-1:2001/A1:2004(en)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 60264-5-1:2001/A1:2004

<https://standards.iteh.ai/catalog/standards/sist/62f4fcb5-a90d-4921-9a74-d98a7dab8e6c/sist-en-60264-5-1-2001-a1-2004>

EUROPEAN STANDARD

EN 60264-5-1/A1

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2003

ICS 29.060.10;55.060

English version

Packaging of winding wires
Part 5-1: Cylindrical barrelled delivery spools with conical flanges –
Basic dimensions
(IEC 60264-5-1:1997/A:2003)

Conditionnement des fils de bobinage
Partie 5-1: Bobines de livraison à fût
de forme cylindrique avec les joues
coniques –
Dimensions de base
(CEI 60264-5-1:1997/A:2003)

Verpackung von Wickeldrähten
Teil 5-1: Spulen mit zylindrischem Kern
und konischen Flanschen –
Maße
(IEC 60264-5-1:1997/A:2003)

ITeH STANDARD PREVIEW
(standards.iteh.ai)

This amendment A1 modifies the European Standard EN 60264-5-1:1997; it was approved by CENELEC on 2003-10-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Lithuania, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 55/838/FDIS, future amendment 1 to IEC 60264-5-1:1997, prepared by IEC TC 55, Winding wires, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as amendment A1 to EN 60264-5-1:1997 on 2003-10-01.

The following dates were fixed:

- latest date by which the amendment has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 2004-07-01
- latest date by which the national standards conflicting
with the amendment have to be withdrawn (dow) 2006-10-01

Endorsement notice

The text of amendment 1:2003 to the International Standard IEC 60264-5-1:1997 was approved by CENELEC as an amendment to the European Standard without any modification.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 60264-5-1:2001/A1:2004](https://standards.iteh.ai/catalog/standards/sist/62f4fcb5-a90d-4921-9a74-d98a7dab8e6c/sist-en-60264-5-1-2001-a1-2004)

<https://standards.iteh.ai/catalog/standards/sist/62f4fcb5-a90d-4921-9a74-d98a7dab8e6c/sist-en-60264-5-1-2001-a1-2004>

NORME
INTERNATIONALE
INTERNATIONAL
STANDARD

CEI
IEC

60264-5-1

1997

AMENDEMENT 1
AMENDMENT 1
2003-08

Amendement 1

Conditionnement des fils de bobinage –

Partie 5-1:

**Bobines de livraison à fût de forme cylindrique
avec les joues coniques –
Dimensions de base**

[SIST EN 60264-5-1:2001/A1:2004](https://standards.iteh.ai/catalog/standards/sist/624fcb5-a90d-4921-9a74-d98a/dab8c0c/sist-en-60264-5-1-2001-a1-2004)

<https://standards.iteh.ai/catalog/standards/sist/624fcb5-a90d-4921-9a74-d98a/dab8c0c/sist-en-60264-5-1-2001-a1-2004>

Amendment 1

Packaging of winding wires –

Part 5-1:

**Cylindrical barrelled delivery spools
with conical flanges–
Basic dimensions**

© IEC 2003 Droits de reproduction réservés — Copyright - all rights reserved

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

CODE PRIX
PRICE CODE

C

*Pour prix, voir catalogue en vigueur
For price, see current catalogue*

FOREWORD

This amendment has been prepared by IEC technical committee 55: Winding wires.

The text of this amendment is based on the following documents:

FDIS	Report on voting
55/838/FDIS	55/864/RVD

Full information on the voting for the approval of this amendment can be found in the report on voting indicated in the above table.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until 2007. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

Page 7

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Table 1 – Dimensions

Replace the existing table by the following new table:

SIST EN 60264-5-1:2001/A1:2004
<https://standards.iteh.ai/catalog/standards/sist/6241fcb5-a90d-4921-9a74-d98a7dab8e6c/sist-en-60264-5-1-2001-a1-2004>

Spool type	Dimensions mm												
	d_1	d_2	d_3		d_4	d_5	l_1	l_2		t_1 min	e_1	y	z
			Nominal	Tolerance				Nominal	Tolerance				
100	100	56	16	+0,20	-	7	100	49	±0,5	22	20	0,2	0,2
125	125	71	16	+0,20	24	7	125	65	±0,6	25	20	0,3	0,2
160	160	90	22	+0,20	34	13	160	85	±0,7	28	32	0,3	0,2
200	200	112	22	+0,20	34	13	200	106	±0,8	32	32	0,4	0,25
250	250	140	22	+0,20	34	13	250	133	±0,8	36	32	0,5	0,3

Figure 1 – Cylindrical barrelled delivery spool with conical flanges

Replace the existing figure by the following new figure:




Figure 1 – Cylindrical barrelled delivery spool with conical flanges