

# SLOVENSKI STANDARD

**SIST EN 60669-2-  
1:2001/IS1:2006**

januar 2006

---

---

**Tolmačenje 101. točke standarda EN 60669-2-1:2000 + A2:2001 "Stikala za gospodinjstvo in podobne nepremične električne inštalacije – 2-1. del: Posebne zahteve – Elektronska stikala"**

(istoveten EN 60669-2-1:2000/IS1:2004)

Interpretation of Clause 101 of EN 60669-2-1:2000 + A2:2001 'Switches for household and similar fixed electrical installations Part 2-1: Particular requirements – Electronic switches'

**(standards.iteh.ai)**

[SIST EN 60669-2-1:2001/IS1:2006](#)

<https://standards.iteh.ai/catalog/standards/sist/8570d997-1891-4c3d-ba41-3c1e68006f81/sist-en-60669-2-1-2001-is1-2006>

---

---

ICS 29.120.40

Referenčna številka  
SIST EN 60669-2-1:2001/IS1:2006(en)

# iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 60669-2-1:2001/IS1:2006](#)

<https://standards.iteh.ai/catalog/standards/sist/8570d997-1891-4c3d-ba41-3c1e68006f81/sist-en-60669-2-1-2001-is1-2006>

## Interpretation Sheet 1

### EN 60669-2-1:2000

English version

---

#### Foreword

This Interpretation Sheet to the European Standard EN 60669-2-1:2000 was prepared by the Interpretation Panel of the Technical Committee CENELEC TC 23B, Switches for household and similar fixed electrical installations. The text of the draft was submitted to the Unique Acceptance Procedure and was approved by CENELEC on 2003-06-01.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

#### Interpretation of Subclause 101.1.1.2, second sentence

SISTEN 60669-2-1:2001/IS1:2006

The tripping current of the protective devices (e.g. fuses, automatic protective devices, etc.) to be used for the verification of electronic switches without incorporated temperature-limiting devices and without incorporated fuses shall be in relation with the rated current of protective device, specified by the manufacturer, intended to protect the electronic switch.

The manufacturers should specify in the instruction sheets provided together with the products the information of the protective device which is intended to protect the electronic switch.

---

July 2004