

Edition 1.0 2008-12

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Optical circuit boards h STANDARD PREVIEW Part 1: General (standards.iteh.ai)

Cartes à circuits optiques -

IEC 62496-1:2008

Partie 1: Généralités standards.iteh.ai/catalog/standards/sist/321ec3bd-c156-4621-a1dd-7d7df92df320/iec-62496-1-2008





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2008 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Email: inmail@iec.ch

Email: inmail@iec.cl Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Catalogue of IEC publications: www.iec.ch/searchpub ARD PREVIEW

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

IEC Just Published: www.iec.ch/online news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

IEC 62496-1:2008

Electropedia: www.electropedia.drgds.iteh.ai/catalog/standards/sist/321ec3bd-c156-4621-a1dd

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

■ Catalogue des publications de la CEI: <u>www.iec.ch/searchpub/cur_fut-f.htm</u>

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

■ Electropedia: <u>www.electropedia.org</u>

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch Tél.: +41 22 919 02 11 Fax: +41 22 919 03 00



Edition 1.0 2008-12

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Optical circuit boards: STANDARD PREVIEW Part 1: General (standards.iteh.ai)

Cartes à circuits optiques – IEC 62496-1:2008

Partie 1: Généralités tandards.iteh.ai/catalog/standards/sist/321ec3bd-c156-4621-a1dd-7d7df92df320/iec-62496-1-2008

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE
CODE PRIX

S

ICS 31.180; 33.180.01

ISBN 978-2-88910-739-1

CONTENTS

FOR	REWC)RD		4
1	Scop	e		6
2	Norm	ative re	eferences	6
3	Term	s and d	lefinitions	7
4	Requ	irement	ts	9
	4.1		al	
	4.2		fication	
		4.2.1	Introductory remark	9
		4.2.2	Type	10
		4.2.3	Style	10
		4.2.4	Variant	14
		4.2.5	Normative reference extension	15
	4.3	Docum	nentation	15
		4.3.1	Symbols	15
		4.3.2	Standard system	15
		4.3.3	Drawings	17
		4.3.4	Test and measurement	
		4.3.5	Instructions for use	18
	4.4	Standa	ardization system	18
		4.4.1	Performance standardslards.iteh.ai)	
		4.4.2	Reliability standards	
		4.4.3	Interlinking <u>IFC 62496-1:2008</u>	19
	4.5	Design	and construction ai/catalog/standards/sist/321ec3bd-c156-4621-a1dd-	19
		4.5.1	Materials ^{7d7df92df320/iec-62496-1-2008}	
		4.5.2	Workmanship	20
	4.6	Perfori	mance	20
	4.7	Identifi	ication and marking	
		4.7.1	Introductory remark	
		4.7.2	Variant identification number	
		4.7.3	Component marking	
		4.7.4	Package marking	20
	4.8		ging	
	4.9	•	e conditions	
		-		
Bibli	iograp	ohy		22
Figu	ıre 1 -	- Schen	natic views of waveguide circuit boards	8
_			guration A	
_		_	guration B	
_			guration C-1	
-		-	guration C-2	
-		-		
_		-	guration D-1	
Figu	ire 7 -	- Config	guration D-2	14
Tahl	lo 1	Evamn	ale of a typical optical circuit board classification	10

62/06	1 @	IFC:2008	
いノ490-	. (C)	リーし・ といいの	

Table 2 – IEC standard structure	16
Table 3 – Standards interlink matrix	19

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>IEC 62496-1:2008</u> https://standards.iteh.ai/catalog/standards/sist/321ec3bd-c156-4621-a1dd-7d7df92df320/iec-62496-1-2008

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPTICAL CIRCUIT BOARDS -

Part 1: General

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international
 consensus of opinion on the relevant subjects since each technical committee has representation from all
 interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any enduser.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an EC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62496-1 has been prepared by IEC technical committee 86: Fibre optics.

The text of this standard is based on the following documents:

FDIS	Report on voting
86/307/FDIS	86/312/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 62496 series, under the general title *Optical circuit boards*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>IEC 62496-1:2008</u> https://standards.iteh.ai/catalog/standards/sist/321ec3bd-c156-4621-a1dd-7d7df92df320/iec-62496-1-2008

OPTICAL CIRCUIT BOARDS -

Part 1: General

Scope

IEC 62496-1 applies to optical circuit boards possessing all of the following general features:

- transmit patterns with straight, cross, bending optical paths and input and output optical ports in plane;
- optical paths consisting of optical fibres and/or optical waveguides;
- controlled lengths of the optical paths, if required;
- may be combined with a printed electric circuit board, the functionality of which is outside the scope of this standard;
- functions to interconnect between optical components and the ability to mount components.

The purpose of this standard is to specify optical circuit board requirements as they relate to

- classification.
- IEC standard system, (standards.iteh.ai)
- documentation,
- materials.

IEC 62496-1:2008

- workmanshipps://standards.iteh.ai/catalog/standards/sist/321ec3bd-c156-4621-a1dd-7d7df92df320/iec-62496-1-2008
- performance.
- identification
- packaging.

Normative references 2

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60027 (all parts), Letter symbols to be used in electrical technology

IEC 60050-731, International Electrotechnical Vocabulary – Chapter 731: Optical fibre communication

IEC 60617 (all parts), Graphical symbols for diagrams

IEC 60695-11-5, Fire hazard testing - Part 11-5: Test flames - Needle-flame test method -Apparatus, confirmatory test arrangement and guidance

IEC 60825-1, Safety of laser products - Part 1: Equipment classification and requirements

IEC 60825-2, Safety of laser products - Part 2: Safety of optical fibre communication systems (OFCS)

IEC 61300 (all parts), Fibre optic interconnecting devices and passive components – Basic test and measurement procedures

IEC/TR 61930, Fibre optic graphical symbology

IEC/TR 61931, Fibre optics - Terminology

ISO 129-1, Technical drawings – Indication of dimensions and tolerances – Part 1: General principles

ISO 286-1, ISO system of limits and fits – Part 1: Bases of tolerances, deviations and fits

ISO 1101, Geometrical Product Specifications (GPS) – Geometrical tolerancing – Tolerances of form, orientation, location and run-out

ISO 8601, Data elements and interchange formats – Information interchange – Representation of dates and times

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-731 and IEC/TR 61931, as well as the following terms and definitions, apply.

iTeh STANDARD PREVIEW

3.1

optical circuit board OCB

(standards.iteh.ai)

assembling device having arbitrary optical transmit patterns with straight/cross/bending optical paths which consist of optical fibres and/or optical waveguides with input/output optical ports in plane

7d7df92df320/iec-62496-1-2008

NOTE The lengths of optical paths are controlled, if required.

3.2

flexible optical circuit board

optical circuit board that is made of a flexible substrate

3.3

rigid optical circuit board

optical circuit board made of a rigid substrate

3.4

non-planar shape optical circuit board

optical circuit board that re-configures multiple optical fibre ribbons to create a cross-connect

3.5

opto-electric circuit board

composite circuit board composed of optical circuit board and printed circuit board

3.6

input/output optical ports

end of an optical fibre/waveguide where optical signals enter or leave an OCB

3.7

waveguide circuit board

transparent and planar lightguide consisting of a core and a cladding material to transmit light

NOTE There are several types of waveguides such as slab waveguide, channel waveguide (embedded type) or channel waveguide (ridge type) as shown in Figure 1.





Figure 1a - Example of slab waveguide circuit board



iTeh STANDARD PREVIEW

Figure 1b – Example of channel waveguide circuit board – Embedded type




Figure 1c - Example of channel waveguide circuit board - Ridge type

Figure 1 – Schematic views of waveguide circuit boards

3.8

optical fibre circuit board

optical circuit board consisting of fibres to transmit light

NOTE There are two types of fibre circuit boards, embedded and exposed.

3.9

crossing point of optical fibre

position where an optical fibre crosses over the underlying optical fibre in the OCB

3.10

attenuation

 a_{ij}

reduction in optical power between an input and an output port of an optical path expressed in decibels and defined as follows:

$$a_{ij} = -10 \log (P_i/P_i)$$

where

 P_i is the input optical power introduced into the *i*th input port;

is the output optical power attained at the jth output port (the insertion loss depends on P_{i} the state of the optical circuit board);

i and j are the input and output port numbers, respectively.

3.11

return loss

reflection loss

fraction of input power returned from the input port of an optical path defined as follows:

$$RL_i = -10 \log (R_i/P_i)$$

where

 P_i is the input optical power introduced into the *i*th input port;

 R_i is the optical power received back from the same port;

is the input port number.

The return loss depends on the state of the optical circuit board.

3.12

isolation

 $I_{f ij}$ ratio of optical power exiting from the output port corresponding to a given input port, suitably powered, to the optical power exiting from another output port, defined as follows: Hen SIA

$$I_{ij} = -10 \log (P_j/P_i)$$

(standards.iteh.ai)

where

- P_i is the optical power exiting the output corresponding to a given input port, suitably https://standards.iteh.ai/catalog/standards/sist/321ec3bd-c156-4621-a1dd-
- P_i is the optical power exiting from another output port!-2008

Requirements

4.1 General

The requirements for an optical circuit board covered by this clause are used to classify the board.

4.2 Classification

4.2.1 **Introductory remark**

Optical circuit boards shall be classified as follows:

- type;
- style;
- variant;
- normative reference extensions.

Table 1 is an example of an optical circuit board classification.

Table 1 – Example of a typical optical circuit board classification

Type:	Construction: flexible optical circuit board
	Transmission medium: optical fibre (embedded type)
	Complexity: optical circuit board without printed circuit board
Style:	 Configuration A
Variants:	- Fibre category: Category B
Normative reference extensions:	

4.2.2 Type

Types for optical circuit boards shall be defined by three elements: construction, transmission medium and complexity.

Examples of construction:

- flexible optical circuit board;
- rigid optical circuit board;
- non-planar shape optical circuit board.

Examples of transmission medium:

- optical fibre circuit board (embedded type); RID PREVIEW
- optical fibre circuit board (exposed type); slab waveguide circuit board; standards.iteh.ai)
- channel waveguide circuit board (embedded type);
- channel waveguide:/circuit/boahdi(ridge/type):ds/sist/321ec3bd-c156-4621-a1dd-7d7df92df320/iec-62496-1-2008

Examples of complexity:

- optical circuit board with printed circuit board (opto-electric circuit board);
- optical circuit board without printed circuit board.

4.2.3 Style


Optical circuit boards may be classified into styles based on types of input and output ports, vertical end type, arbitrary angled mirror type, and dimensions and configuration.

Configuration

The configuration of the optical circuit board ports is classified as follows:

Configuration A

An optical circuit board containing fibres whose ends are outside of the board. A schematic view of Configuration A is shown in Figure 2.




<u>IEC 62496-1:2008</u> https://standards.iteh.ai/catalog/standards/sist/321ec3bd-c156-4621-a1dd-7d7df92df320/iec-62496-1-2008

Figure 2 - Configuration A

Configuration B

An optical circuit board containing optical paths with flat ends. A schematic view of Configuration B is shown in Figure 3. Positions of the flat ends are at the board edge. This is made of optical fibre (embedded type), optical fibre (exposed type), channel waveguide (embedded type) and channel waveguide (ridge type).



IEC 62496-1:2008 https://standards.iteh.ai/catalog/standards/sist/321ec3bd-c156-4621-a1dd-

Figure 3 – Configuration B

Configuration C

An optical circuit board containing optical paths with angled end faces.

There exist two types of Configuration C:

 Configuration C-1: this configuration is made of channel waveguide (embedded type) or channel waveguide (ridge type). A schematic view of configuration C-1 is shown in Figure 4.




Figure 4 - Configuration C-1




Figure 5 - Configuration C-2

Configuration D

An optical circuit board containing groove and/or via-hole.

There exist two types of Configuration D:

 D-1: this configuration is an optical circuit board in which open grooves or via-holes are formed to insert the connectors into the board for deflection of light to vertical direction. A schematic view of Configuration D-1 is shown in Figure 6.