

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Plugs and socket-outlets for household and similar purposes –  
Part 2-7: Particular requirements for cord extension sets**

(<https://standards.iteh.ai>)

**Prises de courant pour usages domestiques et analogues –  
Partie 2-7: Exigences particulières pour les cordons prolongateurs**

[IEC 60884-2-7:2011](https://standards.iteh.ai/catalog/standards/iec/48213c9f31cd-438c-af75-4237df4eac7/iec-60884-2-7-2011)

<https://standards.iteh.ai/catalog/standards/iec/48213c9f31cd-438c-af75-4237df4eac7/iec-60884-2-7-2011>



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).



IEC 60884-2-7

Edition 1.1 2013-06  
CONSOLIDATED VERSION

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Plugs and socket-outlets for household and similar purposes –  
Part 2-7: Particular requirements for cord extension sets**

**Prises de courant pour usages domestiques et analogues –  
Partie 2-7: Exigences particulières pour les cordons prolongateurs**

[IEC 60884-2-7:2011](https://standards.iteh.ai/catalog/standards/iec/48213c9f31cd-438c-af75-4237df4eac7/iec-60884-2-7-2011)

<https://standards.iteh.ai/catalog/standards/iec/48213c9f31cd-438c-af75-4237df4eac7/iec-60884-2-7-2011>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 29.120.30

ISBN 978-2-8322-0902-8

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references.....	5
3 Definitions.....	5
4 General requirements.....	6
5 General remarks on tests.....	6
6 Ratings.....	7
7 Classification.....	7
8 Marking.....	7
9 Checking of dimensions.....	8
10 Protection against electric shock.....	8
11 Provision for earthing.....	9
12 Terminals and terminations.....	9
13 Construction of fixed socket-outlets.....	9
14 Construction of plugs and portable socket-outlets.....	9
15 Interlocked socket-outlets.....	11
16 Resistance to ageing, protection provided by the enclosures and resistance to humidity.....	11
17 Insulation resistance and electric strength.....	11
18 Operation of earthing contacts.....	11
19 Temperature rise.....	11
20 Breaking capacity.....	11
21 Normal operation.....	11
22 Force necessary to withdraw the plug.....	11
23 Flexible cables and their connection.....	11
24 Mechanical strength.....	12
25 Resistance to heat.....	12
26 Screws, current-carrying parts and connections.....	12
27 Creepage distances, clearances and distances through sealing compound.....	12
28 Resistance of insulating material to abnormal heat, to fire and to tracking.....	12
29 Resistance to rusting.....	12
30 Additional tests on pins provided with insulating sleeves.....	12
101 EMC requirements.....	12
Annex A (normative) Safety-related routine tests for factory-wired portable accessories (protection against electric shock and correct polarity).....	13
Table 101 – Type, length of the flexible cable and nominal cross-sectional area of the conductors of cord extension sets.....	10

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**PLUGS AND SOCKET-OUTLETS FOR HOUSEHOLD  
AND SIMILAR PURPOSES –****Part 2-7: Particular requirements for cord extension sets**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

**This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.**

**IEC 60884-2-7 edition 1.1 contains the first edition (2011) [documents 23B/977/FDIS and 23B/987/RVD] and its amendment 1 (2013) [documents 23B/1105/FDIS and 23B/1108/RVD].**

**A vertical line in the margin shows where the base publication has been modified by amendment 1. Additions and deletions are displayed in red, with deletions being struck through.**

International Standard IEC 60884-2-7 has been prepared by subcommittee 23B: Plugs, socket-outlets and switches, of IEC technical committee 23: Electrical accessories.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This Part 2-7 shall be used in conjunction with IEC 60884-1. It was established on the basis of the third edition of IEC 60884-1 (2002) and of its Amendment 1 (2006).

This Part 2-7 supplements or modifies the corresponding clauses in IEC 60884-1, so as to convert that publication into the IEC Standard: Particular requirements for cord extension sets.

Where this Part 2-7 states "addition", "modification" or "replacement", the relevant requirement, test specifications or explanatory matter in Part 1 shall be adapted accordingly.

Subclauses, figures, tables or notes which are additional to those in Part 1 are numbered starting from 101.

A list of all the parts in the IEC 60884 series, under the general title *Plugs and socket-outlets for household and similar purposes*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

<https://standards.iteh.ai>

The contents of the corrigendum to Amendment 1 (March 2014) have been included in this copy.

**IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.**

# PLUGS AND SOCKET-OUTLETS FOR HOUSEHOLD AND SIMILAR PURPOSES –

## Part 2-7: Particular requirements for cord extension sets

### 1 Scope

#### *Replacement:*

This Part of IEC 60884 applies to cord extension sets, rewirable and non rewirable, with or without earthing contact, with a rated voltage greater than 50 V but not exceeding 440 V and a rated current not exceeding 16 A, intended for household and similar purposes, either indoors or outdoors.

NOTE 1 In the following countries, cord extension sets only for equipment of class II are not allowed: DE, DK, UK and CZ.

NOTE 2 In the following country, rewirable cord extension sets are not allowed: ZA.

This standard does not apply to cord extension sets with means for reeling.

This standard also applies to cord extension sets which are intended to be used in a cable reel, and which therefore become cable reels with a detachable flexible cable. For the combination of the cord extension set, the reel requirements and tests of IEC 61242 have to be fulfilled in addition.

Cord extension sets ~~should be~~ are suitable for use at ambient temperatures not normally exceeding +40 °C, but their average over a period of 24 h does not exceed +35 °C, with a lower limit of the ambient air temperature of –5 °C.

NOTE 3 In the following country, cord extension sets comprising a socket outlet for class II equipment are not permitted; socket-outlets in cord extension sets shall always be Class 1 as defined in EN 61140: UK.60884-2-7-2011

### 2 Normative references

This clause of Part 1 is applicable with the following exceptions:

#### *Addition:*

IEC 60884-1:2002, *Plugs and socket-outlets for household and similar purposes – Part 1: General requirements*  
Amendment 1 (2006)

IEC 60884-2-1, *Plugs and socket-outlets for household and similar purposes – Part 2-1: Particular requirements for fused plugs*

IEC 61242, *Electrical accessories – Cable reels for household and similar purposes*

### 3 Definitions

This clause of Part 1 is applicable except as follows.

#### *Replacement of NOTE 3:*

NOTE 3 The term "portable accessory" covers plugs, portable socket-outlets and cord extension sets. Examples of the use of accessories are shown in Figure 1a) of IEC 60884-1.

### 3.12 cord extension set

*Addition:*

NOTE 101 The term "plug" covers plugs and fused plugs. The term "socket-outlet" covers also socket-outlet with incorporated components such as switches and fuses etc. ~~which are required to comply with the relevant IEC standard as far as it applies (see also 14.22).~~

#### 3.12.101 rewirable cord extension set

cord extension set so constructed that any of the accessories or the flexible cable can be replaced with the aid of a general purpose tool

#### 3.12.102 non-rewirable cord extension set

cord extension set so constructed that it forms a complete unit with the flexible cable, the plug and the socket-outlet after connection and assembly by the manufacturer, the disassembly of which makes it permanently unfit for any further use

## 4 General requirements

This clause of Part 1 is applicable except as follows:

*Addition of the following paragraph at the end of the clause:*

Components **such as** plugs, socket-outlets **(including multiple socket-outlets)** and flexible cables of the cord extension sets shall be fully compliant with, and have been verified against, the relevant product standards for those components.

## 5 General remarks on tests

*Replacement:*

**5.1** Tests shall be made to prove compliance with the requirements laid down in this standard.

*No extra requirements for components (plugs, socket outlets and flexible cables) have to be applied and the relevant tests shall not be repeated.*

*Tests are made as follows:*

- *type tests shall be made on representative specimens of each assembly;*
- *routine tests shall be made on each assembly manufactured according to this standard.*

*Subclauses 5.2 to 5.5 are applicable to type tests and Subclause 5.6 to routine tests.*

**NOTE** In the following country, the following tests are carried out on samples of the cord extension set in accordance with the sampling requirements specified in Clauses 5, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 28, 29 and 30: ZA.

**5.2** *The specimens are tested as delivered and under normal conditions of use.*

**5.3** *Unless otherwise specified, the tests are carried out in the order of the clauses, at an ambient temperature between 15 °C and 35 °C.*



*In case of doubt, the tests are made at an ambient temperature of  $(20 \pm 5)$  °C.*

**5.4** *Three specimens are subjected to all the relevant tests.*

**5.5** *The specimens are submitted to all the relevant tests and the requirements are satisfied if all the tests are met.*

*If one specimen does not satisfy a test due to a manufacturing cord extension sets process fault, that test and any preceding one which may have influenced the results of the test shall be repeated, and also the tests which follow shall be made in the required sequence on another full set of specimens, all of which shall comply with the requirements.*

NOTE The applicant may submit, together with a number of specimens specified in Subclause 5.4, the additional set of specimens which may be required, should one specimen fail. The testing station will then, without further request, test the additional specimens and will only reject them if a further failure occurs. If the additional set of specimens is not submitted at the same time, the failure of one specimen will entail rejection.

**5.6** *Routine tests are specified in Annex A.*

## 6 Ratings

This clause of Part 1 is applicable except as follows.

*Replacement:*

**6.2** The rated current of the cord extension set shall be the lowest value from

- a) the rated current of the plug; or
- b) the arithmetic sum of the highest rated currents of all plugs which can be inserted into the cord extension set; or
- c) the rated current of the **overcurrent** protective ~~overcurrent~~ device **having the smallest rated current.**

[IEC 60884-2-7:2011](https://standards.iteh.ai/catalog/standards/iec/48213c9f31cd-438c-af75-4237df4eac7/iec-60884-2-7-2011)

<https://standards.iteh.ai/catalog/standards/iec/48213c9f31cd-438c-af75-4237df4eac7/iec-60884-2-7-2011>

The rated voltage of the cord extension set is that of the plug.

*Compliance is checked by inspection of the marking.*

## 7 Classification

This clause of Part 1 is not applicable except for 7.1.1, 7.1.2, 7.1.3 and 7.1.4.

## 8 Marking

This clause of Part 1 is applicable except as follows.

**8.1** ~~Addition after the fourth dashed text:~~

~~NOTE 101—This marking for cord extension set is necessary only if the manufacturer of the cord extension set is different to the manufacturer of the socket outlet. The marking of the name, trade mark or identification mark of the manufacturer or responsible vendor may for example be applied on a sleeve or label provided around the cord.~~

~~Addition after the fifth dashed text:~~

~~NOTE 102—For a cord extension set, the type reference, which may be a catalogue number, may be placed on the smallest packaging unit.~~

~~Delete the first three dashed texts.~~

*Add the following paragraphs after the 7<sup>th</sup> dashed text:*

For cord extension sets, the marking of the manufacturer's or responsible vendor's name, trademark or identification mark shall be applied only if the manufacturer of the cord extension set is different to the manufacturer of the socket-outlet.

NOTE 101 The marking of the name, trade mark or identification mark of the manufacturer or responsible vendor may for example be applied on a sleeve or label provided around the cord.

For a cord extension set, the type reference, which may be a catalogue number, shall be placed on the smallest packaging unit.

*Addition at the end:*

- in case of multiple portable socket-outlets or when there is an overcurrent protective device, the power in watts.

*Addition at the end:*

The marking for power shall be completed by the word MAX. **This marking shall be durable and easily legible with normal or corrected vision, without additional magnification.**

The power is calculated using the nominal supply voltage in volts and a power factor  $\cos \varphi = 1$ .

NOTE 1032 These markings may be shown as in the following examples:

MAX 2000 W or 2000 W MAX

The maximum admissible power marking shall not be hidden by any inserted plug.

## 9 Checking of dimensions

This clause of Part 1 is not applicable.

## 10 Protection against electric shock

*Replacement of the text of Clause 10:*

**10.1** Cord extension sets shall be so designed and constructed that after they are wired and assembled as for normal use, live parts are not accessible, even after removal of parts which can be removed without the use of a tool.

*Compliance is checked by inspection and, if necessary, by the following test.*

*The standard test finger, test probe B of IEC 61032, is applied in every possible position, an electrical indicator with a voltage between 40 V and 50 V being used to show contact with the relevant parts.*

**10.2** Cord extension sets shall be so designed and constructed that after they are wired and assembled as for normal use, live parts are not accessible, even after removal of parts which can be removed without the use of a tool.

*Compliance is checked by inspection and by applying with a test wire of 1,0 mm diameter (see Figure 10 of Part 1) a force of 1 N where the cable enters the plug and the portable socket outlet in every possible position.*

*During this test, it shall not be possible to touch live parts with the gauge.*

*An electrical indicator with a voltage between 40 V and 50 V shall be used.*

## **11 Provision for earthing**

This clause of Part 1 is not applicable.

## **12 Terminals and terminations**

This clause of Part 1 is not applicable.

## **13 Construction of fixed socket-outlets**

This clause of Part 1 is not applicable.

## **14 Construction of plugs and portable socket-outlets**

*Replacement of the title and text of Clause 14:*

### **14 Construction of cord extension sets**

#### **14.1** Socket-outlets to be used in cord extension sets shall have shutters.

NOTE 1 In the following countries socket-outlets to be used in cord extension sets are not required to have shutters: AU, AT, CA, CH, SG, JP, US, DE.

NOTE 2 In the following country the standards sheets for the portable socket-outlets specify the requirements for shutters: DK.

Plugs and socket outlets shall comply with IEC 60884-1.

Fused plugs shall comply with IEC 60884-2-1.

NOTE 3 In the following country BS 1363 applies to plugs and socket outlets: UK.

Flexible cables shall comply with IEC 60227 or IEC 60245.

NOTE 4 In the following country BS 1363 applies to fused plugs: UK.

The flexible cable shall have the same number of conductors as the poles in the socket-outlet(s). Earthing contacts, if any, are considered as one pole.

NOTE 5 In the following country, flexible cords to BS6500 or BS7919 are also permitted: UK.

Where an earthing contact is provided in the socket-outlet it shall be connected to the corresponding earthing contact of the plug.

*Compliance is checked by inspection.*

**14.2** The type, length of the flexible cable and nominal cross-sectional area of the conductors of cord extension sets shall comply with Table 101.