# Standard Specification for the Performance of Fittings for Use with Gasketed Mechanical Couplings Used in Piping Applications<sup>1</sup>

This standard is issued under the fixed designation F 1548; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon ( $\epsilon$ ) indicates an editorial change since the last revision or reapproval.

#### 1. Scope

1.1 This specification defines classification, materials, test requirements, inspection certification, marking and packaging of fittings for use with gasketed mechanical couplings complying to Specification F 1476.

## 2. Referenced Documents

#### 2.1 ASTM Standards:

Note 1—See Table 1 for equivalency listing of applicable, equivalent specifications.

- A 47 Specification for Ferritic Maleable Iron Castings<sup>2</sup>
- A 48 Specification for Gray Iron Castings<sup>2</sup>
- A 53 Specification for Pipe, Steel, Black and Hot-Dipped, Zinc-Coated Welded and Seamless<sup>3</sup>
- A 153 Specification for Zinc Coating (Hot-Dip) on Iron and Steel Hardware<sup>4</sup>
- A 216 Specification for Steel Castings, Carbon Suitable for Fusion for High-Temperature Service<sup>2</sup>
- A 234 Specification for Piping Fittings of Wrought Carbon Steel and Alloy Steel for Moderate and Elevated Temperatures<sup>3</sup>
- A 312 Specification for Seamless and Welded Austenitic Stainless Steel Pipe<sup>3</sup>
- A 403 Specification for Wrought Austenitic Stainless Steel Piping Fittings<sup>3</sup>
- A 536 Specification for Ductile Iron Castings<sup>2</sup>
- A 743 Specification for Castings, Iron-Chromium, Iron-Chromium-Nickel, Corrosion-Resistant for General Application<sup>2</sup>
- B 26 Specification for Aluminum-Alloy Sand Castings<sup>5</sup>
- B 75 Specification for Seamless Copper Tube<sup>6</sup>
- B 210 Specification for Aluminum and Aluminum-Alloy Drawn Seamless Tubes<sup>5</sup>
- B 369 Specification for Copper-Nickel Alloy Castings<sup>6</sup>
- B 584 Specification for Copper-Alloy Sand Castings for

**TABLE 1 Specification Equivalency Table** 

| Spec. Ref. | U.S. Designation        | British    | ISO              |
|------------|-------------------------|------------|------------------|
| Number     | ASTM                    | Standard   | Standard         |
| 1          | A 47                    | 6681       | 5922             |
| 2          | A 48                    | 1452       | _                |
| 3          | A 53                    | 3601       | _                |
| 4          | A 153                   | 729        | 1459, 1460, 1461 |
| 5          | A 216                   | 3100       | _                |
| 6          | A 234                   | 1640 Pt. 1 | _                |
| 7          | A 312                   | 3605       | _                |
| 8          | A 403                   | 1640 Pt. 2 | _                |
| 9          | A 536                   | 4772       | 2531, 4179, 8179 |
| 10         | A 743                   | 3100       | _                |
| 11         | B 26                    | 1490       | 3522, 7722       |
| 12         | B 75                    | 2871       | _                |
| 13         | B 210                   | 1471       | 209              |
| 14         | B 369                   | 3071       | _                |
| 15         | B 584                   | 1400       | _                |
| 16         | B 633                   | 1706       | 2081             |
|            | itak ai                 |            |                  |
|            | ANSI                    |            |                  |
| 17         | B36.10                  | 3600       | 4200             |
| 18         | B36.19                  | 3600       | 4200             |
|            |                         |            |                  |
|            | ANSI/AWWA               |            |                  |
| F15/19190/ | C151/A21.51             | 4772       | 2531, 4179, 8179 |
| 20         | C606                    | _          | _                |
|            |                         |            |                  |
|            | MILITARY                |            |                  |
|            | STANDARDS               |            |                  |
| 21         | MIL-A-8625              |            |                  |
| 22         | MIL-A-8625<br>MIL-T-704 | _          | _                |
| 23         | MIL-STD-45662           | —<br>5781  | _                |
| 23         | WIL-31D-43002           | 0/01       |                  |

# General Applications<sup>6</sup>

- B 633 Specification for Electrodeposited Coatings of Zinc on Iron and Steel<sup>7</sup>
- F 1476 Specification for the Performance of Gasketed Mechanical Couplings for Use in Piping Applications<sup>8</sup>
- 2.2 ANSI Standards:9
- B 36.10 Welded and Seamless Wrought Steel Pipe
- B 36.19 Stainless Steel Pipe

<sup>&</sup>lt;sup>1</sup> This practice is under the jurisdiction of ASTM Committee F-25 on Ships and Marine Technology and is the direct responsibility of Subcommittee 25.13 on Piping Systems.

Current edition approved August 15, 1994. Published October 1994.

<sup>&</sup>lt;sup>2</sup> Annual Book of ASTM Standards, Vol 01.02.

<sup>&</sup>lt;sup>3</sup> Annual Book of ASTM Standards, Vol 01.01.

<sup>&</sup>lt;sup>4</sup> Annual Book of ASTM Standards, Vol 01.06.

<sup>&</sup>lt;sup>5</sup> Annual Book of ASTM Standards, Vol 02.02.

<sup>&</sup>lt;sup>6</sup> Annual Book of ASTM Standards, Vol 02.02.

<sup>&</sup>lt;sup>7</sup> Annual Book of ASTM Standards, Vol 02.05.

<sup>&</sup>lt;sup>8</sup> Annual Book of ASTM Standards, Vol 01.07.

 $<sup>^{9}</sup>$  Available from American National Standards Institute, 11 W. 42nd St., 13th Floor, New York, NY 10036.

- 2.3 ANSI/AWWA Standards:9
- C 151/A21.51 Ductile-Iron Pipe, Centrifugally Cast in Metal Molds or Sand-Lined Molds, for Water and Other Liquids
- C 606-87 Grooved and Shouldered Joints
- 2.4 Military Standards: 10
- MIL-A-8625 Anodic Coatings, for Aluminum and Aluminum Alloys
- MIL-T-704 Treatment and Painting of Material
- MIL-STD-45662 Calibration System Requirements
- 2.5 British Standards: 11
- BS 729 Specification for Hot Dip Galvanized Coatings on Iron and Steel Articles
- BS 1400 Specification for Copper Alloy Ingots and Copper Alloy and High Conductivity Copper Castings
- BS 1452 Specification for Flake Graphite Cast Iron
- BS 1471 Specification for Wrought Aluminum and Aluminum Alloys for General Engineering Purposes—Drawn Tube
- BS 1490 Specification for Aluminum and Aluminum Alloy Ingots and Castings for General Engineering Purposes
- BS 1640 Pt. 1 Wrought Carbon and Ferritic Alloy Steel Fittings
- BS 1640 Pt. 2 Wrought and Cast Austenitic Chromium—Nickel Steel Fittings
- BS 1706 Method for Specifying Electroplated Coatings of Zinc and Cadmium on Iron and Steel
- BS 2871 Specification for Copper and Copper Alloys—
- BS 3071 Specification for Nickel—Copper Alloy Castings
- BS 3100 Specification for Steel Castings for General Engineering Purposes
- BS 3600 Specification for Dimensions of Steel Pipe for the Petroleum Industry
- BS 3601 Specification for Carbon Steel Pipes and Tubes with Specified Room Temperature Properties for Pressure Purposes
- BS 3605 Austenitic Stainless Steel Pipes and Tubes for Pressure Purposes
- BS 4772 Specification for Ductile Iron Pipes and Fittings
- BS 5781 Measurement and Calibration System
- BS 6681 Specification for Malleable Cast Iron
- 2.6 International Standards Organization:<sup>12</sup>
- 209 Composition of Wrought Products of Aluminum and Aluminum Alloys . . . Chemical Composition (Percent)
- 1459 Metallic Coatings—Protection Against Corrosion by Hot Dip Galvanizing—Guiding Principles
- 1460 Metallic Coatings—Hot Dip Galvanized Coatings on Ferrous Materials—Determination of the Mass Per Unit Area—Gravimetric Method
- 1461 Metallic Coatings—Hot Dipped Galvanized Coatings on Fabricated Ferrous Products—Requirements
- <sup>10</sup> Available from Standardization Documents Order Desk, Bldg. 4 Section D, 700 Robbins Ave., Philadelphia, PA 19111-5094, Attn: NPODS.
  - <sup>11</sup> Available from British Standards Institution, 2 Park Street, London W1A 2BS.
- <sup>12</sup> Available from ISO Central Secretariat; 1, rue de Varembe; Case postale 56; CH-1211 Geneve 20; Switzerland.

- 2081 Metallic Coatings—Electroplated Coatings of Zinc on Iron or Steel
- 2531 Ductile Iron Pipes, Fittings and Accessories for Pressure Pipe Lines
- 3522 Cast Aluminum Alloys—Chemical Composition and Mechanical Properties
- 4179 Ductile Iron Pipes for Pressure and Non-Pressure Pipelines—Centrifugal Cement Mortar Lining—General Requirements
- 4200 Plain End Steel Tubes, Welded and Seamless— General Tables of Dimensions and Masses Per Unit Length
- 5922 Malleable Cast Iron
- 7722 Aluminum Alloy Castings Produced by Gravity, Sand, or Chill Casting, or by Related Processes—General Conditions for Inspection and Delivery
- 8179 Ductile Iron Pipes—External Zinc Coating

# 3. Terminology

- 3.1 Definitions:
- 3.1.1 *fabricated fitting*—a fitting constructed by welding together sections of pipe or tube.
- 3.1.2 *fitting*—a device used in a piping system to change pipe direction, size, split or combine flows, or adapt to other joining methods.
- 3.1.3 *grooved end*—type of fitting or pipe end having a groove for use with grooved mechanical couplings (Type I) as defined in F 1476.
- 3.1.4 *pipe*—hollow tubular product conforming to Table 1 Specification Reference Nos. 17, 18, 19 and 12, Nominal Dimensions, or O.D. tube.
- 3.1.5 *plain end*—type of fitting or pipe end for use with a gasketed mechanical coupling (Type II) that is plain end as defined in Specification F 1476.
- 3.1.6 *tangent*—a section of straight pipe or tube integral to or welded to the end(s) of a fitting.
- 3.1.7 *wrought fitting*—a fitting made by shaping or shaping and welding.

### 4. Classification

- 4.1 These fittings are classified into the following design types:
  - 4.1.1 *Type I*—Grooved end.
  - 4.1.2 Type II—Plain end.

#### 5. Ordering Information

- 5.1 Orders for fittings under this specification shall include the following:
- 5.1.1 Specification designation, title, number and year of issue.
  - 5.1.2 Quantity.
- 5.1.3 Size and appropriate suffix (Example 8 in. IPS, 76.1 mm O.D.).
  - 5.1.4 Fitting description (90° Elbow, Tee, Cross, etc.).
- 5.1.5 Type (I, II)—Type I must include groove style (that is, Standard, End Seal, <sup>13</sup> AWWA Rigid, AWWA Flexible, or Copper).

<sup>&</sup>lt;sup>13</sup> End seal is a registered trademark of the Victaulic Company of America.