

Edition 1.0 2008-09

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Multimedia quality Thethod of assessment of synchronization of audio and video (standards.iteh.ai)

Qualité pour les systèmes multimédia — Méthode d'évaluation de la synchronisation de l'audio et de la vidéo de la synchronisation de l'audio et de la vidéo de la

8360cce2545d/iec-62503-2008





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2008 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue
The stand-alone application for consulting the entire bibliographical information on IEC International Standards. Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by (250 variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More8than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77. 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques Normes internationales, sur les Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



Edition 1.0 2008-09

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Multimedia quality - Method of assessment of synchronization of audio and video (standards.iteh.ai)

Qualité pour les systèmes multimédia 50 Méthode d'évaluation de la synchronisation de l'audio et de la gridéo de la synchronisation de l'audio et de la gridéo de la synchronisation de la 8360 cce 2545 d/iec-62503-2008

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE CODE PRIX M

ICS 33.160.01

ISBN 978-2-8322-1359-9

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FO	REW	ORD	3	
INT	ROD	UCTION	5	
1	Scop	oe	6	
2	Norn	native reference	6	
3	Terms and definitions			
4	Overview of methods of assessment			
5	Subjective assessment of lip sync			
	5.1	Items to be assessed	7	
	5.2	Preparation of test video clips and test video sequence	8	
		5.2.1 Selection of content of a test video clip	8	
		5.2.2 Creation of a test video sequence		
	5.3	Procedures and condition for assessment of lip sync at the section 3-3'		
	5.4	Reporting of the result of assessment		
6	Data	processing		
	6.1	Items to be assessed		
	6.2	Method of assessment		
	6.3	Reporting of the result of estimation	11	
Bib	liogra	phyiTeh STANDARD PREVIEW	12	
Fig	ure 1	- Overview (standards.iteh.ai)	7	
Fig	ure 2	- Preparation of test video clips with time shifted audio	8	
Fig	ure 3	- An example of subjective assessment of lip syno3-52a-4da2-b249-	10	
		- Normalized response for grading impairment caused by lip sync mismatch		
Tab	ole 1 -	 Five-grade impairment scale and explanation of subjective opinion score 	9	

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MULTIMEDIA QUALITY – METHOD OF ASSESSMENT OF SYNCHRONIZATION OF AUDIO AND VIDEO

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication elebys-152a-4da2-b249-
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62503 has been prepared by technical area 11: Quality for audio, video and multimedia systems, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This bilingual version (2014-04) corresponds to the monolingual English version, published in 2008-09.

The text of this standard is based on the following documents:

CDV	Report on voting
100/1277/CDV	100/1358/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>IEC 62503:2008</u> https://standards.iteh.ai/catalog/standards/sist/6efefb93-f52a-4da2-b249-8360cce2545d/iec-62503-2008

INTRODUCTION

Contemporary multimedia systems are realized by digital technology. Depending on what digital processing is being applied, time delays differ among medium channels for reproduction as perceptible stimulus for a human audience. An example is video delay against audio, which is identified by such terms as lip sync or AV-sync. Video delay against audio will be inevitable for large sized displays, because necessary time for rendering and visualization will be proportional to the number of picture elements.

There should also be additional factors to be considered. They include synchronization problem during medium gathering, production, post-production, processing in various aspects to combine these multiple media and to be sent out or recorded as "multimedia".

There is a need for international standards to provide the following three related methodologies:

- a) an objective method of measurement for difference of delays between reproduced audio and video (lip sync) by multimedia systems and equipment,
- b) a subjective (or perceptible) and statistical method of assessment of overall difference of delays between a real world and a reproduced scene and sound,
- c) a method of estimation of implied difference of delays inherent in multimedia received, recorded or under reproduction.

This International Standard addresses the item b) using typical multimedia content such as bust shots of news casters because of easiness in defining synchronization of audio and video. Since a range of perceptibly allowable miss-synchronization and sensitivity of human audience for lead and delayed audio against accompanied video depends on human sensation and the conditions for assessment, a clearly defined method of assessment of such characteristics should be standardised. IEC 62503:2008

https://standards.iteh.ai/catalog/standards/sist/6efefb93-f52a-4da2-b249-

This International Standard is intended to supplement Recommendation ITU-R BT.1359-1, [1] 1, as well as partly answer the request of ITU-R to IEC that has been stated in Recommendation ITU-R BT.1377 [2].

Technical contents are based on a study in Faculty of Engineering, Chiba University in Japan, conducted in April 2006.

¹ Numbers in square brackets refer to the Bibliography.

MULTIMEDIA QUALITY -METHOD OF ASSESSMENT OF SYNCHRONIZATION OF AUDIO AND VIDEO

Scope

This International Standard provides a subjective (or perceptible) and statistical method of assessment of overall, or end-to-end, difference of delays between real world and reproduced scenes in terms of video and accompanying audio recoded in a medium.

This International Standard does not specify limiting values for those results obtained by the application of the provisions in this standard. It excludes applications to professional broadcast systems.

2 Normative reference

The following referenced document is indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

iTeh STANDARD PREVIEW

ITU-R BT.500-11:2002, Methodology for the subjective assessment of the quality of television pictures (standards.iteh.ai)

Terms and definitions

IEC 62503:2008

os://standards.iteh.ai/catalog/standards/sist/6efefb93-f52a-4da2-b249-

8360cce2545d/iec-62503-2008 For the purposes of this document, the following terms and definitions apply.

3.1

lip sync

video delay against accompanying audio

3.2

outlier

subjective opinion score outside $m \pm s$, where m is a sample mean of the original scores of a set of subjects for the same video delay and s is a standard deviation of the scores

3.3

subject

ordinary untrained human audience of audio and video reproduction; random sample of individual members of general public

3.4

test video clip

short duration of video frames with accompanying audio to be used as original

test video sequence

random series of test video clips where the audio channels are shifted in time compared to the original

4 Overview of methods of assessment

Figure 1 depicts overview of possible objective methods of measurement and subjective method of assessment to acquire necessary parameters corresponding to lip sync.




Figure 1 - Overview

The leftmost in Figure 1 is a real world and the rightmost in Figure 1 is a reproduced world.

Lip sync at the section 0-0', i.e. scene delay in reference to accompanying sound, is normally zero; in other words null video delay against accompanying audio is expected; $\Delta t_0 = 0$. Where $\Delta t_0 \neq 0$ is foreseen, it shall also be taken into account.

https://standards.iteh.ai/catalog/standards/sist/6efefb93-f52a-4da2-b249-

Lip sync at the section 1-1' is supposed to be introduced by separate acquisition of physical phenomena by microphones and video cameras followed by yet further separate digital processing for audio and video data. It will cause lip sync of $\Delta t_1 \neq 0$.

NOTE In case of MPEG-2 encoding, there is the scheme of synchronization using Decoding Time Stamp (DTS) as well as Presentation Time Stamp (PTS) embedded in the header of Packetized Elementary Stream (PES). See ISO/IEC 13818-1 [11].

Lip sync at the section 2-2' is supposed to be introduced by reproduction process for audio and video channels separately such as decompression, rendering and reproduction. It will cause lip sync of $\Delta t_2 \neq 0$, which can be measured using a reference test multimedia material with $\Delta t_1 = 0$.

Lip sync at the section 3-3' is in the reproduced multimedia world and assessed by human subjects. Subjective opinion scores on lip sync are statistically analyzed to find estimated value for $\Delta t_3 \neq 0$; corresponding to the amount of compensation for just-synchronized reproduction.

5 Subjective assessment of lip sync

5.1 Items to be assessed

Subjective grading level of miss-synchronization of video and audio.

5.2 Preparation of test video clips and test video sequence

5.2.1 Selection of content of a test video clip

Since lip sync is a kind of human perception, it may depend on the contents of the video and accompanying audio. Especially when it is related to movement of lips of a human speaker, a match between a spoken language and a mother tongue may affect the result.

NOTE In this International Standard, in order to provide worked examples, speech in Japanese language uttered by a well trained processional news reader is watched and listened to by the subjects with the same mother tongue.

A bust shot of a news reader shall be extracted, duration of which should be around 10 s to 20 s. Data of audio channel of the video clip shall be taken as the timing reference.

Possible amount of time caused by miss-synchronization in this original video clip, Δt_1 at the section 1-1', is unknown. However, this international standard provides the method to estimate overall lip sync Δt_3 including Δt_0 and Δt_1 . Namely, $\Delta t_3 = \Delta t_0 + \Delta t_1 + \Delta t_2$.

5.2.2 Creation of a test video sequence

The test video sequence shall be a randomised series of the video clip selected in 5.2.1, in which each of the audio channels shall be replaced by time-shifted audio data with necessary duration of padding as a leader or a trailer depending on the direction of the time shift. Preparation of such video clips is show in Figure 2 as in the image frames with delayed audio and with led audio. The amount of time shifts $T_{\rm c}$ and $T_{\rm c}$ is subject to be adjusted.




Figure 2 - Preparation of test video clips with time shifted audio

To allow for each of the video clips with the time-shifted audio composing the test video sequence to be visually identified by a subject, each video clip prepared in accordance with Figure 2 should be preceded by a necessary number of title frames which include a sequence number.

The amount of time shifts for audio data, T_l and T_d , shall be determined taking into account the sum of the lip sync in reproduction system, Δt_2 , and possible lip sync in the original video clip, Δt_1 . The amount of increment and decrement of the time shift ΔT for T_l or T_d shall be decided in accordance with precision of assessment.

In this standard, $\Delta T = 10$ ms is recommended.

The test video sequence should be stored in a medium such as CD-ROM for use in 5.3 without losing audio-video synchronization.

5.3 Procedures and condition for assessment of lip sync at the section 3-3'

The procedures described below shall be followed.

- a) The test video sequence being composed of randomized order of the same short video clips of different time-shifted audio (plus and minus) in reference to video shall be reproduced to subjects.
- b) The number of the subjects shall be at least 15. Each of them shall be asked to report its subjective opinion score for each of the video clips in the test video sequence under a fixed viewing and audible condition.
- c) An advance instruction to the subjects shall be provided on the five-grade impairment scale recommended by ITU-R BT.500-11 for subjective judgement, as shown in Table 1.

Table 1 – Five-grade impairment scale and explanation of subjective opinion score

Explanation
Imperceptible (Complete agreement of audio and video)
Perceptible but not annoying (miss-synchronization is within the acceptable degree)
Slightly annoying (slight miss-synchronization is recognized)
Annoying (apparent miss-synchronization is recognized and beyond acceptable degree)
Very annoying (not synchronized at all)

- d) Viewing distance of the reproduced test) 3 video sequence L shall be four times of reproduction height / Haof wideo frames / Limil 4 Hz/sist/6efefb93-f52a-4da2-b249-
- e) Audio shall be reproduced by a headphone or a loudspeaker. Use of the headphone is recommended to prevent any multi-path echo in a test room.
 - NOTE Taking into account the travel speed of sound waves, the time for the sound pressure of a speaker to reach to ears of the observer should be regarded as an additional audio delay.
- f) Illumination of a test room where the audio-video reproduction system is installed should be around 300 lx with correlated colour temperature of about 6 500 K.

5.4 Reporting of the result of assessment

Taking into account outliers from the original five-grade opinion scores, averaged subjective opinion scores shall be plotted against predetermined audio shift, T_l or $-T_d$, as exemplified in Figure 3, with error bars of $m \pm c$, where m is a sample mean of the opinion scores of a set of subjects for the same video clip and c is a 95 % confidence interval of each of the respective mean opinion scores.

The horizontal axis shall be the amount of time shifts of the audio channel or the value of T_l in Figure 2.




Figure 3 – An example of subjective assessment of lip sync

https://standards.iteh.ai/catalog/standards/sist/6efefb93-f52a-4da2-b249-

The report shall also include the following information: 3-2008

- a) description of a kind of audio and video source used in the assessment, such as spoken language in case of a speech and duration of the test video clip;
- b) the number of the subjects;
- c) illumination level and correlated colour temperature of lighting used; and
- d) the position and distance from the display and speakers to the observer, in case of headphone not being used.

6 Data processing

6.1 Items to be assessed

Subjective time difference in milliseconds between reproduced video and associated audio.

6.2 Method of assessment

The mean opinion scores in the five-grade impairment scale reported in figure 3 shall be regressed by the stepwise linear functions as shown by the set of equations (1) to (3).

$$g = a_1 (t - t_1) + g_0$$
, for $t < t_1$ (1)

$$g = g_0$$
, for $t_1 \le t \le t_2$ (2)

$$g = a_2 (t - t_2) + g_0$$
, for $t_2 < t$ (3)