

TECHNICAL REPORT



Field device tool (FDT) interface specification – Part 41: Object model integration profile – Common object model

<https://standards.iteh.ai/catalog/standards/sis/6520a434-777a-43a7-934e-edb0ad3192fc/iec-tr-62453-41-2009>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2009 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

TECHNICAL REPORT



Field device tool (FDT) interface specification – Part 41: Object model integration profile – Common object model

<https://standards.iteh.ai/catalog/standards/sis/65201434-777a-43a7-934e-edb0ad3192fc/iec-tr-62453-41-2009>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE **XH**

ICS 25.040.40; 35.100.05; 35.110

ISBN 978-2-88910-717-9

CONTENTS

| | |
|---|----|
| FOREWORD..... | 11 |
| INTRODUCTION..... | 13 |
| 1 Scope..... | 14 |
| 2 Normative references | 14 |
| 3 Terms, definitions, symbols, abbreviated terms and conventions | 14 |
| 3.1 Terms and definitions | 14 |
| 3.2 Abbreviations | 15 |
| 3.3 Conventions | 15 |
| 4 Implementation concept..... | 15 |
| 4.1 Technological orientation | 15 |
| 4.2 Implementation of abstract FDT object model..... | 16 |
| 4.2.1 General | 16 |
| 4.2.2 FDT Frame Application (FA) | 16 |
| 4.2.3 Device Type Manager (DTM) | 17 |
| 4.2.4 Presentation object..... | 17 |
| 4.2.5 FDT-Channel object..... | 17 |
| 4.3 Object interaction | 18 |
| 4.3.1 Parameter interchange via XML..... | 18 |
| 4.3.2 Examples of usage | 19 |
| 4.4 Implementation of DTM data persistence and synchronization..... | 21 |
| 4.4.1 Persistence overview..... | 21 |
| 4.4.2 Persistence interfaces | 22 |
| 4.5 DTM state machine | 22 |
| 5 General concepts | 25 |
| 5.1 General..... | 25 |
| 5.2 Overview of task related FDT interfaces | 25 |
| 5.3 Return values of interface methods | 28 |
| 5.4 Dual interfaces | 28 |
| 5.5 Unicode..... | 28 |
| 5.6 Asynchronous versus synchronous behavior | 28 |
| 5.7 Progltds | 29 |
| 5.8 Implementation of DTM, DTM device type and hardware identification information..... | 29 |
| 5.8.1 Device identification | 29 |
| 5.8.2 Protocol specific transformation style sheet (xsl) | 31 |
| 5.8.3 Semantic identification information | 31 |
| 5.8.4 Device assignment | 31 |
| 5.8.5 Regular expression specification | 32 |
| 5.9 Implementation of slave redundancy | 32 |
| 5.9.1 General | 32 |
| 5.9.2 Topology import/export..... | 32 |
| 6 Implementation of FDT services: FDT interfaces..... | 33 |
| 6.1 Overview of the FDT interfaces | 33 |
| 6.2 FDT objects..... | 33 |
| 6.2.1 FDT object model | 33 |
| 6.2.2 Availability of interface methods | 36 |

| | | |
|--------|--|-----|
| 6.3 | Device Type Manager..... | 40 |
| 6.3.1 | Interface IDtm..... | 40 |
| 6.3.2 | Interface IDtm2..... | 49 |
| 6.3.3 | Interface IDtmActiveXInformation | 51 |
| 6.3.4 | Interface IDtmApplication..... | 52 |
| 6.3.5 | Interface IDtmChannel..... | 54 |
| 6.3.6 | Interface IDtmDocumentation | 55 |
| 6.3.7 | Interface IDtmDiagnosis | 56 |
| 6.3.8 | Interface IDtmImportExport..... | 58 |
| 6.3.9 | Interface IDtmInformation | 60 |
| 6.3.10 | Interface IDtmInformation2 | 61 |
| 6.3.11 | Interface IDtmOnlineDiagnosis | 62 |
| 6.3.12 | Interface IDtmOnlineParameter | 63 |
| 6.3.13 | Interface IDtmParameter | 66 |
| 6.3.14 | Interface IFdtCommunicationEvents | 67 |
| 6.3.15 | Interface IFdtCommunicationEvents2 | 70 |
| 6.3.16 | Interface IFdtEvents | 71 |
| 6.3.17 | Interface IDtmHardwareIdentification..... | 74 |
| 6.3.18 | Interface IDtmSingleDeviceDataAccess..... | 76 |
| 6.3.19 | Interface IDtmSingleInstanceDataAccess..... | 79 |
| 6.4 | DTM ActiveXControl..... | 81 |
| 6.4.1 | Interface IDtmActiveXControl..... | 81 |
| 6.4.2 | Init..... | 81 |
| 6.4.3 | PrepareToRelease..... | 82 |
| 6.5 | FDT Channel..... | 83 |
| 6.5.1 | Interface IFdtChannel..... | 83 |
| 6.5.2 | Interface IFdtChannelActiveXInformation..... | 85 |
| 6.5.3 | Interface IFdtCommunication..... | 88 |
| 6.5.4 | Interface IFdtChannelSubTopology..... | 95 |
| 6.5.5 | Interface IFdtChannelSubTopology2..... | 99 |
| 6.5.6 | Interface IFdtChannelScan..... | 99 |
| 6.5.7 | Interface IFdtFunctionBlockData..... | 101 |
| 6.6 | Channel ActiveXControl | 103 |
| 6.6.1 | Interface IFdtChannelActiveXControl..... | 103 |
| 6.6.2 | Interface IFdtChannelActiveXControl2..... | 105 |
| 6.7 | Block Type Manager..... | 106 |
| 6.7.1 | Interface IBtm..... | 106 |
| 6.7.2 | Interface IBtmInformation | 107 |
| 6.7.3 | Interface IBtmParameter..... | 107 |
| 6.8 | BTM ActiveXControl | 108 |
| 6.8.1 | General | 108 |
| 6.8.2 | Interface IBtmActiveXControl..... | 108 |
| 6.9 | Frame Application | 109 |
| 6.9.1 | Interface IDtmEvents | 109 |
| 6.9.2 | Interface IDtmEvents2 | 118 |
| 6.9.3 | Interface IDtmScanEvents | 119 |
| 6.9.4 | Interface IDtmAuditTrailEvents | 121 |
| 6.9.5 | Interface IFdtActiveX..... | 123 |
| 6.9.6 | Interface IFdtActiveX2..... | 124 |

| | | |
|--------|--|-----|
| 6.9.7 | Interface IFdtBulkData | 127 |
| 6.9.8 | Interface IFdtContainer | 129 |
| 6.9.9 | Interface IFdtDialog | 132 |
| 6.9.10 | Interface IFdtTopology | 133 |
| 6.9.11 | Interface IDtmRedundancyEvents | 139 |
| 6.9.12 | Interface IDtmSingleDeviceDataAccessEvents | 140 |
| 6.9.13 | Interface IDtmSingleInstanceDataAccessEvents | 143 |
| 6.9.14 | Interface IFdtBtmTopology | 144 |
| 7 | FDT sequence charts | 145 |
| 7.1 | DTM peer to peer communication | 145 |
| 7.1.1 | General | 145 |
| 7.1.2 | Establish a peer-to-peer connection between DTM and device | 145 |
| 7.1.3 | Asynchronous connect for a peer-to-peer connection | 145 |
| 7.1.4 | Asynchronous disconnect for a peer-to-peer connection | 146 |
| 7.1.5 | Asynchronous transaction for a peer-to-peer connection | 146 |
| 7.2 | Nested communication | 147 |
| 7.2.1 | General | 147 |
| 7.2.2 | Generate system topology | 148 |
| 7.2.3 | Establish a system connection between DTM and device | 150 |
| 7.2.4 | Asynchronous transaction for a system connection | 151 |
| 7.3 | Topology scan | 153 |
| 7.3.1 | Scan network | 153 |
| 7.3.2 | Cancel topology scan | 153 |
| 7.3.3 | Provisional scan result notifications | 154 |
| 7.3.4 | Scan for communication hardware | 155 |
| 7.3.5 | Manufacturer specific device identification | 156 |
| 7.4 | Registration of protocol specific FDT schemas | 158 |
| 7.5 | Configuration of a fieldbus master | 160 |
| 7.6 | Starting and releasing applications | 161 |
| 7.7 | Channel access | 162 |
| 7.8 | DCS Channel assignment | 163 |
| 7.9 | Printing of DTM specific documents | 167 |
| 7.10 | Printing of Frame Application specific documents | 168 |
| 7.10.1 | General | 168 |
| 7.10.2 | Processing a document | 169 |
| 7.10.3 | Rules for use of DTM specific style sheets | 171 |
| 7.11 | Propagation of changes | 172 |
| 7.12 | Locking | 174 |
| 7.12.1 | Locking for non-synchronized DTMs | 174 |
| 7.12.2 | Locking for synchronized DTMs | 175 |
| 7.13 | Instantiation and release | 177 |
| 7.13.1 | Instantiation of a new DTM | 177 |
| 7.13.2 | Instantiation of an existing DTM | 177 |
| 7.13.3 | Instantiation of a DTM ActiveX user interface | 178 |
| 7.13.4 | Release of a DTM user interface | 179 |
| 7.14 | Persistent storage of a DTM | 179 |
| 7.14.1 | State machine of instance data | 179 |
| 7.14.2 | Saving instance data of a DTM | 181 |
| 7.14.3 | Reload of a DTM object for another instance | 182 |

| | | |
|-----------------------|--|-----|
| 7.14.4 | Copy and versioning of a DTM instance..... | 182 |
| 7.15 | Audit trail..... | 183 |
| 7.16 | Comparison of two instance data sets | 185 |
| 7.16.1 | Comparison without user interface..... | 185 |
| 7.16.2 | Comparison with user interface | 185 |
| 7.17 | Failsafe data access..... | 186 |
| 7.18 | Set or modify device address with user interface | 187 |
| 7.19 | Set or modify known device addresses without user interface..... | 188 |
| 7.20 | Display or modify all child device addresses with user interface | 189 |
| 7.21 | Device initiated data transfer | 190 |
| 7.22 | Starting and releasing DTM user interface in modal dialog | 191 |
| 7.23 | Parent component handling redundant slave | 193 |
| 7.24 | Initialization of a Channel ActiveX control..... | 194 |
| 7.24.1 | General | 194 |
| 7.24.2 | Supports IFdtChannelActiveXcontrol2..... | 195 |
| 7.24.3 | Does not support IFdtChannelActiveXControl2 | 195 |
| 7.25 | DTM upgrade | 196 |
| 7.25.1 | General | 196 |
| 7.25.2 | Saving data from a DTM to be upgraded..... | 196 |
| 7.25.3 | Loading data in the replacement DTM | 197 |
| 7.26 | Usage of IDtmSingleDeviceDataAccess::ReadRequest / Write Request | 198 |
| 7.27 | Instantiation of DTM and BTM | 199 |
| 8 | Installation issues..... | 201 |
| 8.1 | Registry and device information | 201 |
| 8.1.1 | Visibility of business objects of a DTM..... | 201 |
| 8.1.2 | Component categories..... | 201 |
| 8.1.3 | Registry entries..... | 202 |
| 8.1.4 | Installation issues..... | 202 |
| 8.1.5 | Microsoft's standard component categories manager..... | 203 |
| 8.1.6 | Building a Frame Application-database of supported devices..... | 203 |
| 8.1.7 | DTM registration..... | 203 |
| 8.2 | Paths and file information | 204 |
| 8.2.1 | Path information provided by a DTM..... | 204 |
| 8.2.2 | Paths and persistency | 204 |
| 8.2.3 | Multi-user systems | 205 |
| 9 | Description of data types, parameters and structures | 205 |
| 9.1 | Ids..... | 205 |
| 9.2 | Data type definitions..... | 205 |
| Annex A (normative) | FDT IDL | 207 |
| Annex B (normative) | Mapping of services to interface methods..... | 223 |
| Annex C (normative) | FDT XML schemas..... | 231 |
| Annex D (informative) | FDT XML styles – Documentation | 310 |
| Annex E (informative) | FDT XSL Transformation | 314 |
| Annex F (normative) | Channel schema | 316 |
| Annex G (normative) | FDT version interoperability guide | 318 |
| Annex H (informative) | Implementation with .Net technology..... | 323 |
| Annex I (informative) | Trade names | 325 |

| | |
|--|-----|
| Bibliography..... | 326 |
| Figure 1 – Part 41 of the IEC 62453 series | 13 |
| Figure 2 – Frame Application interfaces..... | 16 |
| Figure 3 – DTM interfaces | 17 |
| Figure 4 – FDT Client/server relationship via XML | 18 |
| Figure 5 – Data access and storage..... | 20 |
| Figure 6 – Communication | 20 |
| Figure 7 – Documentation..... | 21 |
| Figure 8 – Parameter verification in case of failsafe devices | 21 |
| Figure 9 – State machine of a DTM..... | 23 |
| Figure 10 – Device identification..... | 29 |
| Figure 11 – Structural overview | 30 |
| Figure 12 – Interfaces of FDT objects – DTM and DtmActiveXControl..... | 34 |
| Figure 13 – Interfaces of FDT object – Frame Application..... | 35 |
| Figure 14 – FDT objects – FDT-Channel..... | 35 |
| Figure 15 – FDT objects – BTM and BtmActiveXControl..... | 36 |
| Figure 16 – Peer to peer connection between DTM and device..... | 145 |
| Figure 17 – Asynchronous connect (peer to peer)..... | 146 |
| Figure 18 – Asynchronous disconnect (peer to peer)..... | 146 |
| Figure 19 – Asynchronous transaction (peer to peer)..... | 147 |
| Figure 20 – System-topology | 148 |
| Figure 21 – Generation of system topology by Frame Application | 149 |
| Figure 22 – Generation of system topology – Participation of DTM | 150 |
| Figure 23 – System connection (across communication hierarchy)..... | 151 |
| Figure 24 – Asynchronous transactions (system connection) | 152 |
| Figure 25 – Scan network topology..... | 153 |
| Figure 26 – Cancel topology scan..... | 154 |
| Figure 27 – Provisional topology scan..... | 155 |
| Figure 28 – Scan for communication hardware | 156 |
| Figure 29 – Manufacturer specific device identification | 158 |
| Figure 30 – Add protocol specific schemas to Frame Applications schema sub path | 159 |
| Figure 31 – Frame Application reads protocol specific device identification information of DTMDeviceTypes..... | 160 |
| Figure 32 – Bus master configuration..... | 161 |
| Figure 33 – Starting and releasing applications..... | 162 |
| Figure 34 – Channel access | 163 |
| Figure 35 – DCS channel assignment single DTM..... | 164 |
| Figure 36 – Sequence of channel assignment for a single DTM | 165 |
| Figure 37 – Modular DTM structure..... | 166 |
| Figure 38 – Channel assignment for modular DTMs..... | 167 |
| Figure 39 – Printing of DTM specific documents | 168 |
| Figure 40 – Printing of Frame Application specific documents..... | 169 |

| | |
|--|-----|
| Figure 41 – Report generation (Frame Application style)..... | 170 |
| Figure 42 – Report generation (device vendor specific style) | 171 |
| Figure 43 – Propagation of changes | 173 |
| Figure 44 – Locking for non-synchronized DTMs..... | 175 |
| Figure 45 – Locking for synchronized DTMs | 177 |
| Figure 46 – Instantiation of a new DTM..... | 177 |
| Figure 47 – Instantiation of an existing DTM | 178 |
| Figure 48 – Instantiation of a DTM user interface..... | 178 |
| Figure 49 – Release of a DTM user interface | 179 |
| Figure 50 – State machine of instance data set..... | 180 |
| Figure 51 – Persistence states of a data set | 181 |
| Figure 52 – Saving instance data of a DTM..... | 182 |
| Figure 53 – Copy and versioning of a DTM instance | 183 |
| Figure 54 – Audit trail | 184 |
| Figure 55 – Comparison without user interface | 185 |
| Figure 56 – Comparison with user interface | 186 |
| Figure 57 – Failsafe data access | 187 |
| Figure 58 – Set or modify device address with user interface..... | 188 |
| Figure 59 – Set or modify known device addresses without user interface | 189 |
| Figure 60 – Display or modify all child device addresses with user interface | 190 |
| Figure 61 – Device initiated data transfer..... | 191 |
| Figure 62 – Modal DTM user interface | 192 |
| Figure 63 – Handling of a redundant slave..... | 194 |
| Figure 64 – Init of Channel ActiveX with IFdtChannelActiveXControl2..... | 195 |
| Figure 65 – Init of Channel ActiveX® without IFdtChannelActiveXControl2 | 196 |
| Figure 66 – Saving data from a DTM to be upgraded | 197 |
| Figure 67 – Loading data in the replacement DTM | 198 |
| Figure 68 – Usage of IDtmSingleDeviceDataAccess | 199 |
| Figure 69 – General sequence of creation and instantiation of blocks | 200 |
| Figure E.1 – XSLT role | 315 |
| Table 1 – Definition of DTM state machine..... | 23 |
| Table 2 – Task related DTM interfaces | 25 |
| Table 3 – Task related DTM ActiveX® interfaces | 26 |
| Table 4 – Task related FDT-Channel interfaces | 26 |
| Table 5 – Task related Channel ActiveX interfaces | 26 |
| Table 6 – Task related BTM interfaces..... | 26 |
| Table 7 – Task related BTM ActiveX interfaces | 27 |
| Table 8 – Task related Frame Application interfaces..... | 27 |
| Table 9 – Semantic identification information | 31 |
| Table 10 – Regular expressions..... | 32 |
| Table 11 – Availability of DTM methods in different states | 36 |
| Table 12 – Availability of Frame Application interfaces | 39 |

| | |
|--|-----|
| Table 13 – Description of instance data set states | 180 |
| Table 14 – Description of persistent states | 181 |
| Table 15 – Component categories..... | 201 |
| Table 16 – Combinations of categories | 202 |
| Table 17 – Example for DTM registration | 202 |
| Table 18 – FDT specific Ids | 205 |
| Table 19 – Basic data types..... | 205 |
| Table 20 – Helper objects for documentation | 206 |
| Table B.1 – General services..... | 223 |
| Table B.2 – DTM service related to installation | 223 |
| Table B.3 – DTM service related to DTM Information | 223 |
| Table B.4 – DTM services related to DTM state machine | 224 |
| Table B.5 – DTM services related to function..... | 224 |
| Table B.6 – DTM services related to documentation | 225 |
| Table B.7 – DTM services to access the instance data | 225 |
| Table B.8 – DTM services to access diagnosis | 225 |
| Table B.9 – DTM services to access to device data..... | 225 |
| Table B.10 – DTM services related to network management information..... | 226 |
| Table B.11 – DTM services related to online operation | 226 |
| Table B.12 – DTM services related to FDT-Channel objects | 226 |
| Table B.13 – DTM services related to import and export..... | 226 |
| Table B.14 – DTM services related to data synchronization | 226 |
| Table B.15 – General channel service | 227 |
| Table B.16 – Channel services for IO related information..... | 227 |
| Table B.17 – Channel services related to communication | 227 |
| Table B.18 – Channel services related sub-topology management..... | 228 |
| Table B.19 – Channel services related to functions..... | 228 |
| Table B.20 – Channel services related to scan | 228 |
| Table B.21 – FA services related to general event..... | 228 |
| Table B.22 – FA services related to topology management..... | 229 |
| Table B.23 – FA services related to redundancy | 229 |
| Table B.24 – FA services related to storage of DTM data | 229 |
| Table B.25 – FA services related to DTM data synchronization..... | 229 |
| Table B.26 – FA related to Presentation | 230 |
| Table B.27 – FA services related to audit trail..... | 230 |
| Table C.1 – Description of general XML attributes | 231 |
| Table C.2 – Description of general XML elements..... | 236 |
| Table C.3 – Device classification ID..... | 238 |
| Table C.4 – Device classification according to IEC 60947 Annex G..... | 239 |
| Table C.5 – Description of applicationId attribute | 247 |
| Table C.6 – Description of applicationId elements..... | 247 |
| Table C.7 – Description of user information attributes | 248 |
| Table C.8 – Description of user information elements | 248 |

| | |
|--|-----|
| Table C.9 – Description of DTM information attributes | 249 |
| Table C.10 – Description of DTM information elements | 249 |
| Table C.11 – Description of function call attributes | 253 |
| Table C.12 – Description of parameter document attributes | 253 |
| Table C.13 – Description of parameter document elements | 254 |
| Table C.14 – Description of documentation attributes | 262 |
| Table C.15 – Description of documentation elements | 262 |
| Table C.16 – Description of protocols element | 264 |
| Table C.17 – Description of system tag attributes | 265 |
| Table C.18 – Description of system tag elements | 265 |
| Table C.19 – Description of audit trail attributes | 266 |
| Table C.20 – Description of audit trail elements | 266 |
| Table C.21 – Description of device status attribute | 267 |
| Table C.22 – Description of device status elements | 267 |
| Table C.23 – Description of function attributes | 269 |
| Table C.24 – Description of function elements | 269 |
| Table C.25 – Description of channel functions attributes | 273 |
| Table C.26 – Description of channel function elements | 273 |
| Table C.27 – Description of comparison attribute | 275 |
| Table C.28 – Description of comparison elements | 275 |
| Table C.29 – Description of fail safe attributes | 276 |
| Table C.30 – Description of fail safe elements | 276 |
| Table C.31 – Description of topology scan elements | 277 |
| Table C.32 – Description of operation phase attribute | 278 |
| Table C.33 – Description of operation phase element | 278 |
| Table C.34 – Description of DTM init element | 278 |
| Table C.35 – Description of user message attributes | 279 |
| Table C.36 – Description of user message elements | 279 |
| Table C.37 – Description of DTM info list elements | 280 |
| Table C.38 – Description of topology attributes | 281 |
| Table C.39 – Description of topology elements | 282 |
| Table C.40 – Description of device list attributes | 286 |
| Table C.41 – Description of device list elements | 286 |
| Table C.42 – Description of gui label element | 288 |
| Table C.43 – Description of DTM state element | 288 |
| Table C.44 – Description of frame version element | 289 |
| Table C.45 – Description of connect response element | 289 |
| Table C.46 – Description of type request element | 290 |
| Table C.47 – Description of scan request attributes | 290 |
| Table C.48 – Description of scan request elements | 291 |
| Table C.49 – Description of common identification attributes | 293 |
| Table C.50 – Description of common identification element | 293 |
| Table C.51 – Description of scan identification attributes | 293 |

Table C.52 – Description of scan identification elements 294

Table C.53 – Description of device type identification element 296

Table C.54 – Description of item list attributes 297

Table C.55 – Description of item list elements 299

Table C.56 – Description of BTM data type attributes 303

Table C.57 – Description of BTM data type elements 303

Table C.58 – Description of BTM information elements 305

Table C.59 – Description of BTM parameter elements 306

Table C.60 – Description of BTM init element 308

Table C.61 – Description of BTM info list element 308

Table F.1 – Description of basic channel attribute 316

Table F.2 – Description of basic channel elements 316

Table F.3 – Description of xxx channel parameter attribute 317


Table F.4 – Description of xxx channel parameter attribute 317

Table G.1 – Interoperability between components of different versions 319

iTeh STANDARD PREVIEW
(standards.iteh.ai)

IEC TR 62453-41:2009

<https://standards.iteh.ai/catalog/standards/sis/6520a434-777a-43a7-934e-edb0ad3192fc/iec-tr-62453-41-2009>



INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –

**Part 41: Object model integration profile –
Common object model**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC/TR 62453-41, which is a technical report, has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation:

This part, in conjunction with the other parts of the first edition of the IEC 62453 series cancels and replaces IEC/PAS 62453-1, IEC/PAS 62453-2, IEC/PAS 62453-3, IEC/PAS 62453-4 and IEC/PAS 62453-5 published in 2006, and constitutes a technical revision.

The text of this technical report is based on the following documents:

| | |
|---------------|------------------|
| Enquiry draft | Report on voting |
| 65E/64/DTR | 65E/113/RVC |

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 62453 series, under the general title *Field Device Tool (FDT) interface specification*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

INTRODUCTION

This part of IEC 62453 is an interface specification for developers of FDT (Field Device Tool) components for function control and data access within a client/server architecture. The specification is a result of an analysis and design process to develop standard interfaces to facilitate the development of servers and clients by multiple vendors that need to interoperate seamlessly.

With the integration of fieldbuses into control systems, there are a few other tasks which need to be performed. In addition to fieldbus- and device-specific tools, there is a need to integrate these tools into higher-level system-wide planning- or engineering tools. In particular, for use in extensive and heterogeneous control systems, typically in the area of the process industry, the unambiguous definition of engineering interfaces that are easy to use for all those involved is of great importance.

A device-specific software component, called DTM (Device Type Manager), is supplied by the field device manufacturer with its device. The DTM is integrated into engineering tools via the FDT interfaces defined in this specification. The approach to integration is, in general, open for all kind of fieldbuses and thus meets the requirements for integrating different kinds of devices into heterogeneous control systems.

Figure 1 shows how IEC/TR 62453-41 is incorporated in the structure of the IEC 62453 series.




Figure 1 – Part 41 of the IEC 62453 series