SLOVENSKI STANDARD

SIST EN 61337-2:2005

december 2005

Filtri z dielektričnimi resonatorji valovodnega tipa – 2. del: Navodilo za uporabo (IEC 61337-2:2004)

Filters using waveguide type dielectric resonators – Part 2: Guidance for use (IEC 61337-2:2004)

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61337-2:2005</u> https://standards.iteh.ai/catalog/standards/sist/498b615d-e21d-4b79-8778-11d3da588cc4/sist-en-61337-2-2005

ICS 31.140; 31.160

Referenčna številka SIST EN 61337-2:2005(en)

© Standard je založil in izdal Slovenski inštitut za standardizacijo. Razmnoževanje ali kopiranje celote ali delov tega dokumenta ni dovoljeno

iTeh STANDARD PREVIEW (standards.iteh.ai)

EUROPEAN STANDARD NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2004

ICS 31.140

English version

Filters using waveguide type dielectric resonators Part 2: Guidance for use (IEC 61337-2:2004)

Filtres utilisant des résonateurs diélectriques à modes guidés Partie 2: Guide d'utilisation (CEI 61337-2:2004)

Filter mit dielektrischen Resonatoren vom Wellenleitertyp Teil 2: Leitfaden zur Anwendung (IEC 61337-2:2004)

iTeh STANDARD PREVIEW (standards.iteh.ai)

This European Standard was approved by CENELEC on 2004-09-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration 5d-e21d-4b79-

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

© 2004 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Foreword

The text of document 49/665/FDIS, future edition 1 of IEC 61337-2, prepared by IEC TC 49, Piezoelectric and dielectric devices for frequency control and selection, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61337-2 on 2004-09-01.

The following dates were fixed:

| latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement | (dop) | 2005-06-01 |
|--|-------|------------|
| latest date by which the national standards conflicting with the EN have to be withdrawn | (dow) | 2007-09-01 |

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61337-2:2004 was approved by CENELEC as a European Standard without any modification. I ANDARD PREVIEW

(standards.iteh.ai)

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE Where an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

| Publication | Year | <u>Title</u> | <u>EN/HD</u> | Year |
|----------------|---------------------|--|---|------|
| IEC 60068-1 | 1988 | Environmental testing Part 1: General and guidance | EN 60068-1 ¹⁾ | 1994 |
| IEC 60068-2-1 | 1990 | Part 2: Tests - Tests A: Cold | EN 60068-2-1 | 1993 |
| IEC 60068-2-2 | 1974 | Part 2: Tests - Tests B: Dry heat | EN 60068-2-2 ²⁾ | 1993 |
| IEC 60068-2-6 | 1995 | Part 2: Tests - Test Fc: Vibration (sinusoidal) | EN 60068-2-6 | 1995 |
| IEC 60068-2-7 | 1983 | eh STANDARD PREVIE Part 2: Tests - Test Ga: Acceleration, steadystatendards.iteh.ai) | EN 60068-2-7 ³⁾ | 1993 |
| IEC 60068-2-13 | 1983 | Part 2: Tests - Test M: Low air pressure | EN 60068-2-13 | 1999 |
| IEC 60068-2-14 | 1984 ^{s:/} | standards teh aj/catalog/standards/sist/498b615d-e21d- Part 2: Tests - Test N: Change of temperature | ⁴⁶ EN 60068-2-14 ⁴⁾ | 1999 |
| IEC 60068-2-20 | 1979 | Part 2: Tests - Test T: Soldering | HD 323.2.20 S3 ⁵⁾ | 1988 |
| IEC 60068-2-21 | 1999 | Part 2-21: Tests - Test U: Robustness of terminations and integral mounting devices | EN 60068-2-21 | 1999 |
| IEC 60068-2-27 | 1987 | Part 2: Tests - Test Ea and guidance: Shock | EN 60068-2-27 | 1993 |
| IEC 60068-2-30 | 1980 | Part 2: Tests - Test Db and guidance: Damp heat, cyclic (12 + 12-hour cycle) | EN 60068-2-30 ⁶⁾ | 1999 |

¹⁾ EN 60068-1 includes corrigendum October 1988 + A1:1992 to IEC 60068-1.

²⁾ EN 60068-2-2 includes supplement A:1976 to IEC 60068-2-2.

³⁾ EN 60068-2-7 includes A1:1986 to IEC 60068-2-7.

⁴⁾ EN 60068-2-14 includes A1:1986 to IEC 60068-2-14.

⁵⁾ HD 323.2.20 S3 includes A2 :1987 to IEC 60068-2-20.

⁶⁾ EN 60068-2-30 includes A1:1985 to IEC 60068-2-30.

| Publication | <u>Year</u> | Title | <u>EN/HD</u> | <u>Year</u> |
|----------------|-----------------|--|-----------------------------|-------------|
| IEC 60068-2-58 | 1999 | Part 2-58: Tests - Test Td: Test methods for solderability, resistance to dissolution of metallization and to soldering heat of surface mounting devices (SMD) | EN 60068-2-58 ⁷⁾ | 1999 |
| IEC 60068-2-78 | 2001 | Part 2-78: Tests - Test Cab: Damp heat, steady state | EN 60068-2-78 | 2001 |
| IEC 61337-1-1 | _ 8) | Filters using waveguide type dielectric resonators Part 1: General information, standard values and test conditions Section 1: General information and standard values | - | - |
| IEC 61337-1-2 | - ⁸⁾ | Filters using waveguide type dielectric resonators Part 1-2: Test conditions | - | - |

iTeh STANDARD PREVIEW (standards.iteh.ai)

⁷⁾ EN 60068-2-58 is superseded by EN 60068-2-58:2004, which is based on IEC 60068-2-58:2004.

⁸⁾ Undated reference.

INTERNATIONAL STANDARD

IEC 61337-2

First edition 2004-07

Filters using waveguide type dielectric resonators –

Part 2: Guidance for use iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61337-2:2005</u> https://standards.iteh.ai/catalog/standards/sist/498b615d-e21d-4b79-8778-11d3da588cc4/sist-en-61337-2-2005

© IEC 2004 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale International Electrotechnical Commission Международная Электротехническая Комиссия



For price, see current catalogue

U

CONTENTS

| FC | REW | ORD | 4 |
|------------|-------------|---|------|
| IN | rrod | UCTION | 6 |
| | _ | | _ |
| 1 | | be | |
| 2 | Norn | native references | 7 |
| 3 | Appl | ication guide for filters using waveguide type dielectric resonators | 8 |
| | 3.1 | Classification of filters using waveguide type dielectric resonators | |
| | 3.2 | Practical remarks for filters using waveguide type dielectric filters | |
| | | 3.2.1 $TE_{01\delta}$ mode dielectric filter | |
| | | 3.2.2 TM mode dielectric filter | |
| | | 3.2.3 TEM mode coaxial dielectric filter | |
| | | 3.2.4 Chip-type multilayered dielectric filter3.2.5 Stripline and microstripline dielectric filters | |
| 4 | Cho | 3.2.5 Stripline and microstripline dielectric filters | |
| 4 | | | |
| | 4.1 | Checklist | 24 |
| Bit | oliogra | iTeh STANDARD PREVIEW | 26 |
| Fig | jure 1 | – Typical unloaded Q and maximum operating power of dielectric filters | 9 |
| | | - Example of practically equivalent unloaded Q of a TE _{01δ} mode dielectric | |
| | | | 10 |
| Fic | ure 3 | pared with a TE ₁₀₁ mode metal cavity filter2005 https://standards.iteh.ai/catalog/standards/sist/498b615d-e21d-4b79- – Example of a TE ₀₁₈ 778-11d3da588cc4/sist-en-61337-2-2005 | 11 |
| Fic | , iure 4 | - Example of a TE _{01δ} mode dielectric band-stop filter | 11 |
| | | – Example of spurious responses for the TE _{01δ} mode dielectric band-pass filter | |
| | | - Example of a $TE_{01\delta}$ mode dielectric band-pass filter with quarter | |
| wa | velen | gth coaxial resonators | 12 |
| Fig | jure 7 | - TM ₀₁₀ and TM ₁₁₀ mode dielectric resonators | 13 |
| Fig | jure 8 | Example of the third-harmonic distortion level of dielectric resonator | |
| ma | iterial | at 800 MHz | 14 |
| Fig | jure 9 | - Example of an antenna filter and an antenna duplexer for cellular base stations | s 14 |
| Fig | jure 1 | 0 – Practically obtained unloaded Q of quarter wavelength TEM mode | |
| die dia | lectric | c resonators with an ϵ ' of 20, 40 and 90 (outer diameter = 3 mm; inner r = 1 mm; practical conductivity of shielding conductor = 4,8 × 10 ⁷ [S/m]) | 16 |
| | | 1 – Examples of antenna duplexers for portable phones using a TEM mode resonator | 16 |
| | | 2 – Examples of the attenuation characteristics of a block-type duplexer for a d CDMA portable phone | 17 |
| Fig | jure 1 | 3 – Example of a chip-type multilayered dielectric band-pass filter | 18 |
| | | 4 – Example of the attenuation characteristics of a chip-type multilayered | 19 |
| | | 5 – Schematic configurations of stripline and microstripline dielectric filter | |
| | | 6 – Example of the conductor pattern and attenuation characteristic of a coupled band-pass stripline filter | 22 |

| Figure 17 – Example of the conductor pattern and attenuation characteristic of an interdigital band-pass stripline filter | 22 |
|---|----|
| Figure 18 – Example of the conductor pattern and attenuation characteristic of a comb-line band-pass stripline filter | 23 |
| Figure 19 – Example of the conductor pattern and attenuation characteristic of a band- stop stripline filter | 23 |

| Table 1 – | References to releva | nt publications | 24 |
|-----------|----------------------|-----------------|----|
|-----------|----------------------|-----------------|----|

iTeh STANDARD PREVIEW (standards.iteh.ai)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FILTERS USING WAVEGUIDE TYPE DIELECTRIC RESONATORS -

Part 2: Guidance for use

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any enduser.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.^{498b615d-e21d-4b79-}
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61337-2 has been prepared by IEC technical committee 49: Piezoelectric and dielectric devices for frequency control and selection.

The text of this standard is based on the following documents:

| FDIS | Report on voting |
|-------------|------------------|
| 49/665/FDIS | 49/683/RVD |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 61337 consists of the following parts under the general title *Filters using waveguide type dielectric resonators:*

- Part 1: Generic specification;¹
- Part 1-1: General information, standard values and test conditions General information and standard values;²
- Part 1-2: General information, standard values and test conditions Test conditions;²
- Part 2: Guidance for use;
- Part 3: Standard outlines³.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version may be issued at a later date.

iTeh STANDARD PREVIEW (standards.iteh.ai)

¹ To be published.

² To be merged and replaced by IEC 61337-1 in the near future.

³ Under consideration.

INTRODUCTION

This part of IEC 61337 gives practical guidance on the use of filters using waveguide type dielectric resonators that are used in telecommunications and radar systems. Refer to IEC 61337-1-1 and IEC 61337-1-2 for general information, standard values and test conditions.

These dielectric filters have the features of small size, low loss, high reliability and high stability against temperature and ageing. Dielectric filters are suitable for applications such as mobile communication service, mobile satellite communication service, microwave terrestrial communication service, and fixed satellite communication service. In particular, they are now widely used for duplexers and filters of portable phones and cellular base stations.

This standard has been compiled in response to a generally expressed desire on the part of both users and manufacturers for guidance for the use of filters using waveguide type dielectric resonators, so that the filters may be used to their best advantage. For this purpose, general and fundamental characteristics have been explained in this standard.

iTeh STANDARD PREVIEW (standards.iteh.ai)