



SLOVENSKI STANDARD
SIST EN 61779-1:2000/A11:2004
01-junij-2004

Električne naprave za odkrivanje in merjenje vnetljivih plinov - 1. del: Splošne zahteve in preskusne metode - Dopolnilo A11

Electrical apparatus for the detection and measurement of flammable gases -- Part 1: General requirements and test methods

Elektrische Geräte für die Detektion und Messung brennbarer Gase -- Teil 1: Allgemeine Anforderungen und Prüfverfahren

Appareils électriques de détection et de mesure des gaz combustibles -- Partie 1: Règles générales et méthodes d'essai

ITIH STANDARD PREVIEW
(standards.itih.ai)
<https://standards.itih.ai/catalog/standards/sist/ce3e8050-2c00-41df-a75c-45fad88283ff/sist-en-61779-1-2000-a11-2004>

Ta slovenski standard je istoveten z: EN 61779-1:2000/A11:2004

ICS:

13.320	Alarmni in opozorilni sistemi	Alarm and warning systems
29.260.20	Električni aparati za eksplozivna ozračja	Electrical apparatus for explosive atmospheres

SIST EN 61779-1:2000/A11:2004 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61779-1:2000/A11:2004](https://standards.iteh.ai/catalog/standards/sist/en-61779-1-2000-a11-2004)

<https://standards.iteh.ai/catalog/standards/sist/ce3e8050-2c00-41df-a75c-45fad88283ff/sist-en-61779-1-2000-a11-2004>

EUROPEAN STANDARD

EN 61779-1/A11

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2004

ICS 13.320; 17.060; 29.260.20

English version

**Electrical apparatus for the detection and measurement
of flammable gases
Part 1: General requirements and test methods**

Appareils électriques de détection
et de mesure des gaz combustibles
Partie 1: Règles générales et méthodes
d'essai

Elektrische Geräte für die Detektion
und Messung brennbarer Gase
Teil 1: Allgemeine Anforderungen
und Prüfverfahren

iTeh STANDARD PREVIEW
(standards.iteh.ai)

This amendment A11 modifies the European Standard EN 61779-1:2000; it was approved by CENELEC on 2004-02-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

This amendment to the European Standard EN 61799-1:2000 was prepared by SC 31-9, Electrical apparatus for the detection and measurement of combustible gases to be used in industrial and commercial potentially explosive atmospheres, of Technical Committee CENELEC TC 31, Electrical apparatus for explosive atmospheres.

The text of the draft was submitted to the Unique Acceptance Procedure and was approved by CENELEC as amendment A1 to EN 61799-1:2000 on 2004-02-01. At publication it was renumbered amendment A11.

The following dates were fixed:

- latest date by which the amendment has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2004-08-01
- latest date by which the national standards conflicting with the amendment have to be withdrawn (dow) 2004-08-01

Add the following wording at the end of 3.1.2:

All equipment and components intended for use in potentially explosive atmospheres shall be designed and constructed according to good engineering practice and in conformity with the required categories for group I and II equipment to ensure avoidance of any ignition source. To classify the category of the equipment it shall be subjected to a formal documented hazard analysis.

[SIST EN 61779-1:2000/A11:2004](https://standards.iteh.ai/catalog/standards/sist/ce3e8050-2c00-41df-a75c-45fad88283ff/sist-en-61779-1-2000-a11-2004)

<https://standards.iteh.ai/catalog/standards/sist/ce3e8050-2c00-41df-a75c-45fad88283ff/sist-en-61779-1-2000-a11-2004>