

## SLOVENSKI STANDARD SIST EN 60300-3-14:2005

01-marec-2005

Vodenje zagotovljivosti – 3-14. del: Vodilo za uporabo – Vzdrževanje in podpora vzdrževanju (IEC 60300-3-14:2004)	
Dependability management Part 3-14: Application guide - Maintenance and maintenance support	
Zuverlässigkeitsmanagement Teil 3-14: Anwendungsleitfaden - Instandhaltung und Instandhaltungsunterstützung STANDARD PREVIEW	
Gestion de la sûreté de fonctionnement Partie 3-14: Guide d'application - Maintenance et support de maintenance <u>SIST EN 60300-3-14:2005</u> https://standards.iteh.ai/catalog/standards/sist/72745bdc-d1d1-412b-8a64- 61230cfl 5ce7/sist-en-60300-3-14-2005 Ta slovenski standard je istoveten z: EN 60300-3-14:2004	æ

### <u>ICS:</u>

03.120.01 Kakovost na splošno21.020 Značilnosti in načrtovanje strojev, aparatov, opreme Quality in general Characteristics and design of machines, apparatus, equipment

SIST EN 60300-3-14:2005

en

SIST EN 60300-3-14:2005

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 60300-3-14:2005</u> https://standards.iteh.ai/catalog/standards/sist/72745bdc-d1d1-412b-8a64-61230cfl 5ce7/sist-en-60300-3-14-2005



## EUROPEAN STANDARD

# EN 60300-3-14

## NORME EUROPÉENNE

## EUROPÄISCHE NORM

May 2004

ICS 03.100.40; 03.120.01

English version

### Dependability management Part 3-14: Application guide -Maintenance and maintenance support (IEC 60300-3-14:2004)

Gestion de la sûreté de fonctionnement Partie 3-14: Guide d'application -Maintenance et support de maintenance (CEI 60300-3-14:2004) Zuverlässigkeitsmanagement Teil 3-14: Anwendungsleitfaden -Instandhaltung und Instandhaltungsbereitschaft (IEC 60300-3-14:2004)

# iTeh STANDARD PREVIEW (standards.iteh.ai)

#### SIST EN 60300-3-14:2005

https://standards.iteh.ai/catalog/standards/sist/72745bdc-d1d1-412b-8a64-This European Standard was approved by CENELEC on 2004-05-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

# CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

© 2004 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

#### - 2 -

#### Foreword

The text of document 56/929/FDIS, future edition 1 of IEC 60300-3-14, prepared by IEC TC 56, Dependability, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60300-3-14 on 2004-05-01.

The following dates were fixed:

-	latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2005-02-01
-	latest date by which the national standards conflicting with the EN have to be withdrawn	(dow)	2007-05-01

Annex ZA has been added by CENELEC.

#### **Endorsement notice**

The text of the International Standard IEC 60300-3-14:2004 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

ISO 9000 NOTE Harmonized as EN ISO 9000:2000 (not modified).

## (standards.iteh.ai)

<u>SIST EN 60300-3-14:2005</u> https://standards.iteh.ai/catalog/standards/sist/72745bdc-d1d1-412b-8a64-61230cfl5ce7/sist-en-60300-3-14-2005

## Annex ZA

- 3 -

(normative)

# Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE Where an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Publication	Year	Title	<u>EN/HD</u>	Year
IEC 60300-1	2003	Dependability management Part 1: Dependability management systems	EN 60300-1	2003
IEC 60300-2	2004	Part 2: Guidelines for dependability management	EN 60300-2	2004
IEC 60300-3-2	- <sup>1)</sup>	Part 3: Application guide Section 2: Collection of dependability data from the field <b>RD PREVIE</b>	- W	-
IEC 60300-3-3	_ 1)	Part 3-3: Application guide Life cycle costing	-	-
IEC 60300-3-10	_1) https://sta	Part 3-10: Application guide - normal characteristic and a state of the second state o	2b-8a64-	-
IEC 60300-3-11	_ 1)	Part 3-11: Application guide - reliability centered maintenance	-	-
IEC 60300-3-12	_ 1)	Part 3-12: Application guide - Integrated logistic support	EN 60300-3-12	2004 <sup>2)</sup>
IEC 60706-3	_ 1)	Guide on maintainability of equipment Part 3: Sections Six and Seven - Verification and collection, analysis and presentation of data	-	-
IEC 60706-5	- <sup>1)</sup>	Part 5 - Section 4: Diagnostic testing	-	-
IEC 60812	_ 1)	Analysis techniques for system reliability - Procedure for failure mode and effects analysis (FMEA)	HD 485 S1	1987 <sup>2)</sup>
IEC 61025	_ 1)	Fault tree analysis (FTA)	HD 617 S1	1992 <sup>2)</sup>
IEC 61649	_ 1)	Goodness-of-fit tests, confidence intervals and lower confidence limits for Weibull distributed data	-	-

<sup>&</sup>lt;sup>1)</sup> Undated reference.

<sup>&</sup>lt;sup>2)</sup> Valid edition at date of issue.

SIST EN 60300-3-14:2005

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 60300-3-14:2005</u> https://standards.iteh.ai/catalog/standards/sist/72745bdc-d1d1-412b-8a64-61230cfl 5ce7/sist-en-60300-3-14-2005



# NORME INTERNATIONALE INTERNATIONAL STANDARD

# CEI IEC 60300-3-14

Première édition First edition 2004-03

Gestion de la sûreté de fonctionnement -

Partie 3-14: Guide d'application – Maintenance et support de maintenance iTeh STANDARD PREVIEW

Dependability management -

Part 3-14:IST EN 60300-3-14:2005 https://sndards.itch.ai/catalog/standards/sist/72745bdc-d1d1-412b-8a64-Application guide 012:30cm 5cc 9:sist-en-60300-3-14-2005 Maintenance and maintenance support

© IEC 2004 Droits de reproduction réservés — Copyright - all rights reserved

Aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'éditeur. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale International Electrotechnical Commission Международная Электротехническая Комиссия





Pour prix, voir catalogue en vigueur For price, see current catalogue

### CONTENTS

FO	REWO	DRD		7	
INT	ROD	JCTION	۱	11	
1	Scop	e		13	
2			eferences		
3			itions and acronyms		
0	3.1		and definitions		
4	3.2 Main	-	yms e and maintenance support overview		
4					
	4.1	•	cle aspects		
		4.1.1	General		
		4.1.2	Scenarios for maintenance and maintenance support		
		4.1.3	Concept and definition phase		
		4.1.4 4.1.5	Design and development phase		
		4.1.5	Manufacturing phase		
		4.1.0	Installation phase		
		4.1.7	Operation and maintenance phase Disposatonase T.A.N.D.A.R.D. P.R.F.V.I.F.W.		
	4.2		Disposal pliase		
	4.2		ption of maintenance General		
		4.2.1			
		4.2.2	Maintenance policy and concept SIST EN 60300-3-14:2005 Indenture levels		
		4.2.3	https://standards.iteh.a/catalog/standards/sist/72745bdc-d1d1-412b-8a64- Maintenance echelons.c7/sist-cn-60300-3-14-2005		
		4.2.4	Preventive and corrective maintenance		
	4.3		ption of maintenance support		
5					
5	Management responsibility				
	5.1 5.2		jement commitment		
	<ul><li>5.3 Maintenance policy</li><li>5.4 Planning of maintenance and maintenance support</li></ul>				
	5.4 5.5				
e	5.5 Main		nsibility, authority and communication		
6			e process implementation		
	6.1		al		
	6.2		enance management		
	6.3		enance and maintenance support planning		
		6.3.1	General		
		6.3.2	Determination of maintenance support		
		6.3.3	Maintenance task identification		
		6.3.4	Maintenance task analysis		
	<b>.</b> .	6.3.5	Identification of maintenance support resources		
	6.4 Maintenance preparation				
	6.5	Mainte	enance execution	49	

#### 60300-3-14 © IEC:2004 - 5 -

7	Resource management51			
	7.1	Provisi	on of resources	51
	7.2	Human	resources	51
		7.2.1	General	51
		7.2.2	Training	53
	7.3	Infrasti	ructure	53
		7.3.1	General	53
		7.3.2	Support equipment	53
		7.3.3	Built-in test equipment (BITE)	57
		7.3.4	Maintenance facilities	59
		7.3.5	Administration and technical facilities	59
		7.3.6	Computerized maintenance information systems	61
	7.4	Informa	ation resources	61
		7.4.1	General	61
		7.4.2	Documentation	61
		7.4.3	Maintenance information	67
	7.5	Materia	als and spare parts	69
		7.5.1	General	69
		7.5.2	Spare parts quantification	
		7.5.3	Spare parts identification it, analysis and improvement RD PREVIEW	73
8	Meas			
	8.1	Genera	al(standards.iteh.ai)	75
	8.2	Monito	ring and measurement	
		8.2.1	General <u>SIST-EN 60300-3-14:2005</u>	75
		8.2.2	Customert-related imeasurement/sist/72745bdc-d1d1-412b-8a64	
		8.2.3	Maintenance-related measurement0-3-14-2005	
	8.3	Mainte	nance assessment	77
	8.4		nance improvement	
	8.5	Modific	cations	79
	_			
Anr	nex A	(informa	ative) Factors affecting maintenance and maintenance support	83
A.1	Ger	neral		83
A.2	Арр	olication	to complex systems	83
A.3	Fac	tors du	ring the design phase	85
A.4	Fac	tors du	ring the operation and maintenance phase	87
Bib	liograp	ohy		91
		-		
Fig	ure 1 -	- Mainte	enance and maintenance support during the life cycle	23
Fig	ure 2 -	– Interre	elationship of maintenance terms	31
Fig	ure 3 -	- Types	of maintenance tasks	
Fig	ure 4 -	- Mainte	enance processes	
			enance and maintenance support planning process	
-			parts provisioning process	

#### – 7 –

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

#### DEPENDABILITY MANAGEMENT -

#### Part 3-14: Application guide – Maintenance and maintenance support

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
  https://standards.iteh.ai/catalog/standards/sist/72745bdc-d1d1-412b-8a64-
- https://standards.iteh.ai/catalog/standards/sist/72745bdc-d1d1-412b-8a64 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60300-3-14 has been prepared by IEC technical committee 56: Dependability.

This bilingual version (2004-07) replaces the English version.

This first edition of IEC 60300-3-14 cancels and replaces IEC 60706-4, and provides a more general approach to maintenance and maintenance support.

The text of this standard is based on the following documents:

FDIS	Report on voting
56/929/FDIS	56/940/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

60300-3-14 © IEC:2004

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 60300-3-14:2005</u> https://standards.iteh.ai/catalog/standards/sist/72745bdc-d1d1-412b-8a64-61230cfl 5ce7/sist-en-60300-3-14-2005

#### – 11 –

#### INTRODUCTION

The provision of maintenance and maintenance support is a key element in ensuring the dependability of items (products, equipment and systems) throughout their life cycle. Proper functionality, capability and dependability performance are achieved by providing the necessary maintenance and maintenance support in conjunction with appropriate design, quality manufacturing, and sound operating practices.

The amount and type of maintenance and maintenance support depends on customer needs, the nature of the item, its condition, required availability and other factors. As these factors change, especially during the operation and maintenance phase, maintenance and maintenance support may need to be adjusted.

A number of different functions, such as maintenance management and asset management, include maintenance and maintenance support. This standard does not preclude their use, but does indicate what should be addressed under these headings.

Inadequate, excessive or incorrect maintenance can cause failures, which may significantly reduce the availability of items and result in greatly increased cost due to loss of performance and possible secondary damage. The reduced availability often produces operational penalties and a consequent loss of revenue, which can be significantly greater than the cost of maintenance or even the cost of the original failure. Safety may also be affected and in some industries this may be the most important consideration.

This standard provides a more general approach to maintenance and maintenance support than used in integrated logistic support (ILS) ILS is a method by which all logistic support services are considered and provided for customers as an integral part of product development. This standard addresses the case for complex systems where maintenance and maintenance support need to be adjusted to specific situations during both the design phase and the operation and maintenance/phasestandards/sit/72745bdc-d1d1-412b-8a64-

61230cf15ce7/sist-en-60300-3-14-2005

60300-3-14 © IEC:2004

#### – 13 –

#### DEPENDABILITY MANAGEMENT -

#### Part 3-14: Application guide – Maintenance and maintenance support

#### 1 Scope

This part of IEC 60300 describes a framework for maintenance and maintenance support and the various minimal common practices that should be undertaken. The purpose of this standard is to outline, in a generic manner, management, processes and techniques related to maintenance and maintenance support that are necessary to achieve adequate dependability to meet the operational needs of the customer.

NOTE 1 Maintenance and maintenance support are a major element of dependability as described in IEC 60300-1 and IEC 60300-2.

In some cases, regulatory and other mandatory requirements need to be considered. Maintenance and maintenance support requirements and obligations may therefore need to be specified in a contract, which cites this standard.

This standard is intended for use by a wide range of suppliers, maintenance support organizations and users and can be applied to all items.

This standard is applicable to items, which include all types of products, equipment and systems (hardware and associated software). Most of these require a certain level of maintenance to ensure that their required functionality)5 dependability, capability, economic, safety and regulatory requirements are achieved s/sist/72745bdc-d1d1-412b-8a64-

61230cf15cc7/sist-en-60300-3-14-2005 NOTE 2 For consistency, this standard will use the term "item" as defined in 3.1.5, except where the context requires otherwise.

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60300-1:2003, Dependability management – Part 1: Dependability management systems

IEC 60300-2:2004, Dependability management – Part 2: Guidelines for dependability management

IEC 60300-3-2, Dependability management – Part 3: Application guide – Section 2: Collection of dependability data from the field

IEC 60300-3-3, Dependability management – Part 3: Application guide – Section 3: Life cycle costing

IEC 60300-3-10, Dependability management – Part 3-10: Application guide – Maintainability

60300-3-14 © IEC:2004

IEC 60300-3-11, Dependability management – Part 3-11: Application guide – Reliability centred maintenance

IEC 60300-3-12, Dependability management – Part 3-12: Application guide – Integrated logistic support

IEC 60706-3, Guide on maintainability of equipment – Part 3: Sections Six and Seven – Verification and collection, analysis and presentation of data

IEC 60706-5, Guide on maintainability of equipment – Part 5: Section 4: Diagnostic testing

IEC 60812, Analysis techniques for system reliability – Procedure for failure mode and effects analysis (FMEA)

IEC 61025, Fault tree analysis (FTA)

IEC 61649, Goodness-of-fit tests, confidence intervals and lower confidence limits for Weibull distributed data

#### 3 Terms, definitions and acronyms

### 3.1

Terms and definitions STANDARD PREVIEW For the purposes of this document the following definitions apply.

#### (standards.iten.ai)

#### 3.1.1

corrective maintenance SIST EN 60300-3-14:2005

maintenance carried out after, fault/recognition and/intended to put-and tem into a state in which it can perform a required function ce7/sist-en-60300-3-14-2005

NOTE In French, the term "dépannage" sometimes implies a provisional restoration.

[IEV 191-07-08:1990]

## 3.1.2

#### dependability

collective term used to describe the availability performance and its influencing factors: reliability performance, maintainability performance and maintenance support performance

NOTE Dependability is used only for general descriptions in non-quantitative terms.

[IEV 191-02-03:1990]

#### 3.1.3 indenture level

level of subdivision of an item from the point of view of a maintenance action

NOTE 1 Examples of indenture levels could be a subsystem, a circuit board, a component.

NOTE 2 The indenture level depends on the complexity of the item's construction, the accessibility to subitems, skill level of maintenance personnel, test equipment facilities, safety considerations, etc.

[IEV 191-07-05:1990]

#### 3.1.4 integrated logistic support ILS

management method by which all the logistic support services required by a customer can be brought together in a structured way and in harmony with a product

#### 3.1.5

#### item

any part, component, device, subsystem, functional unit, equipment or system that can be individually considered

NOTE 1 An item may consist of hardware, software or both, and may also, in particular cases, include people.

NOTE 2 In French the term "entité" is preferred to the term "dispositif" due to its more general meaning. The term "dispositif" is also the common equivalent to the English term "device".

NOTE 3 In French the term "individu" is used mainly in statistics.

NOTE 4 A number of items, e.g. a population of items or a sample, may itself be considered as an item.

[IEV 191-01-01:1990]

#### 3.1.6

#### level of maintenance

set of maintenance actions to be carried out at a specified indenture level

NOTE Examples of a maintenance action are replacing a component, a printed circuit board, a subsystem, etc.

## [IEV 191-07-06:1990] iTeh STANDARD PREVIEW

#### 3.1.7

# (standards.iteh.ai)

maintainability (performance) ability of an item under given conditions of use, to be retained in, or restored to, a state in which it can perform a required function, when maintenance is performed under given conditions and using stated procedures and resources

NOTE The term "maintainability" is also used as a measure of maintainability performance (see 191-13-01).

[IEV 191-02-07:1990]

#### 3.1.8

#### maintenance

combination of all technical and administrative actions, including supervision actions, intended to retain an item in, or restore it to, a state in which it can perform a required function

[IEV 191-07-01:1990]

#### 3.1.9

#### maintenance action

maintenance task sequence of elementary maintenance activities carried out for a given purpose

NOTE Examples are fault diagnosis, fault localization, function check-out, or combinations thereof.

[IEV 191-07-18:1990]

#### 3.1.10

#### maintenance concept

interrelationship between the maintenance echelons, the indenture levels and the levels of maintenance to be applied for the maintenance of an item