



SLOVENSKI STANDARD SIST EN ISO 14310:2004

01-maj-2004

Petroleum and natural gas industries - Downhole equipment - Packers and bridge plugs (ISO 14310:2001)

Petroleum and natural gas industries - Downhole equipment - Packers and bridge plugs (ISO 14310:2001)

Erdöl- und Erdgasindustrie - Bohrloch-Ausrüstung - Packer und Brückenstopfen (ISO 14310:2001)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Industries du pétrole et du gaz naturel - Equipement de fond de trou - Garnitures d'étanchéité (packers) et bouchons mécaniques d'isolation de fond (ISO 14310:2001)

<https://standards.iteh.ai/catalog/standards/sist/37e89c7c-4b9e-4293-9ddf-6257ff8fed92/sist-en-iso-14310-2004>

Ta slovenski standard je istoveten z: EN ISO 14310:2001

ICS:

| | | |
|-----------|---------------------------------------|--------------------------------------|
| 75.180.10 | Oprema za raziskovanje in odkopavanje | Exploratory and extraction equipment |
|-----------|---------------------------------------|--------------------------------------|

SIST EN ISO 14310:2004

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 14310:2004](#)

<https://standards.iteh.ai/catalog/standards/sist/37e89c7c-4b9e-4293-9ddf-6257ff8fed92/sist-en-iso-14310-2004>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 14310

December 2001

ICS 75.180.10

English version

Petroleum and natural gas industries - Downhole equipment -
Packers and bridge plugs (ISO 14310:2001)

Industries du pétrole et du gaz naturel - Equipement de
fond de trou - Garnitures d'étanchéité (packers) et
bouchons mécaniques d'isolation de fond (ISO
14310:2001)

This European Standard was approved by CEN on 1 December 2001.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

(standards.iteh.ai)

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

[SIST EN ISO 14310:2004](https://standards.iteh.ai/catalog/standards/sist/37e89c7c-4b9e-4293-9ddf-6257f8fed92/sist-en-iso-14310-2004)

<https://standards.iteh.ai/catalog/standards/sist/37e89c7c-4b9e-4293-9ddf-6257f8fed92/sist-en-iso-14310-2004>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

EN ISO 14310:2001 (E)**Foreword**

The text of the International Standard ISO 14310:2001 has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum and natural gas industries" in collaboration with Technical Committee CEN/TC 12 "Materials, equipment and offshore structures for petroleum and natural gas industries", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2002, and conflicting national standards shall be withdrawn at the latest by June 2002.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

NOTE FROM CMC: The foreword is susceptible to be amended on reception of the German language version. The confirmed or amended foreword, and when appropriate, the normative annex ZA for the references to international publications with their relevant European publications will be circulated with the German version.

[SIST EN ISO 14310:2004](https://standards.iteh.ai/catalog/standards/sist/37e89c7c-4b9e-4293-9ddf-6257ff8fed92/sist-en-iso-14310-2004)

<https://standards.iteh.ai/catalog/standards/sist/37e89c7c-4b9e-4293-9ddf-6257ff8fed92/sist-en-iso-14310-2004>

Endorsement notice

The text of the International Standard ISO 14310:2001 was approved by CEN as a European Standard without any modification.

INTERNATIONAL STANDARD

ISO 14310

First edition
2001-12-01

Petroleum and natural gas industries — Downhole equipment — Packers and bridge plugs

*Industries du pétrole et du gaz naturel — Équipement de fond de trou —
Garnitures d'étanchéité (packers) et bouchons mécaniques d'isolation de
fond*

iTeh **STANDARD PREVIEW**
(standards.iteh.ai)

[SIST EN ISO 14310:2004](https://standards.iteh.ai/catalog/standards/sist/37e89c7c-4b9e-4293-9ddf-6257ff8fed92/sist-en-iso-14310-2004)

<https://standards.iteh.ai/catalog/standards/sist/37e89c7c-4b9e-4293-9ddf-6257ff8fed92/sist-en-iso-14310-2004>



Reference number
ISO 14310:2001(E)

© ISO 2001

ISO 14310:2001(E)**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 14310:2004](https://standards.iteh.ai/catalog/standards/sist/37e89c7c-4b9e-4293-9ddf-6257ff8fed92/sist-en-iso-14310-2004)

<https://standards.iteh.ai/catalog/standards/sist/37e89c7c-4b9e-4293-9ddf-6257ff8fed92/sist-en-iso-14310-2004>

© ISO 2001

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Contents

| | Page |
|---|------|
| Foreword..... | iv |
| Introduction..... | v |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 1 |
| 4 Abbreviated terms | 5 |
| 5 Functional specification..... | 5 |
| 5.1 General..... | 5 |
| 5.2 Functional characteristics | 5 |
| 5.3 Well parameters | 5 |
| 5.4 Operational parameters | 6 |
| 5.5 Environmental compatibility | 6 |
| 5.6 Well equipment compatibility..... | 6 |
| 5.7 Quality control | 7 |
| 5.8 Design validation | 7 |
| 6 Technical specification..... | 7 |
| 6.1 General..... | 7 |
| 6.2 Technical characteristics..... | 7 |
| 6.3 Design criteria..... | 7 |
| 6.4 Design verification..... | 9 |
| 6.5 Design validation..... | 10 |
| 6.6 Design changes..... | 14 |
| 6.7 Functional test parameters..... | 15 |
| 6.8 Other validations | 15 |
| 7 Supplier/manufacturer requirements | 15 |
| 7.1 Data control..... | 15 |
| 7.2 Documentation requirements..... | 15 |
| 7.3 Product identification..... | 16 |
| 7.4 Quality control | 17 |
| 7.5 Functional test | 21 |
| 8 Repair..... | 21 |
| Annex A (normative) Special validation grade with acceptance criterion of zero bubbles (V0) | 22 |
| Bibliography..... | 23 |

ISO 14310:2001(E)**Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 14310 was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum and natural gas industries*, Subcommittee SC 4, *Drilling and production equipment*.

Annex A forms a normative part of this International Standard.

ITIH STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 14310:2004](https://standards.iteh.ai/catalog/standards/sist/37e89c7c-4b9e-4293-9ddf-6257ff8fed92/sist-en-iso-14310-2004)

<https://standards.iteh.ai/catalog/standards/sist/37e89c7c-4b9e-4293-9ddf-6257ff8fed92/sist-en-iso-14310-2004>

Introduction

This International Standard has been developed by users/purchasers and suppliers/manufacturers of packers and bridge plugs intended for use in the petroleum and natural gas industry worldwide. This International Standard is intended to give requirements and information to both parties in the selection, manufacture, testing and use of packers and bridge plugs. Further, this International Standard addresses supplier/manufacturer requirements which set the minimum parameters with which suppliers/manufacturers shall comply to claim conformity with this International Standard.

This International Standard has been structured with grades of increased requirements both in quality control and design validation. These variations allow the user/purchaser to select the grade required for a specific application.

The three quality control grades provide the user/purchaser the choice of requirements to meet a specific preference or application. Quality control grade Q3 is the minimum grade of quality offered by this product standard. Quality control grade Q2 provides additional inspection and verification steps, and quality control grade Q1 is the highest grade provided. Additional quality upgrades can be specified by the user/purchaser as supplemental requirements.

Six standard design validation grades (V1 to V6) and one special design validation grade (V0) provide the user/purchaser the choice of requirements to meet a specific preference or application. Design validation grade V6 is the minimum grade and represents equipment where the validation method has been defined by the supplier/manufacturer. The complexity and severity of the validation testing increases as the grade number decreases.

Design validation grade V6 and quality control grade Q3 represent equipment designed and manufactured consistent with minimum industry practice. These grades are sufficient for a number of applications; however, some applications could require and justify the higher grades of quality control and design validation defined by this International Standard.

Users of this International Standard should be aware that requirements above those outlined in this International Standard may be needed for individual applications. This International Standard is not intended to inhibit a supplier/manufacturer from offering, or the user/purchaser from accepting, alternative equipment or engineering solutions. This may be particularly applicable where there is innovative or developing technology. Where an alternative is offered, the supplier/manufacturer should identify any variations from this International Standard and provide details.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 14310:2004](#)

<https://standards.iteh.ai/catalog/standards/sist/37e89c7c-4b9e-4293-9ddf-6257ff8fed92/sist-en-iso-14310-2004>

Petroleum and natural gas industries — Downhole equipment — Packers and bridge plugs

1 Scope

This International Standard provides requirements for packers and bridge plugs for use in the petroleum and natural gas industry. Application of this International Standard is limited to those products meeting the definition of a packer or bridge plug intended for petroleum and natural gas industry subsurface operations.

This International Standard applies only to product applications within a conduit. Installation and maintenance of these products is outside the scope of this International Standard.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this International Standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 2859-1:1999, *Sampling procedures for inspection by attributes — Part 1: Sampling plans indexed by acceptable quality limit (AQL) for lot-by-lot inspection*

ISO 3601-1, *Fluid power systems — O-rings — Part 1: Inside diameters, cross sections, tolerances and size identification code*

ISO 3601-3, *Fluid power systems — O-rings — Part 3: Quality acceptance criteria*

ISO 9000:2000, *Quality management systems — Fundamentals and vocabulary*

ISO 11960, *Petroleum and natural gas industries — Steel pipes for use as casing or tubing for wells*

NACE MR0175, *Sulfide Stress Cracking Resistant Metallic Materials for Oilfield Equipment*

3 Terms and definitions

For the purposes of this International Standard, the following terms and definitions apply. Quality control terms not defined herein are defined in ISO 9000.

3.1

assembly

product comprised of more than one component

3.2

bridge plug

mechanical device installed in and used for blocking fluid (liquid or gas) communication in the conduit and not installed in a designed receptacle

3.3

casing

pipe extending from the surface and intended to line the walls of a drilled well

ISO 14310:2001(E)**3.4****casing size**

nominal casing OD as specified in ISO 11960

3.5**component**

individual part of an assembly

3.6**conduit**

casing, tubing or liner, either metallic or non-metallic

3.7**design validation**

process of proving the packer or bridge plug design by a test to demonstrate conformance of the product to one of the design validation grades.

NOTE Six standard design validation grades (V6 to V1) are specified in 6.5 and one special design validation grade (V0) specified in annex A.

3.8**design verification**

activities performed at appropriate stages of process output which ensure that the end product conforms to the supplier's/manufacturer's technical specification

NOTE These activities are described in 6.4.

3.9**drift diameter**

minimum ID of a packer, expressed as the OD of the drift bar utilized during assembly verification, as outlined in 7.4.11

ITEH STANDARD PREVIEW
(standards.iteh.ai)
[SIST EN ISO 14310:2004](https://standards.iteh.ai/catalog/standards/sist/37e89c7c-4b9e-4293-9ddf-6257ff8fed92/sist-en-iso-14310-2004)
<https://standards.iteh.ai/catalog/standards/sist/37e89c7c-4b9e-4293-9ddf-6257ff8fed92/sist-en-iso-14310-2004>

3.10**end connection**

thread or other mechanism connecting the packer or bridge plug to the conduit

3.11**exposed component**

flow-wetted component, internally wetted component and/or component contacted by well fluid below the packing element

cf. **flow-wetted component** (3.13), **internally wetted component** (3.18)

3.12**extrusion gap**

radial gap between the maximum rated casing ID and the minimum OD immediately adjacent to the packing element

3.13**flow-wetted component**

component that comes in direct contact with the dynamic movement of well fluids in the flow stream

cf. **exposed component** (3.11), **internally wetted component** (3.18)

3.14**gauge OD**

maximum specified product OD