

INTERNATIONAL STANDARD

**Radio frequency and coaxial cable assemblies –
Part 2-1: Sectional specification for flexible coaxial cable assemblies**

(<https://standards.iteh.ai>)

Document Preview

IEC 60966-2-1:2008

<https://standards.iteh.ai/curl/standards/iec/db/21522-4eca-48fa-9a9e-258573573381/iec-60966-2-1-2008>

Withhold



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2008 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch

Tel.: +41 22 919 02 11

Fax: +41 22 919 03 00

IEC 60966-2-1:2008

<https://standards.iso.org/iso/standards/iec/db/21522-4eca-48fa-9a9e-258573573381/iec-60966-2-1-2008>

INTERNATIONAL STANDARD

Radio frequency and coaxial cable assemblies –
Part 2-1: Sectional specification for flexible coaxial cable assemblies

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE


R

ICS 33.120.10

ISBN 978-2-88910-355-3

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 Terms and definitions	5
4 Design and manufacturing requirements.....	6
4.1 Cable design and construction.....	6
4.2 Connector design and construction.....	6
4.3 Outline and interface dimensions.....	6
5 Workmanship, marking and packaging.....	7
6 Quality assessment	8
7 Test methods – General	8
8 Electrical tests.....	8
9 Mechanical robustness tests.....	9
10 Environmental tests.....	9
11 Specialized test methods.....	11
12 Test schedules	11
Figure 1 – Length definition of cable assemblies.....	7
Figure 2 – Example of a cable assembly.....	7
Figure 3 – Preferred arrangement for the vibration test.....	9
Figure 4 – Example production flow chart for a flexible cable assembly	14
Table 1 – Grouping of tests for specification purposes.....	12
Table 2 – Test schedule.....	13
Table 3 – Assignment of CQCs.....	15



<https://standards.iteh.ai/catalog/standards/iec/db/21322-4cca-481a-9a9e-258573573381/iec-60966-2-1-2008>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RADIO FREQUENCY AND COAXIAL CABLE ASSEMBLIES –**Part 2-1: Sectional specification for flexible coaxial cable assemblies**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60966-2-1 has been prepared by IEC technical committee 46: Cables, wires, waveguides, R.F. connectors, R.F. and microwave passive components and accessories.

This third edition cancels and replaces the second edition published in 2003. It constitutes a technical revision.

The major change with respect to the second edition is a better definition of the tests to be performed.

This sectional specification is to be read in conjunction with the second edition of IEC 60966-1 (1999). It contains the same clauses as that of IEC 60966-1 and completes or amends them when required. When a clause of IEC 60966-1 does not appear in this standard, it applies as it is in IEC 60966-1. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

The text of this standard is based on the following documents:

CDV	Report on voting
46/262/CDV	46/295/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

A list of all parts of the IEC 60966 series, under the general title: *Radio frequency and coaxial cable assemblies*, can be found on the IEC website.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

<https://standards.iteh.ai>
Document Preview

IEC 60966-2-1:2008

<https://standards.iteh.ai/catalog/standards/iec/db/21522-4eca-48fa-9a9e-258573573381/iec-60966-2-1-2008>

WITHDRAWN

RADIO FREQUENCY AND COAXIAL CABLE ASSEMBLIES –

Part 2-1: Sectional specification for flexible coaxial cable assemblies

1 Scope

This part of IEC 60966 is a sectional specification that relates to flexible coaxial cable assemblies operating in the transverse electromagnetic mode (TEM). It establishes uniform requirements for testing the electrical, mechanical and climatic properties of flexible cable assemblies composed of flexible coaxial cables and coaxial connectors.

NOTE 1 For the purposes of this sectional specification, a cable assembly is always regarded as an integral unit. All specifications apply to the finished assembly and not to individual and non-assembled parts thereof.

NOTE 2 This sectional specification should be supplemented with detail specifications giving additional details as required by the particular application. This application will not necessarily require all tests.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-6, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60096-2, *Radio-frequency cables – Part 2: Relevant cable specifications*

IEC 60410, *Sampling plans and procedures for inspection by attributes*

IEC 60966-1:1999, *Radio frequency and coaxial cable assemblies – Part 1: Generic specification – General requirements and test methods*

IEC 61169 (all parts), *Radio-frequency connectors*

IEC 61196 (all parts), *Coaxial communication cables*

IEC QC 001002 (all parts), *IEC Quality Assessment System for Electronic Components (IECQ) – Rules of procedure*

ISO 9000, *Quality management systems – Fundamentals and vocabulary*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60966-1 apply.

4 Design and manufacturing requirements

Clause 4 of IEC 60966-1 is applicable except as follows:

Replacement:

4.1 Cable design and construction

Cables should conform to IEC 60096-2 or IEC 61196. Where cable designs deviating from these publications are required, they shall comply with the requirements of the detail specification.

If required, the manufacturer may use additional protective tubing or cable deviating from IEC 61196, in order to comply with the requirements of the detail specification.

The materials used in the cable shall be given as engineering information in the detail specification.

4.2 Connector design and construction

Connectors should conform to IEC 61169. Where connector designs deviating from IEC 61169 are required, the interface should conform to the relevant part of IEC 61169 where available and shall comply with the requirements of the detail specification.


The materials used in the connector shall be given as engineering information in the detail specification.

4.3 Outline and interface dimensions

The outline and interface dimensions shall be in accordance with the detail specification of the cable assembly.

The length, unless otherwise specified in the detail specification, is defined as between the reference planes of the connectors. In case of right angle connectors, the length applies to the axis of the connectors (see Figure 1).

If not indicated in the detail specification, the length tolerance shall be ± 1 % for cables equal to, or longer than, 300 mm and ± 3 mm for cables shorter than 300 mm.



IEC 1761/08

Figure 1 – Length definition of cable assemblies

5 Workmanship, marking and packaging


Clause 5 of IEC 60966-1 is applicable, except as follows.

5.2 Marking

Addition:

Cable assemblies made in accordance with this sectional specification comprise a section of cable and two connectors. When specified in the detail specification, the assembly may additionally include markers for identification of the assembly and interconnecting ends. End caps and other accessories may also be specified (see Figure 2).

NOTE Occasionally, the cable assembly will comprise only a cable and one connector.



IEC 1762/08

^a When specified.

Figure 2 – Example of a cable assembly

6 Quality assessment

Clause 6 of IEC 60966-1 applies.

7 Test methods – General

Clause 7 of IEC 60966-1 applies.

8 Electrical tests

Clause 8 of IEC 60966-1 is applicable except as follows:

8.1.4 Information to be given in the detail specification

Addition:

While the parameter return loss (A_r) is preferred, the reflection factor (r) or the VSWR (voltage standing wave ratio) may be specified

where

$$A_r = -20 \log_{10} |r|$$

and

$$\text{VSWR} = \frac{1 + |r|}{1 - |r|}$$

8.4 Insertion loss stability

Replacement:

8.4.1 Object

To determine the change of insertion loss when the cable assembly is subjected to bending and twisting (separately).

8.4.2 Procedures

8.4.2.1 Bending

The test is to be performed as in 8.6.2.1 of IEC 60966-1 by measurement of the insertion loss (not the phase).

8.4.2.2 Twisting

The test is to be performed as in 8.6.2.2 of IEC 60966-1 by measurement of the insertion loss (not the phase).