



SLOVENSKI STANDARD

SIST EN 300 019-2-6 V3.0.0:2006

01-februar-2006

Okoljski inženiring (EE) – Okoljski pogoji in preskusi vplivov okolja na telekomunikacijsko opremo – 2-6. del: Specifikacija preskusov vplivov okolja – Ladijsko okolje

Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 2-6: Specification of environmental tests; Ship environments

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST EN 300 019-2-6 V3.0.0:2006](#)
<https://standards.iteh.ai/catalog/standards/sist/2d3fb6ae-c473-43a3-89b1-c9aa08f4eda1/sist-en-300-019-2-6-v3-0-0-2006>

Ta slovenski standard je istoveten z: EN 300 019-2-6 Version 3.0.0

ICS:

19.040	Preskušanje v zvezi z okoljem	Environmental testing
33.050.01	Telekomunikacijska terminalska oprema na splošno	Telecommunication terminal equipment in general

SIST EN 300 019-2-6 V3.0.0:2006 en

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 300 019-2-6 V3.0.0:2006

<https://standards.iteh.ai/catalog/standards/sist/2d3fb6ae-c473-43a3-89b1-c9aa08f4eda1/sist-en-300-019-2-6-v3-0-0-2006>

ETSI EN 300 019-2-6 V3.0.0 (2002-12)

European Standard (Telecommunications series)

Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 2-6: Specification of environmental tests; Ship environments

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 019-2-6 V3.0.0:2006](#)

<https://standards.iteh.ai/catalog/standards/sist/2d3fb6ae-c473-43a3-89b1-c9aa08f4eda1/sist-en-300-019-2-6-v3-0-0-2006>



Reference

REN/EE-01034-2-6

Keywords

environment, maritime, testing

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse 06 N° 7303/88

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 300 019-2-6 V3.0.0:2006](#)
<https://standards.iteh.ai/catalog/standards/sist/2d3fb6ae-c473-43a3-89b1-c9aa08f4eda1> [Important notice](#) [SIST EN 300 019-2-6 v3-0-0-2006](#)

Individual copies of the present document can be downloaded from:
<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, send your comment to:
editor@etsi.org

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2002.
All rights reserved.

DECT™, PLUGTESTS™ and UMTS™ are Trade Marks of ETSI registered for the benefit of its Members.
TIPHON™ and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.
3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Contents

Intellectual Property Rights	4
Foreword.....	4
1 Scope	5
2 References	5
3 Environmental test specifications.....	5
3.1 Specification T 6.1: Totally weatherprotected locations	6
3.2 Specification T 6.2: Partly weatherprotected locations	7
3.3 Specification T 6.3: Non-weatherprotected locations.....	9
4 Notes to tables	13
4.1 General note	13
4.2 Notes to tables 1 to 5	13
Annex A (informative): Bibliography.....	16
History	17

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 300 019-2-6 V3.0.0:2006](#)

<https://standards.iteh.ai/catalog/standards/sist/2d3fb6ae-c473-43a3-89b1-c9aa08f4eda1/sist-en-300-019-2-6-v3-0-0-2006>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

All published ETSI deliverables shall include information which directs the reader to the above source of information.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Environmental Engineering (EE).

The present document is part 2, sub-part 6 of a multi-part deliverable covering environmental conditions and environmental tests for telecommunications equipment, as identified below:

Part 1: "Classification of environmental conditions";

Part 2: "Specification of environmental tests";

Sub-part 0: "Introduction";

Sub-part 1: "Storage"; **iTeh STANDARD PREVIEW**

Sub-part 2: "Transportation" (**standards.iteh.ai**)

Sub-part 3: "Stationary use at weatherprotected locations"; **SIST EN 300 019-2-6 V3.0.0:2006**

Sub-part 4: "Stationary use at non-weatherprotected locations"; **c473-43a3-89b1-c9aa08f4eda1/sist-en-300-019-2-6-v3-0-0-2006**

Sub-part 5: "Ground vehicle installations";

Sub-part 6: "Ship environments";

Sub-part 7: "Portable and non-stationary use";

Sub-part 8: "Stationary use at underground locations".

Part 1 specifies different standardized environmental classes covering climatic and biological conditions, chemically and mechanically active substances and mechanical conditions during storage, transportation and in use.

Part 2 specifies the recommended test severities and test methods for the different environmental classes.

Part 2-0 forms a general overview of part 2. The present document deals with ship environments.

National transposition dates	
Date of adoption of this EN:	29 November 2002
Date of latest announcement of this EN (doa):	28 February 2003
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 August 2003
Date of withdrawal of any conflicting National Standard (dow):	31 August 2003

1 Scope

The present document specifies test severities and methods for the verification of the required resistibility of equipment according to the relevant environmental class.

The tests defined in the present document apply to the use of telecommunication equipment installed permanently or temporarily in ships and cover the environments and the vessels stated in EN 300 019-1-6 [1].

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication and/or edition number or version number) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

- [1] ETSI EN 300 019-1-6: "Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 1-6: Classification of environmental conditions; Ship environments".
*(iteh STANDARDS PREVIEW
standards.iteh.ai)*
- [2] IEC 60068-2 (all parts): "Environmental testing - Part 2: Tests".
- [3] ETSI ETS 300 019-2-0: "Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 2-0: Specification of environmental tests; Introduction".
*SIST EN 300 019-2-6 V3.0.0:2006
https://standards.iteh.ai/catalog/standards/sist/d3fbbae-6c13-3a3c-89b1-09a08f4eda1/sist-en-300-019-2-6-v3-0-0-2006*

3 Environmental test specifications

The detailed descriptions of the environmental conditions are given in clauses 4 and 5 of EN 300 019-1-6 [1].

ETS 300 019-2-0 [3] forms a general overview of part 2 of the present document.

The equipment under test is assumed to be in its operational state throughout the test conditions described in this part unless otherwise stated. The required performance before, during and after the test needs to be specified in the product specification. Input and load conditions of the equipment shall be chosen to obtain full utilization of the equipment under test. The heat dissipation shall be maximized, except for the steady state, low temperature test, where it shall be minimized.

3.1 Specification T 6.1: Totally weatherprotected locations

This specification applies to a totally weatherprotected use in ships excluding Warm Damp and Warm Damp Equable climates, see tables 1 and 4.

Table 1: Test specification T 6.1: Totally weatherprotected locations - climatic tests

Environmental parameter			Environmental Class 6.1	Environmental test specification T6.1: Ship, totally weatherprotected locations				
Type	Parameter	Detail parameter		Characteristic severity	Test severity	Duration	Reference	Method
Air temperature	low	(°C)	+5	+5	16 h	IEC 60068-2-1 [2]	Ab/Ad: Cold	1
	high	(°C)	+40	+40	16 h	IEC 60068-2-2 [2]	Bb/Bd: Dry heat	2
	change	air/water (°C)	no					
	surface	high (°C)	no					
Humidity	relative	low (%)	10	none				6
		high; slow temperature change (%) (°C)	95 +30	93 +30	96 h	IEC 60068-2-56 [2]	Cb: Damp heat steady state	7
		high; rapid temperature change (°C)	no					
	absolute	high; rapid temperature change (g/m³) (°C)	no					
Air	speed	(m/s)	no					
Water	temperature	high (°C)	+30	none				6
		low (°C)	no					
	rain	intensity (mm/min) volume (m³/min) pressure (kPa)	no					
	other sources	velocity (m/s)	no					
Radiation	solar	(W/m²)	no					
	heat	(W/m²)	no					
Chemically active substances	sulphur	SO₂ (mg/m³)	0,1	none				15
		H₂S (mg/m³)	0,01	none				15
	chlorine	sea salts	negligible					
		HCl (mg/m³)	0,1	none				15
	nitrogen	NOx (mg/m³)	0,1	none				15
		NH₃ (mg/m³)	0,3	none				15
	hydrogen fluoride	HF (mg/m³)	0,003	none				15
	ozone	O₃ (mg/m³)	0,01	none				15

STANDARDS
STANDARD
VIEW

https://standards.etsi.org/standards/sist-en-300-019-2-6-v3.0.0-2006-c-9-a-08-f4-daf1/sist-en-300-019-2-6-v3.0.0-2006

Environmental parameter			Environmental Class 6.1	Environmental test specification T6.1: Ship, totally weatherprotected locations				
Type	Parameter	Detail parameter	Characteristic severity	Test severity	Duration	Reference	Method	Notes
Mechanically active substances	dust	sedimentation	negligible					
	sand in air		no					
	soot deposit		no					
Flora and Fauna	micro organisms		negligible					
	rodents, insects		negligible					
no: This condition does not occur in this class.								
none: Verification is required only in special cases.								
NOTES: Number of note, see clause 4.2.								

3.2 Specification T 6.2: Partly weatherprotected locations

This specification applies to use in ships excluding Cold Climate and extreme weather conditions, see tables 2, 4 and 5.

Table 2: Test specification T 6.2: Partly weatherprotected locations - climatic tests

Environmental parameter			Environmental Class 6.2	Environmental test specification T6.2: Ship, partly weatherprotected locations				
Type	Parameter	Detail parameter	Characteristic severity	Test severity	Duration	Reference	Method	Notes
Air temperature	low	(°C)	-25	-25	16 h	IEC 60068-2-1 [2]	Ab/Ad: Cold	1
	high	(°C)	+70	+70 or +85	16 h	IEC 60068-2-2 [2]	Bb/Bd: Dry heat	2
	change	gradual	(°C) (°C/min) 3	-25/+40 -25/+40 3	5 cycles $t_1 = 3 \text{ h}$	IEC 60068-2-14 [2]	Nb: Change of temperature	3
	change	air/water	(°C)	+40/+5	none			4
	surface	high	(°C)	+70	none			5
Humidity	relative	low	(%)	10	none			6
		high;	(%)	95	93	96 h	IEC 60068-2-56 [2]	7
		slow temperature change	(°C)	+45	+40			8
	absolute	high;	(%)	95	none			9
		rapid temperature change	(°C)	+25/+35				
Air	speed	(m/s)	30	none				6
Water	temperature	high	(°C)	+35	none			6
		low	(°C)	freezing point	none			10
	rain	intensity	(mm/min)	6				11
		volume pressure	(m ³ /min) (kPa)	0,01 90	1 min/m ² or 5 min	IEC 60068-2-18 [2]	Rb: Impacting water method 1.2	
	other sources	velocity	(m/s)	3	none			12
	wetness			wet surfaces	none			13