SLOVENSKI STANDARD

SIST EN 62044-2:2005

december 2005

Jedra iz mehkomagnetnih materialov – Merilne metode – 2. del: Magnetne lastnosti pri šibkem vzbujanju (IEC 62044-2:2005)

Cores made of soft magnetic materials – Measuring methods – Part 2: Magnetic properties at low excitation level (IEC 62044-2:2005)

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 62044-2:2005</u> https://standards.iteh.ai/catalog/standards/sist/bce40650-ad88-4ea8-8381-7143d41f6aeb/sist-en-62044-2-2005

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 62044-2:2005

https://standards.iteh.ai/catalog/standards/sist/bce40650-ad88-4ea8-8381-7143d41f6aeb/sist-en-62044-2-2005

EUROPEAN STANDARD

EN 62044-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2005

ICS 29.100.10

English version

Cores made of soft magnetic materials – Measuring methods Part 2: Magnetic properties at low excitation level (IEC 62044-2:2005)

Noyaux en matériaux magnétiques doux -Méthodes de mesure Partie 2: Propriétés magnétiques à niveau d'excitation faible (CEI 62044-2:2005) Kerne aus weichmagnetischen Materialien -Messverfahren Teil 2: Messungen der magnetischen Eigenschaften im Signalapplikationsbereich (IEC 62044-2:2005)

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 62044-2:2005

https://standards.iteh.ai/catalog/standards/sist/bce40650-ad88-4ea8-8381This European Standard was approved by CENELEC on 2005-04-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 51/804/FDIS, future edition 1 of IEC 62044-2, prepared by IEC TC 51, Magnetic components and ferrite materials, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 62044-2 on 2005-04-01.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2006-01-01

 latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2008-04-01

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 62044-2:2005 was approved by CENELEC as a European Standard without any modification.

(standards.iteh.ai)

<u>SIST EN 62044-2:2005</u> https://standards.iteh.ai/catalog/standards/sist/bce40650-ad88-4ea8-8381-7143d41f6aeb/sist-en-62044-2-2005

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE Where an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60205	- 1)	Calculation of the effective parameters of magnetic piece parts	EN 60205	2001 2)
IEC 60401-3	2003	Terms and nomenclature for cores made of magnetically soft ferrites Part 3: Guidelines on the format of data appearing in manufacturers' catalogues of transformer and inductor cores	EN 60401-3	2003
IEC 62044-1	2002	Cores made of soft magnetic materials - R Measuring methods Part (Generic specification h ai)	Ē Ň 62044-1	2002

SIST EN 62044-2:2005

https://standards.iteh.ai/catalog/standards/sist/bce40650-ad88-4ea8-8381-7143d41f6aeb/sist-en-62044-2-2005

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 62044-2:2005

https://standards.iteh.ai/catalog/standards/sist/bce40650-ad88-4ea8-8381-7143d41f6aeb/sist-en-62044-2-2005

NORME INTERNATIONALE INTERNATIONAL **STANDARD**

CEI **IEC** 62044-2

> Première édition First edition 2005-03

Noyaux en matériaux magnétiques doux -Méthodes de mesure -

Partie 2:

Propriétés magnétiques à niveau rd'excitation faibleD PREVIEW

(standards.iteh.ai)

Cores made of soft magnetic materials -Measuring methods— standards field allow standards/sist/bce40650-ad88-4ea8-8381-

7143d41f6aeb/sist-en-62044-2-2005

Magnetic properties at low excitation level

© IEC 2005 Droits de reproduction réservés — Copyright - all rights reserved

Aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'éditeur.

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



CODE PRIX PRICE CODE



CONTENTS

FO	REWORD	7
1	Scope and object	11
2	Normative references	11
3	Definitions	11
4	Symbols	
5	Environmental conditions	
6	General precautions for methods involving permeability measurements	
	6.1 Parameters involved	
	6.2 Mounting of cores consisting of more than one part	
7	General precautions for loss measurement at low flux density	
	7.1 Contributory losses	17
	7.2 Mounting	
8	Magnetic conditioning	19
9	Inductance measurement	21
	9.1 General	21
	 9.2 Determination of the test signal	21
	9.3 Determination of the test coil	23
	9.4 Considerations for core alignment during testh	
	9.5 Measurement of inductance under the influence of d.c. magnetic field	
	9.6 Parameters related to core geometry 0.44-2:2005.	
	9.7 Magnetic material parameters log/standards/sist/bce40650-ad88-4ea8-8381- Disaccommodation 7143d41f6aeb/sist-en-62044-2-2005	33
10		
11	Temperature coefficient of permeability	
	11.1 Specimens	
40	11.2 Measuring procedure	
12	Losses at low flux density	
	12.1 Object	
	12.2 Measuring coil	
	12.4 Measurement of the hysteresis loss	
13	Total harmonic distortion	
10	13.1 Specimen	
	13.2 Measuring instrument and circuit	
	13.3 Measuring procedure	
	13.4 A_{\parallel} value and winding conditions for $THD_{\sf F}$ measurement	
	13.5 Material characteristics – <i>THD</i> _F	
14	·	
15	Normalized impedance, parallel conductivity, and insertion loss	49
	15.1 General	
	15.2 Measuring procedure	
	15.3 Normalized impedance	
	15.4 Parallel conductivity	51

Annex A (informative) Disaccommodation	53
Annex B (informative) Measurement conditions for THD testing	57
Figure 1 – Pictorial representation of the effect of self-resonant frequency on the value of measured inductance	23
Figure 2 – <i>THD</i> _F measuring circuit	
Figure 3 – Curie temperature	49
Figure B.1 – Flux density as a function of number of turns	57
Figure B.2 – Circuit correction factor (CCF) as a function of number of turns	61
Table 1 – Relationship of test turns to magnetic structure, test frequency and inductance factor $A_{\rm L}$	25
Table 2 – Specimen of A_L value and winding conditions for THD_F measurement	

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 62044-2:2005

https://standards.iteh.ai/catalog/standards/sist/bce40650-ad88-4ea8-8381-7143d41f6aeb/sist-en-62044-2-2005

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CORES MADE OF SOFT MAGNETIC MATERIALS – MEASURING METHODS –

Part 2: Magnetic properties at low excitation level

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in the transparently to the maximum extent possible in national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- https://standards.itch.ai/catalog/standards/sist/bcc40650-ad88-4ea8-8381
 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62044-2 has been prepared by IEC technical committee 51: Magnetic components and ferrite materials.

The text of this standard is based on the following documents:

FDIS	Report on voting
51/804/FDIS	51/816/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 62044 consists of the following parts, under the general title *Cores made of soft magnetic materials – Measuring methods:*

Part 1: Generic specification

Part 2: Magnetic properties at low excitation level

Part 3: Magnetic properties at high excitation level

This standard, together with IEC 62044-1 (2002) and IEC 62044-3 (2000), cancels and replaces IEC 60367-1 (1982), its amendment 1 (1984), its amendment 2 (1992), IEC 60367-2 (1974), its amendment 1 (1983) and IEC 60367-2A (1976).

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- · amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 62044-2:2005</u> https://standards.iteh.ai/catalog/standards/sist/bce40650-ad88-4ea8-8381-7143d41f6aeb/sist-en-62044-2-2005

CORES MADE OF SOFT MAGNETIC MATERIALS – MEASURING METHODS –

Part 2: Magnetic properties at low excitation level

1 Scope and object

This part of IEC 62044 applies to magnetic cores, mainly made of magnetic oxides or metallic powders, used at low excitation level in inductors and transformers for telecommunication equipment and electronic devices employing similar techniques.

Some of the methods described in this part of IEC 62044 may also be suitable for magnetic cores used in other components.

This part of IEC 62044 gives guidance for the drafting of those parts of specifications for magnetic cores that are concerned with measuring methods for magnetic and electric core properties. This part of IEC 62044 is limited to the general principles to be followed for various possible test methods and sets out the factors to be taken into account when deciding on the description of the test method to be included in the specification.

NOTE All the formulae in this part of IEC 62044 use basic SI units. When multiples or submultiples are used, the appropriate power of 10 should be introduced. The conversion factor for inductances and inductance factors is as follows: 1 H = 10⁹ nH.

(standards.iteh.ai)

2 Normative references

SIST EN 62044-2:2005

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60205, Calculation of the effective parameters of magnetic piece parts

IEC 60401-3:2003, Terms and nomenclature for cores made of magnetically soft ferrites – Part 3: Guidelines on the format of data appearing in manufacturers' catalogues of transformer and inductor cores

IEC 62044-1:2002, Cores made of soft magnetic materials – Measuring methods – Part 1: Generic specification

3 Terms and definitions

For the purposes of this part of IEC 62044, the following terms and definitions apply.