

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial communication networks – Fieldbus specifications –
Part 4-16: Data-link layer protocol specification – Type 16 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 4-16: Spécification de protocole de la couche de liaison de données –
Éléments de Type 16**





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2007 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 61158-4-16

Edition 1.0 2007-12

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Industrial communication networks – Fieldbus specifications –
Part 4-16: Data-link layer protocol specification – Type 16 elements
(standards.iteh.ai)

Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 4-16: Spécification de protocole de la couche de liaison de données –
Éléments de Type 16

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE XE
CODE PRIX

ICS 25.040.40; 35.100.20

ISBN 978-2-8322-0990-5

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
1 Scope.....	10
1.1 General.....	10
1.2 Specifications.....	10
1.3 Procedures.....	10
1.4 Applicability.....	10
1.5 Conformance.....	10
2 Normative references.....	11
3 Terms, definitions, symbols, abbreviations and conventions.....	11
3.1 Reference model terms and definitions.....	11
3.2 Service convention terms and definitions.....	13
3.3 Other terms and definitions.....	14
3.4 Abbreviations.....	18
3.5 Symbols.....	20
3.6 DLPDU IDN concept.....	21
4 DL-protocol overview.....	21
5 Basic DLPDU structure.....	22
5.1 Overview.....	22
5.2 MST DLPDU.....	23
5.3 MDT DLPDU.....	24
5.4 AT DLPDU.....	31
6 Network management methods.....	38
6.1 Overview.....	38
6.2 Enable and disable cyclic communication.....	38
6.3 File transfer.....	43
6.4 Status procedures.....	44
7 Data transmission methods.....	44
7.1 Overview.....	44
7.2 SVC.....	44
7.3 RTC.....	56
8 DL management.....	57
8.1 Overview.....	57
8.2 Access to PhL.....	57
9 Error handling and monitoring.....	62
9.1 Invalid telegrams.....	62
9.2 Response to MDT and AT telegram failure.....	63
9.3 Reaction to handshake timeout.....	64
9.4 Service channel error messages.....	65
9.5 Reaction to error messages in the service channel.....	67
9.6 Error counters in the master and the slave.....	67
9.7 Error effects on communication phases.....	69
9.8 Monitoring in the master.....	69
9.9 Monitoring in the slave.....	70
Annex A (normative) – IDN – Identification numbers.....	72
A.1 IDN specification.....	72

Iteh STANDARD PREVIEW

(standards.iteh.ai)

IEC 61158-4-16:2007

https://standards.iteh.ai/catalog/standards/sist/ed4f08ab-9d1a-4d9b-9599-333c647d585/iec-61158-4-16-2007

A.2 Identification numbers in numerical orders	79
A.3 Detailed specification of communication-related IDNs	80
Bibliography.....	108
Figure 1 – Relationships of DLSAPs, DLSAP-addresses and group DL-addresses	16
Figure 2 – Master service INFO field k	26
Figure 3 – Structure of the master data telegram	27
Figure 4 – Device service INFO field m	32
Figure 5 – Timing of U/D bits in CP5	36
Figure 6 – Timing of U/D bits in CP6	38
Figure 7 – Switching to CP0.....	43
Figure 8 – Phase transitions	43
Figure 9 – Service channel handling diagram.....	46
Figure 10 – Communication step proceeding diagram	48
Figure 11 – State machine for procedure command execution	53
Figure 12 – Interaction of procedure command control and acknowledgement	54
Figure 13 – Procedure command execution without interrupt	55
Figure 14 – Procedure command execution with interrupt	55
Figure 15 – Procedure command execution with error message	56
Figure 16 – Access to the transfer medium	58
Figure 17 – Timing diagram for CP0	59
Figure 18 – Telegram transmission starting times of CP1 and CP2	59
Figure 19 – Timing diagram for cyclic operation	60
Figure 20 – Telegram transmission times in CP5	61
Figure 21 – Telegram transmission times in CP6	61
Figure 22 – Required time intervals between telegrams	62
Figure A.1 – General IDN structure	73
Figure A.2 – IDN name structure.....	73
Figure A.3 – IDN data unit structure.....	76
Figure A.4 – Structure of IDN operation data with variable length	77
Figure A.5 – Example of the structure of an IDN-list.....	78
Figure A.6 – SLKN example	95
Table 1 – General telegram structure	22
Table 2 – BOF field	22
Table 3 – Device address field	23
Table 4 – FCS field	23
Table 5 – Master synchronization telegram structure	23
Table 6 – MST INFO field	24
Table 7 – Data fields of the master data telegram	24
Table 8 – Master real-time data (for each device)	25
Table 9 – Control word description (DLL).....	25
Table 10 – Structure of the ID request telegram in CP1	26

Table 11 – Structure of MDT in CP5	27
Table 12 – Structure of Data Record in MDT in CP5	28
Table 13 – File block size in CP5	28
Table 14 – U/D control word in CP5	28
Table 15 – Structure of MDT in CP6	29
Table 16 – Structure of data record field in MDT in CP6	30
Table 17 – U/D control word in CP6	30
Table 18 – Data field of the acknowledge telegram	31
Table 19– AT real-time data (for each device).....	31
Table 20 – Status word description (DLL)	32
Table 21 – Structure of the ID acknowledge telegram in CP1	33
Table 22 – Structure of the operation data of device m in acknowledge telegram	33
Table 23 – Structure of AT in CP5	34
Table 24 – Structure of data record in AT in CP5	34
Table 25 – U/D status word in CP5	34
Table 26 – File block index in CP5	35
Table 27 – Structure of AT in CP6	36
Table 28 – Structure of data record in AT in CP6	36
Table 29 – File block size in CP6	36
Table 30 – U/D status word in CP6	37
Table 31 – File block index in CP6	38
Table 32 – List of IDNs element and step numbers	47
Table 33 – Condition for modifying data block elements	47
Table 34 – SVC channel evaluation	49
Table 35 – IDN for list transfer	50
Table 36 – Procedure command control	50
Table 37 – Procedure command acknowledgment (data status)	51
Table 38 – Allowed jitter	58
Table 39 – Jitter in t_2	60
Table 40 – Jitter in t_1	61
Table 41 – Loss or failure of master synchronization telegram (MST)	63
Table 42 – Failure of master data telegrams (MDT)	64
Table 43 – Failure of acknowledge telegrams (AT).....	64
Table 44 – Reaction to handshake timeout	64
Table 45 – Error messages	65
Table 46 – Reaction to error message	67
Table 47 – States of error counters 1 in the master for MST and AT failures	67
Table 48 – States of error counter 1 in the devices for MST-failures in CP3 and CP4	67
Table 49 – States of error counter 1 in the devices for MDT-failures in CP4.....	67
Table 50 – States of error counters 2 in the master for AT-failures.....	68
Table 51 – States of error counter 2 in the devices for MST-failures	68
Table 52 – States of error counter 2 in the devices for MDT-failures	69
Table 53 – Master monitoring.....	70

STANDARD PREVIEW
 (standards.iteh.ai)

IEC 61158-4-16:2007
<https://standards.iteh.ai/catalog/standards/sist/ed4f08ab-9d1a-4d9b-9599-13c017d3531c/iec-61158-4-16-2007>

Table 54 – Slave monitoring	71
Table A.1 – Data block structure	72
Table A.2 – IDN structure	73
Table A.3 – Element 3 of IDNs	74
Table A.4 – Valid combinations of the display formats	75
Table A.5 – Data status structure	79
Table A.6 – Communication related IDN list that are relevant for Type 16	79
Table A.7 – Attributes for IDN S-0-0001	81
Table A.8 – Attributes for IDN S-0-0002	81
Table A.9 – Attributes for IDN S-0-0003	82
Table A.10 – Attributes for IDN S-0-0004	82
Table A.11 – Attributes for IDN S-0-0006	83
Table A.12 – Attributes for IDN S-0-0008	83
Table A.13 – Attributes for IDN S-0-0009	84
Table A.14 – Attributes for IDN S-0-0010	84
Table A.15 – Attributes for IDN S-0-0011	85
Table A.16 – Structure of C1D	85
Table A.17 – Attributes for IDN S-0-0014	86
Table A.18 – Structure of interface status	86
Table A.19 – Attributes for IDN S-0-0015	87
Table A.20 – Structure of telegram type parameter	88
Table A.21 – Attributes for IDN S-0-0016	88
Table A.22 – Attributes for IDN S-0-0018	89
Table A.23 – Attributes for IDN S-0-0019	89
Table A.24 – Attributes for IDN S-0-0021	90
Table A.25 – Attributes for IDN S-0-0022	90
Table A.26 – Attributes for IDN S-0-0024	91
Table A.27 – Attributes for IDN S-0-0028	91
Table A.28 – Attributes for IDN S-0-0029	92
Table A.29 – Attributes for IDN S-0-0087	92
Table A.30 – Attributes for IDN S-0-0088	93
Table A.31 – Attributes for IDN S-0-0089	93
Table A.32 – Attributes for IDN S-0-0090	94
Table A.33 – Attributes for IDN S-0-0096	94
Table A.34 – Structure of SLKN	95
Table A.35 – Attributes for IDN S-0-0097	95
Table A.36 – Structure of Mask C2D	96
Table A.37 – Attributes for IDN S-0-0098	96
Table A.38 – Structure of Mask C3D	96
Table A.39 – Attributes for IDN S-0-0127	97
Table A.40 – Attributes for IDN S-0-0128	97
Table A.41 – Attributes for IDN S-0-0134	98
Table A.42 – Attributes for IDN S-0-0135	98

Table A.43 – Attributes for IDN S-0-0143	99
Table A.44 – Structure of Type 16 version	99
Table A.45 – Attributes for IDN S-0-0185	100
Table A.46 – Attributes for IDN S-0-0186	100
Table A.47 – Attributes for IDN S-0-0187	101
Table A.48 – Attributes for IDN S-0-0188	101
Table A.49 – Attributes for IDN S-0-0301	102
Table A.50 – Attributes for IDN S-0-0303	102
Table A.51 – Attributes for IDN S-0-0305	103
Table A.52 – Attributes for IDN S-0-0307	103
Table A.53 – Attributes for IDN S-0-0394	104
Table A.54 – Attributes for IDN S-0-0395	104
Table A.55 – Attributes for IDN S-0-0396	105
Table A.56 – Attributes for IDN S-0-0397	105
Table A.57 – Attributes for IDN S-0-0413	106
Table A.58 – Attributes for IDN S-0-0414	106
Table A.59 – Attributes for IDN S-0-0415	107
Table A.60 – Attributes for IDN S-0-0416	107

ITeH STANDARD PREVIEW
(standards.iteh.ai)

[IEC 61158-4-16:2007](https://standards.iteh.ai/catalog/standards/sist/ed4f08ab-9d1a-4d9b-9599-333c6f47d585/iec-61158-4-16-2007)

<https://standards.iteh.ai/catalog/standards/sist/ed4f08ab-9d1a-4d9b-9599-333c6f47d585/iec-61158-4-16-2007>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
FIELDBUS SPECIFICATIONS –**
Part 4-16: Data-link layer protocol specification – Type 16 elements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in Type combinations as specified explicitly in the IEC 61784 series. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

International Standard IEC 61158-4-16 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This first edition and its companion parts of the IEC 61158-4 subseries cancel and replace IEC 61158-4:2003. This edition of this part constitutes a technical addition. This publication, together with its companion parts for Type 16, also partially replaces IEC 61491:2002 which is at present being revised. IEC 61491 will be issued as a technical report.

This edition of IEC 61158-4 includes the following significant changes from the previous edition:

- a) deletion of the former Type 6 fieldbus, and the placeholder for a Type 5 fieldbus data link layer, for lack of market relevance;

- b) addition of new types of fieldbuses;
- c) division of this part into multiple parts numbered -4-1, -4-2, ..., -4-19.

This bilingual version (2013-09) corresponds to the monolingual English version, published in 2007-12.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/474/FDIS	65C/485/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under <http://webstore.iec.ch> in the data related to the specific publication. At this date, the publication will be:

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

NOTE The revision of this standard will be synchronized with the other parts of the IEC 61158 series.

The list of all the parts of the IEC 61158 series, under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC/TR 61158-1.

The data-link protocol provides the data-link service by making use of the services available from the physical layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer data-link entities (DLEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- a) as a guide for implementors and designers;
- b) for use in the testing and procurement of equipment;
- c) as part of an agreement for the admittance of systems into the open systems environment;
- d) as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[IEC 61158-4-16:2007](https://standards.iteh.ai/catalog/standards/sist/ed4f08ab-9d1a-4d9b-9599-333c6f47d585/iec-61158-4-16-2007)

<https://standards.iteh.ai/catalog/standards/sist/ed4f08ab-9d1a-4d9b-9599-333c6f47d585/iec-61158-4-16-2007>

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 4-16: Data-link layer protocol specification – Type 16 elements

1 Scope

1.1 General

The data-link layer provides basic time-critical messaging communications between devices in an automation environment.

This protocol provides communication opportunities to all participating data-link entities

- a) in a synchronously-starting cyclic manner, according to a pre-established schedule, and
- b) in a cyclic or acyclic asynchronous manner, as requested each cycle by each of those data-link entities.

Thus this protocol can be characterized as one which provides cyclic and acyclic access asynchronously but with a synchronous restart of each cycle.

1.2 Specifications **iTeh STANDARD PREVIEW**

This standard specifies **(standards.iteh.ai)**

- a) procedures for the timely transfer of data and control information from one data-link user entity to a peer user entity, and among the data-link entities forming the distributed data-link service provider, <http://standards.iteh.ai/catalog/standards/sist/ed4f08ab-9d1a-4d9b-9599-333c647d585/iec-61158-4-16-2007>
- b) the structure of the fieldbus DLPDUs used for the transfer of data and control information by the protocol of this standard, and their representation as physical interface data units.

1.3 Procedures

The procedures are defined in terms of

- a) the interactions between peer DL-entities (DLEs) through the exchange of fieldbus DLPDUs;
- b) the interactions between a DL-service (DLS) provider and a DLS-user in the same system through the exchange of DLS primitives;
- c) the interactions between a DLS-provider and a Ph-service provider in the same system through the exchange of Ph-service primitives.

1.4 Applicability

These procedures are applicable to instances of communication between systems which support time-critical communications services within the data-link layer of the OSI or fieldbus reference models, and which require the ability to interconnect in an open systems interconnection environment.

Profiles provide a simple multi-attribute means of summarizing an implementation's capabilities, and thus its applicability to various time-critical communications needs.

1.5 Conformance

This standard also specifies conformance requirements for systems implementing these procedures. This part of this standard does not contain tests to demonstrate compliance with such requirements.

2 Normative references

The following referenced documents are indispensable for the application of this standard. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61158-2 (Ed.4.0), *Industrial communication networks – Fieldbus specifications – Part 2: Physical layer specification and service definition*

IEC 61158-3-16, *Industrial communication networks – Fieldbus specifications - Part 3-16: Data-link layer service definition – Type 16 elements*

IEC 61800-7-20x (all subparts), *Adjustable speed electrical power drive systems – Part 7-20x: Generic interface and use of profiles for power drive systems – Profile type x specification*¹

ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Part 1: Basic Reference Model: The Basic Model*

ISO/IEC 7498-3, *Information technology – Open Systems Interconnection – Part 3: Basic Reference Model: Naming and addressing*

ISO/IEC 10731, *Information technology – Open Systems Interconnection – Basic Reference Model – Conventions for the definition of OSI services*

ISO/IEC 13239, *Information technology – Telecommunications and information exchange between systems – High-level data link control (HDLC) procedures*

ITU X.25, *Interface between Data Terminal Equipment (DTE) and Data Circuit-terminating Equipment (DCE) for terminals operating in the packet mode and connected to public data networks by dedicated circuit*

3 Terms, definitions, symbols, abbreviations and conventions

For the purposes of this document, the following terms, definitions, symbols, abbreviations and conventions apply.

3.1 Reference model terms and definitions

This standard is based in part on the concepts developed in ISO/IEC 7498-1 and ISO/IEC 7498-3, and makes use of the following terms defined therein:

3.1.1 DL-address	[7498-3]
3.1.2 DL-address-mapping	[7498-1]
3.1.3 called-DL-address	[7498-3]
3.1.4 calling-DL-address	[7498-3]
3.1.5 centralized multi-end-point-connection	[7498-1]
3.1.6 DL-connection	[7498-1]
3.1.7 DL-connection-end-point	[7498-1]

¹ At present, these subparts are IEC 61800-7-201, 7-202, 7-203 and 7-204.

3.1.8 DL-connection-end-point-identifier	[7498-1]
3.1.9 DL-connection-mode transmission	[7498-1]
3.1.10 DL-connectionless-mode transmission	[7498-1]
3.1.11 correspondent (N)-entities	[7498-1]
correspondent DL-entities (N=2)	
correspondent Ph-entities (N=1)	
3.1.12 DL-duplex-transmission	[7498-1]
3.1.13 (N)-entity	[7498-1]
DL-entity (N=2)	
Ph-entity (N=1)	
3.1.14 DL-facility	[7498-1]
3.1.15 flow control	[7498-1]
3.1.16 (N)-layer	[7498-1]
DL-layer (N=2)	
Ph-layer (N=1)	
3.1.17 layer-management	[7498-1]
3.1.18 DL-local-view	[7498-3]
3.1.19 DL-name	[7498-3]
3.1.20 naming-(addressing)-domain	[7498-3]
3.1.21 peer-entities	[7498-1]
3.1.22 primitive name	[7498-3]
3.1.23 DL-protocol	[7498-1]
3.1.24 DL-protocol-connection-identifier	[7498-1]
3.1.25 DL-protocol-data-unit	[7498-1]
3.1.26 DL-relay	[7498-1]
3.1.27 reset	[7498-1]
3.1.28 responding-DL-address	[7498-3]
3.1.29 routing	[7498-1]
3.1.30 segmenting	[7498-1]
3.1.31 (N)-service	[7498-1]
DL-service (N=2)	
Ph-service (N=1)	
3.1.32 (N)-service-access-point	[7498-1]
DL-service-access-point (N=2)	
Ph-service-access-point (N=1)	
3.1.33 DL-service-access-point-address	[7498-3]
3.1.34 DL-service-connection-identifier	[7498-1]

ITeh STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/ed4f08ab-9d1a-4d9b-9599-333c6f47d585/iec-61158-4-16-2007>

3.1.35 DL-service-data-unit	[7498-1]
3.1.36 DL-simplex-transmission	[7498-1]
3.1.37 DL-subsystem	[7498-1]
3.1.38 systems-management	[7498-1]
3.1.39 DL-user-data	[7498-1]

3.2 Service convention terms and definitions

This standard also makes use of the following terms defined in ISO/IEC 10731 as they apply to the data-link layer:

3.2.1 acceptor

3.2.2 asymmetrical service

3.2.3 confirm (primitive); requestor.deliver (primitive)

3.2.4 deliver (primitive)

3.2.5 DL-confirmed-facility

3.2.6 DL-facility

3.2.7 DL-local-view

3.2.8 DL-mandatory-facility

3.2.9 DL-non-confirmed-facility

3.2.10 DL-provider-initiated-facility

3.2.11 DL-provider-optional-facility

3.2.12 DL-service-primitive; primitive

3.2.13 DL-service-provider

3.2.14 DL-service-user

3.2.15 DL-user-optional-facility

3.2.16 indication (primitive); acceptor.deliver (primitive)

3.2.17 multi-peer

3.2.18 request (primitive); requestor.submit (primitive)

3.2.19 requestor

3.2.20 response (primitive); acceptor.submit (primitive)

3.2.21 submit (primitive)

3.2.22 symmetrical service

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 61158-4-16:2007](https://standards.iteh.ai/catalog/standards/sist/ed4f08ab-9d1a-4d9b-9599-333c6f47d585/iec-61158-4-16-2007)

<https://standards.iteh.ai/catalog/standards/sist/ed4f08ab-9d1a-4d9b-9599-333c6f47d585/iec-61158-4-16-2007>