IEC 61158-6-2

Edition 1.0 2007-12

INTERNATIONAL STANDARD

Industrial communication networks – Fieldbus specifications –
Part 6-2: Application layer protocol specification – Type 2 elements

Withdrawn
iTeh Standards
(https://standards.iteh.ai)
Document Preview
IEC 61158-6-2:2007
https://standards.iteh.ai/catalog/standards/iec/bd02e834-7093-44d7-8585-b98960ffe02c/iec-61158-6-2-2007

IEC 61158-6-2:2007(E)

THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2007 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub
The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub
Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org
The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv
If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

Withdrawn
(https://standards.iteh.ai)
Document Preview
IEC 61158-6-2:2007
https://standards.iteh.ai/catalog/standards/iec/bd02e834-7093-44d7-8585-b98960ffe02c/iec-61158-6-2-2007

IEC 61158-6-2

Edition 1.0 2007-12

INTERNATIONAL STANDARD

Industrial communication networks – Fieldbus specifications –
Part 6-2: Application layer protocol specification – Type 2 elements

iTeh Standards
(https://standards.iteh.ai)
Document Preview
IEC 61158-6-2:2007
https://standards.iteh.ai/catalog/standards/iec/bd02e834-7093-44d7-8585-b98960ffe02c/iec-61158-6-2-2007
Withdrawn

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE XH

ICS 35.100.70; 25.040.40

ISBN 2-8318-9474-3

CONTENTS

FOREWORD 12
INTRODUCTION 14
1 Scope 15
1.1 General 15
1.2 Specifications 15
1.3 Conformance 15
2 Normative references 16
3 Terms, definitions, symbols, abbreviations and conventions 17
3.1 Terms and definitions from other ISO/IEC standards 17
3.2 Terms and definitions from IEC 61158-5-2 18
3.3 Additional terms and definitions 18
3.4 Abbreviations and symbols 24
3.5 Conventions 24
3.6 Conventions used in state machines 28
4 Abstract syntax 30
4.1 FAL PDU abstract syntax 30
4.2 Data abstract syntax specification 110
4.3 Encapsulation abstract syntax 114
5 Transfer syntax 128
5.1 Compact encoding 128
5.2 Data type reporting 136
6 Structure of FAL protocol state machines 141
7 AP-Context state machine 142
7.1 Overview 142
7.2 Connection object state machine 142
8 FAL service protocol machine (FSPM) 151
8.1 General 151
8.2 Primitive definitions 151
8.3 Parameters of primitives 155
8.4 FSPM state machines 156
9 Application relationship protocol machines (ARPMs) 157
9.1 General 157
9.2 Connection-less ARPM (UCMM) 157
9.3 Connection-oriented ARPMs (transports) 167
10 DLL mapping protocol machine 1 (DMPM 1) 237
10.1 General 237
10.2 Link producer 237
10.3 Link consumer 237
10.4 Primitive definitions 237
10.5 DMPM state machine 239
10.6 Data-link Layer service selection 241
11 DLL mapping protocol machine 2 (DMPM 2) 241
11.1 General 241
11.2 Mapping of UCMM PDUs 241
11.3 Mapping of transport class 0 and class 1 PDUs 246
11.4 Mapping of transport class 2 and class 3 PDU's 248

Withdrawn
iTeh Standards
(https://standards.iteh.ai)
Document Preview
IEC 61158-6-2:2007
https://standards.iteh.ai/catalog/standards/sist/...-61158-6-2-2007

11.5 Mapping of transport classes 4 to 6 248
11.6 IGMP Usage 248
11.7 Management of an encapsulation session 249
12 DLL mapping protocol machine 3 (DMPM 3) 250
Bibliography 251

Figure 1 – Attribute table format and terms 24
Figure 2 – Service request/response parameter 25
Figure 3 – Example of an STD 29
Figure 4 – Network connection parameters 48
Figure 5 – Time tick 50
Figure 6 – Connection establishment time-out 52
Figure 7 – Transport Class Trigger attribute 76
Figure 8 – CP2/3_initial_comm_characteristics attribute format 79
Figure 9 – Segment type 87
Figure 10 – Port segment 88
Figure 11 – Logical segment encoding 90
Figure 12 – Extended network segment 94
Figure 13 – Encapsulation message 115
Figure 14 – FixedLengthBitString compact encoding bit placement rules 132
Figure 15 – Example compact encoding of a SWORD FixedLengthBitString 133
Figure 16 – Example compact encoding of a WORD FixedLengthBitString 133
Figure 17 – Example compact encoding of a DWORD FixedLengthBitString 133
Figure 18 – Example compact encoding of a LWORD FixedLengthBitString 133
Figure 19 – Example 2 of formal encoding of a structure type specification 138
Figure 20 – Example of abbreviated encoding of a structure type specification 138
Figure 21 – Example 1 of formal encoding of an array type specification 139
Figure 22 – Example 2 of formal encoding of an array type specification 139
Figure 23 – Example 1 of abbreviated encoding of an array type specification 140
Figure 24 – Example 2 of abbreviated encoding of an array type specification 140
Figure 25 – I/O Connection object state transition diagram 142
Figure 26 –Bridged Connection object state transition diagram 146
Figure 27 – Explicit Messaging Connection object state transition diagram 148
Figure 28 – State transition diagram of UCMM client 160
Figure 29 – State transition diagram of high–end UCMM server 161
Figure 30 – State transition diagram of low–end UCMM server 164
Figure 31 – Sequence diagram for a UCMM with one outstanding message 165
Figure 32 – Sequence diagram for a UCMM with multiple outstanding messages 166
Figure 33 – TPDU buffer 167
Figure 34 – Data flow diagram using a client transport class 0 and server transport class 0 170
Figure 35 – Sequence diagram of data transfer using transport class 0 170
Figure 36 – Class 0 client STD 171
Figure 37 – Class 0 server STD 172

Withdrawn
iTeh Standards
(https://standards.iteh.ai)
Document Preview
IEC 61158-6-2:2007

Figure 38 – Data flow diagram using client transport class 1 and server transport class 1 173
Figure 39 – Sequence diagram of data transfer using client transport class 1 and server transport class 1 174
Figure 40 – Class 1 client STD 176
Figure 41 – Class 1 server STD 177
Figure 42 – Data flow diagram using client transport class 2 and server transport class 2 179
Figure 43 – Diagram of data transfer using client transport class 2 and server transport class 2 *without* returned data 180
Figure 44 – Sequence diagram of data transfer using client transport class 2 and server transport class 2 *with* returned data 181
Figure 45 – Class 2 client STD 182
Figure 46 – Class 2 server STD 184
Figure 47 – Data flow diagram using client transport class 3 and server transport class 3 187
Figure 48 – Sequence diagram of data transfer using client transport class 3 and server transport class 3 *without* returned data 188
Figure 49 – Sequence diagram of data transfer using client transport class 3 and server transport class 3 *with* returned data 189
Figure 50 – Class 3 client STD 191
Figure 51 – Class 3 server STD 194
Figure 52 – Data flow diagram using transport classes 4 and 5 196
Figure 53 – Sequence diagram of message exchange using transport classes 4 and 5 197
Figure 54 – Sequence diagram of messages overwriting each other 198
Figure 55 – Sequence diagram of queued message exchange using transport classes 4 and 5 199
Figure 56 – Sequence diagram of retries using transport classes 4 and 5 199
Figure 57 – Sequence diagram of idle traffic using transport classes 4 and 5 200
Figure 58 – Classes 4 and 5 basic structure 201
Figure 59 – Class 6 basic structure 202
Figure 60 – Classes 4 to 6 general STD 203
Figure 61 – Class 4 sender STD 205
Figure 62 – Class 4 receiver STD 208
Figure 63 – Sequence diagram of three fragments using transport class 5 211
Figure 64 – Sequence diagram of fragmentation with retries using transport class 5 212
Figure 65 – Sequence diagram of two fragments using transport class 5 212
Figure 66 – Sequence diagram of aborted message using transport class 5 213
Figure 67 – Class 5 sender STD 214
Figure 68 – Class 5 receiver STD 217
Figure 69 – Data flow diagram for transport class 6 221
Figure 70 – Sequence diagram of message exchange using transport class 6 223
Figure 71 – Sequence diagram of retries using transport class 6 223
Figure 72 – Sequence diagram of idle traffic using transport class 6 224
Figure 73 – Sequence diagram of request overwriting null 225
Figure 74 – Sequence diagram of response overwriting ACK of null 225

iTeh Standards
(https://standards.iteh.ai)
Document Preview
IEC 61158-6-2:2007
https://standards.iteh.ai/catalog/standards/sist/bb02e834-7093-44d7-8585-b989b01fe02c/iec-61158-6-2-2007
Withdrawn

Figure 75 – Sequence diagram of three fragments using transport class 6 226
Figure 76 – Sequence diagram of fragmentation with retries using transport class 6 227
Figure 77 – Sequence diagram of two fragments using transport class 6 227
Figure 78 – Sequence diagram of aborted fragmented sequence using transport class 6 228
Figure 79 – Class 6 client STD 229
Figure 80 – Class 6 server STD 232
Figure 81 – Data flow diagram for a link producer and consumer 237
Figure 82 – State transition diagram for a link producer 240
Figure 83 – State transition diagram for a link consumer 240

Table 1 – Get_Attribute_All response service rules 26
Table 2 – Example class level object/service specific response data of Get_Attribute_All 26
Table 3 – Example Get_Attribute_All data array method 26
Table 4 – Set_Attribute_All request service rules 27
Table 5 – Example Set_Attribute_All attribute ordering method 27
Table 6 – Example Set_Attribute_All data array method 28
Table 7 – State event matrix format 29
Table 8 – Example state event matrix 30
Table 9 – UCMM_PDU header format 33
Table 10 – UCMM command codes 33
Table 11 – Transport class 0 header 34
Table 12 – Transport class 1 header 34
Table 13 – Transport class 2 header 34
Table 14 – Transport class 3 header 35
Table 15 – Classes 4 to 6 header format 35
Table 16 – Real-time data header – exclusive owner 36
Table 17 – Real-time data header– redundant owner 36
Table 18 – Forward_Open request format 39
Table 19 – Forward_Open_Good response format 39
Table 20 – Forward_Open_Bad response format 40
Table 21 – Large_Forward_Open request format 41
Table 22 – Large_Forward_Open_Good response format 41
Table 23 – Large_Forward_Open_Bad response format 42
Table 24 – Forward_Close request format 43
Table 25 – Forward_Close_Good response format 43
Table 26 – Forward_Close_Bad response format 43
Table 27 – Unconnected_Send request format 44
Table 28 – Unconnected_Send_Good response format 45
Table 29 – Unconnected_Send_Bad response format 45
Table 30 – Get_Connection_Data request format 46
Table 31 – Get_Connection_Data response format 46
Table 32 – Search_Connection_Data request format 47

Withdrawn
iTeh Standards
(https://standards.iteh.ai)
Document Preview
IEC 61158-6-2:2007
https://standards.iteh.ai/catalog/standards/sist/6b012e834-7093-44d7-8585-b98960ffe02c/iec-61158-6-2-2007

Table 33 – Get_Object_Owner request format 47
Table 34 – Forward_Open_Good response format 47
Table 35 – Time-out multiplier 50
Table 36 – Time tick units 51
Table 37 – Selection of connection ID 54
Table 38 – Transport class, trigger and Is_Server format 55
Table 39 – MR_Request_Header format 55
Table 40 – MR_Response_Header format 55
Table 41 – Structure of Get_Attribute_All_ResponsePDU body 56
Table 42 – Structure of Set_Attribute_All_RequestPDU body 56
Table 43 – Structure of Get_Attribute_List_RequestPDU body 56
Table 44 – Structure of Get_Attribute_List_ResponsePDU body 56
Table 45 – Structure of Set_Attribute_List_RequestPDU body 57
Table 46 – Structure of Set_Attribute_List_ResponsePDU body 57
Table 47 – Structure of Reset_RequestPDU body 57
Table 48 – Structure of Reset_ResponsePDU body 57
Table 49 – Structure of Start_RequestPDU body 57
Table 50 – Structure of Start_ResponsePDU body 58
Table 51 – Structure of Stop_RequestPDU body 58
Table 52 – Structure of Stop_ResponsePDU body 58
Table 53 – Structure of Create_RequestPDU body 58
Table 54 – Structure of Create_ResponsePDU body 58
Table 55 – Structure of Delete_RequestPDU body 59
Table 56 – Structure of Delete_ResponsePDU body 59
Table 57 – Structure of Get_Attribute_Single_ResponsePDU body 59
Table 58 – Structure of Set_Attribute_Single_RequestPDU body 59
Table 59 – Structure of Set_Attribute_Single_ResponsePDU body 59
Table 60 – Structure of Find_Next_Object_Instance_RequestPDU body 59
Table 61 – Structure of Find_Next_Object_Instance_ResponsePDU body 60
Table 62 – Structure of Apply_Attributes_RequestPDU body 60
Table 63 – Structure of Apply_Attributes_ResponsePDU body 60
Table 64 – Structure of Save_RequestPDU body 60
Table 65 – Structure of Save_ResponsePDU body 60
Table 66 – Structure of Restore_RequestPDU body 61
Table 67 – Structure of Restore_ResponsePDU body 61
Table 68 – Structure of Group_Sync_RequestPDU body 61
Table 69 – Structure of Group_Sync_ResponsePDU body 61
Table 70 – Identity object class attributes 61
Table 71 – Identity object instance attributes 62
Table 72 – Identity object bit definitions for status instance attribute 63
Table 73 – Bits 4 – 7 of status instance attribute 63
Table 74 – Class level object/service specific response data of Get_Attribute_All 64
Table 75 – Instance level object/service specific response data of Get_Attribute_All 64

Withdrawn
IECNORM.COM : Click to view the full PDF of IEC 61158-6-2:2007
https://standards.iteh.ai/catalog/standards/sist/4a07-b595-b98960ffe02c/iec-61158-6-2-2007

Table 76 – Modified instance level object/service specific response data of Get_Attribute_All 65
Table 77 – Object-specific parameter for Reset 65
Table 78 – Message Router object class attributes 65
Table 79 – Message Router object instance attributes 66
Table 80 – Class level object/service specific response data of Get_Attribute_All 66
Table 81 – Instance level object/service specific response data of Get_Attribute_All 66
Table 82 – Assembly object class attributes 66
Table 83 – Assembly object instance attributes 67
Table 84 – Acknowledge Handler object class attributes 67
Table 85 – Acknowledge Handler object instance attributes 68
Table 86 – Structure of Add_AckData_Path_RequestPDU body 68
Table 87 – Structure of Remove_AckData_Path_RequestPDU body 68
Table 88 – Time Sync object instance attributes 69
Table 89 – Structure of Management_Message_RequestPDU body 71
Table 90 – Structure of Management_Message_ResponsePDU body 71
Table 91 – Management Message Command values 71
Table 92 – Connection Manager object class attributes 72
Table 93 – Connection Manager object instance attributes 72
Table 94 – Connection object class attributes 73
Table 95 – Connection object instance attributes 74
Table 96 – Values assigned to the state attribute 75
Table 97 – Values assigned to the instance_type attribute 75
Table 98 – Possible values within Direction Bit 76
Table 99 – Possible values within Production Trigger Bits 76
Table 100 – Possible values within Transport Class Bits 77
Table 101 – Transport Class_Trigger attribute 78
Table 102 – Values defined for the CP2/3_produced_connection_id attribute 78
Table 103 – Values defined for the CP2/3_consumed_connection_id attribute 79
Table 104 – Values for the Initial Production Characteristics nibble 80
Table 105 – Values for the Initial Consumption Characteristics nibble 81
Table 106 – Values for the watchdog_timeout_action 84
Table 107 – Structure of Connection_Bind_RequestPDU body 85
Table 108 – Object specific status for Connection_Bind service 86
Table 109 – Structure of Producing_Application_Lookup_RequestPDU body 86
Table 110 – Structure of Producing_Application_Lookup_ResponsePDU body 86
Table 111 – Producing_Application_Lookup Service status codes 86
Table 112 – Possible port segment examples 88
Table 113 – TCP/IP link address examples 89
Table 114 – Electronic key segment format 91
Table 115 – Logical segments examples 92
Table 116 – Network segments 92
Table 117 – Extended subtype definitions 94

Withdrawn
iTeh Standards
(https://standards.iteh.ai)
Document Preview
IEC 61158-6-2:2007

Table 118 – Data segment 94
Table 119 – ANSI_Extended_Symbol segment 95
Table 120 – Addressing categories 95
Table 121 – Class code ID ranges 96
Table 122 – Attribute ID ranges 96
Table 123 – Service code ranges 96
Table 124 – Class codes 97
Table 125 – Reserved class attributes for all object class definitions 97
Table 126 – Common services list 98
Table 127 – Acknowledge Handler object specific services list 99
Table 128 – Time Sync object specific services list 99
Table 129 – Services specific to Connection Manager 99
Table 130 – Services specific to Connection object 99
Table 131 – Device type numbering 100
Table 132 – Connection Manager service request error codes 101
Table 133 – General status codes 106
Table 134 – Identity object status codes 108
Table 135 – Encapsulation header 115
Table 136 – Encapsulation command codes 116
Table 137 – Encapsulation status codes 117
Table 138 – Options flags 117
Table 139 – Nop request encapsulation header 117
Table 140 – RegisterSession request encapsulation header 118
Table 141 – RegisterSession request data portion 118
Table 142 – Options flags 118
Table 143 – RegisterSession reply encapsulation header 118
Table 144 – RegisterSession reply data portion 119
Table 145 – UnRegisterSession request encapsulation header 119
Table 146 – ListServices request encapsulation header 120
Table 147 – ListServices reply encapsulation header 120
Table 148 – ListServices reply data portion 120
Table 149 – Service type codes 121
Table 150 – Communications capability flags 121
Table 151 – ListIdentity request encapsulation header 121
Table 152 – ListIdentity reply encapsulation header 122
Table 153 – ListIdentity reply data portion 122
Table 154 – ListInterfaces request encapsulation header 123
Table 155 – ListInterfaces reply encapsulation header 123
Table 156 – SendRRData request encapsulation header 124
Table 157 – SendRRData request data portion 124
Table 158 – SendRRData reply encapsulation header 124
Table 159 – SendUnitData request encapsulation header 125
Table 160 – SendUnitData request data portion 125

Withdrawn
iTeh Standards
(https://standards.iteh.ai)
Document Preview
IEC 61158-6-2:2007
https://standards.iteh.ai/catalog/standards/iec/bb02e834-7093-44d7-8585-b98960ffe02c/iec-61158-6-2-2007

Table 161 – Common packet format 125
Table 162 – Address and data item structure 126
Table 163 – Address type ID's 126
Table 164 – Data type ID's 126
Table 165 – Null address type 126
Table 166 – Connected address type 127
Table 167 – Sequenced address type 127
Table 168 – UCMM data type 127
Table 169 – Connected data type 127
Table 170 – Sockaddr info items 128
Table 171 – BOOLEAN encoding 129
Table 172 – Example compact encoding of a BOOL value 129
Table 173 – Encoding of SignedInteger values 129
Table 174 – Example compact encoding of a SignedInteger value 129
Table 175 – UnsignedInteger values 130
Table 176 – Example compact encoding of an UnsignedInteger 130
Table 177 – FixedLengthReal values 130
Table 178 – Example compact encoding of a REAL value 130
Table 179 – Example compact encoding of a LREAL value 130
Table 180 – FixedLengthReal values 131
Table 181 – STRING value 131
Table 182 – STRING2 value 131
Table 183 – STRINGN value 131
Table 184 – SHORT_STRING value 131
Table 185 – Example compact encoding of a STRING value 132
Table 186 – Example compact encoding of STRING2 value 132
Table 187 – SHORT_STRING type 132
Table 188 – Example compact encoding of a single dimensional ARRAY 134
Table 189 – Example compact encoding of a multi-dimensional ARRAY 134
Table 190 – Example compact encoding of a STRUCTURE 135
Table 191 – Identification codes and descriptions of elementary data types 136
Table 192 – Example 1 of formal encoding of a structure type specification 137
Table 193 – I/O Connection state event matrix 143
Table 194 – Bridged Connection state event matrix 147
Table 195 – Explicit Messaging Connection state event matrix 149
Table 196 – Primitives issued by FAL user to FSPM 152
Table 197 – Primitives issued by FAL user to FSPM 153
Table 198 – Primitives issued by FSPM to FAL user 155
Table 199 – Parameters used with primitives exchanged between FAL user and FSPM 156
Table 200 – Primitives issued by FSPM to ARPM 158
Table 201 – Primitives issued by ARPM to FSPM 158
Table 202 – Parameters used with primitives exchanged between FSPM and ARPM 159
Table 203 – UCMM client states 159

Withdrawn
iTeh Standards
(https://standards.iteh.ai)
Document Preview
IEC 61158-6-2:2007
https://standards.iteh.ai/catalog/standards/sist/5f89e4d4-5f89-4d47-8585-b98960ffe02c/iec-61158-6-2-2007

Table 204 – State event matrix of UCMM client 160
Table 205 – High-end UCMM server states 161
Table 206 – State event matrix of high-end UCMM server 163
Table 207 – Low-end UCMM server states 164
Table 208 – State event matrix of low–end UCMM server 164
Table 209 – Notification 167
Table 210 – Transport classes 168
Table 211 – Primitives issued by FSPM to ARPM 168
Table 212 – Primitives issued by ARPM to FSPM 169
Table 213 – Parameters used with primitives exchanged between FSPM and ARPM 169
Table 214 – Class 0 transport client states 171
Table 215 – Class 0 client SEM 171
Table 216 – Class 0 transport server states 172
Table 217 – Class 0 server SEM 172
Table 218 – Class 1 transport client states 175
Table 219 – Class 1 client SEM 176
Table 220 – Class 1 transport server states 177
Table 221 – Class 1 server SEM 178
Table 222 – Class 2 transport client states 182
Table 223 – Class 2 client SEM 183
Table 224 – Class 2 transport server states 184
Table 225 – Class 2 server SEM 185
Table 226 – Class 3 transport client states 190
Table 227 – Class 3 client SEM 191
Table 228 – Class 3 transport server states 193
Table 229 – Class 3 server SEM 195
Table 230 – Write and trigger events in class 4 and 5 transport 197
Table 231 – Common states for transport classes 4 to 6 202
Table 232 – Classes 4 to 6 general SEM 203
Table 233 – Class 4 transport sender states 205
Table 234 – Class 4 sender SEM 206
Table 235 – Class 4 transport receiver states 207
Table 236 – Class 4 receiver SEM 209
Table 237 – Class 5 transport sender states 214
Table 238 – Class 5 sender SEM 215
Table 239 – Class 5 transport receiver states 217
Table 240 – Class 5 receiver SEM 218
Table 241 – Class 6 transport client states 229
Table 242 – Class 6 client state event matrix 230
Table 243 – Class 6 transport server states 231
Table 244 – Class 6 server SEM 233
Table 245 – Primitives issued by ARPM to DMPM 238
Table 246 – Primitives issued by DMPM to ARPM 238

Withdrawn
iTeh Standards
(https://standards.iteh.ai)
Document Preview
IEC 61158-6-2:2007
https://standards.iteh.ai/catalog/standards/sist/3f08e834-7093-44d7-8585-b98960ffe02c/iec-61158-6-2-2007

Table 247 – Parameters used with primitives exchanged between ARPM and DMPM 238
Table 248 – Primitives exchanged between data-link layer and DMPM.....238
Table 249 – Parameters used with primitives exchanged between DMPM and Data-link 239
Table 250 – Link producer states 239
Table 251 – State event matrix of link producer 240
Table 252 – Link consumer states.....240
Table 253 – State event matrix of link consumer 241
Table 254 – Network Connection ID selection 242
Table 255 – Example multicast assignments.....246
Table 256 – UDP data format for class 0 and class 1 247

Withdrawn
iTeh Standards
(https://standards.iteh.ai)
Document Preview
IEC 61158-6-2:2007
https://standards.iteh.ai/catalog/standards/iec/bd02e834-7093-44d7-8585-b98960ffe02c/iec-61158-6-2-2007

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 6-2: Application layer protocol specification – Type 2 elements

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in Type combinations as specified explicitly in the IEC 61784 series. Use of the various protocol types in other combinations may require permission from their respective intellectual-property-right holders.

International Standard IEC 61158-6-2 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This first edition and its companion parts of the IEC 61158-6 subseries cancel and replace IEC 61158-6:2003. This edition of this part constitutes a technical revision. This part and its Type 2 companion parts also cancel and replace IEC/PAS 62413, published in 2005

This edition of IEC 61158-6 includes the following significant changes from the previous edition:

a) deletion of the former Type 6 fieldbus for lack of market relevance;
b) addition of new types of fieldbuses;

Withdrawn
IECNORM.COM : Click to view the full PDF of IEC 61158-6-2:2007
https://standards.iec.ch/catalog/standards/sist/0ed1ed0e-0ed1-4ed1-ed1e-0ed1ed0ed1ed/iec-61158-6-2-2007