
Konektorji za elektronsko opremo - 7-5. del: Podrobna specifikacija za 8-polne, zaslonjene, proste in pritrjene konektorje za prenos podatkov s frekvencami do 250 MHz

Connectors for electronic equipment -- Part 7-5: Detail specification for 8-way, shielded, free and fixed connectors, for data transmissions with frequencies up to 250 MHz

Steckverbinder für elektronische Einrichtungen -- Teil 7-5: Bauartspezifikation für geschirmte freie und feste Steckverbinder, 8polig, für Datenübertragungen bis 250 MHz

Connecteurs pour équipements électroniques -- Partie 7-5: Spécification particulière pour les fiches et les embases blindées à 8 voies pour la transmission de données à des fréquences jusqu'à 250 MHz

Ta slovenski standard je istoveten z: EN 60603-7-5:2009

ICS:

31.220.10 Vtiči in vtičnice, konektorji Plug-and-socket devices.
Connectors

SIST EN 60603-7-5:2010

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 60603-7-5:2010

<https://standards.iteh.ai/catalog/standards/sist/7c22d85d-b9a0-43c7-8c8a-38679a46020c/sist-en-60603-7-5-2010>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 60603-7-5

November 2009

ICS 31.220.10

English version

**Connectors for electronic equipment -
Part 7-5: Detail specification for 8-way, shielded,
free and fixed connectors, for data transmissions
with frequencies up to 250 MHz
(IEC 60603-7-5:2007)**

Connecteurs pour équipements
électroniques -
Partie 7-5: Spécification particulière
pour les fiches et les embases
blindées à 8 voies
pour la transmission de données
à des fréquences jusqu'à 250 MHz
(CEI 60603-7-5:2007)

Steckverbinder für elektronische
Einrichtungen -
Teil 7-5: Bauartspezifikation
für geschirmte freie und feste
Steckverbinder, 8polig,
für Datenübertragungen bis 250 MHz
(IEC 60603-7-5:2007)

(standards.iteh.ai)

[SIST EN 60603-7-5:2010](https://standards.iteh.ai/catalog/standards/sist/7c22d85d-b9a0-43c7-8c8a-38679a46020c/sist-en-60603-7-5-2010)

<https://standards.iteh.ai/catalog/standards/sist/7c22d85d-b9a0-43c7-8c8a-38679a46020c/sist-en-60603-7-5-2010>

This European Standard was approved by CENELEC on 2009-09-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 48B/1741/FDIS, future edition 1 of IEC 60603-7-5, prepared by SC 48B, Connectors, of IEC TC 48, Electromechanical components and mechanical structures for electronic equipment, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60603-7-5 on 2009-09-01.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2010-06-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2012-09-01

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 60603-7-5:2007 was approved by CENELEC as a European Standard without any modification.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 60603-7-5:2010](https://standards.iteh.ai/catalog/standards/sist/7c22d85d-b9a0-43c7-8c8a-38679a46020c/sist-en-60603-7-5-2010)

<https://standards.iteh.ai/catalog/standards/sist/7c22d85d-b9a0-43c7-8c8a-38679a46020c/sist-en-60603-7-5-2010>

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
-	-	Communication cables - Specifications for test methods - Part 1-14: Electrical test methods - Coupling attenuation or screening attenuation of connecting hardware	EN 50289-1-14	- ¹⁾
IEC 60050-581	- ¹⁾	International Electrotechnical Vocabulary (IEV) - Part 581: Electromechanical components for electronic equipment	-	-
IEC 60068-1	- ¹⁾	Environmental testing - Part 1: General and guidance	EN 60068-1	1994 ²⁾
IEC 60068-2-38	- ¹⁾	Environmental testing - Part 2-38: Tests - Test Z/AD: Composite temperature/humidity cyclic test	EN 60068-2-38	2009 ²⁾
IEC 60169-16	- ¹⁾	Radio-frequency connectors - Part 16: R.F. coaxial connectors with inner diameter of outer conductor 7 mm (0,276 in) with screw coupling - Characteristic impedance 50 ohms (75 ohms) (type N)	-	-
IEC 60352	Series	Solderless connections	EN 60352	Series
IEC 60512	Series	Connectors for electronic equipment - Tests and measurements	EN 60512	Series
IEC 60512-1-100	- ¹⁾	Connectors for electronic equipment - Tests and measurements - Part 1-100: General - Applicable publications	EN 60512-1-100	2006 ²⁾
IEC 60603-1	- ¹⁾	Connectors for frequencies below 3 MHz for use with printed boards - Part 1: Generic specification - General requirements and guide for the preparation of detail specifications, with assessed quality	EN 60603-1	1998 ²⁾
IEC 60603-7	Series	Connectors for electronic equipment - Part 7: Detail specifications for 8-way free and fixed connectors	EN 60603-7	Series
IEC 60664-1	- ¹⁾	Insulation coordination for equipment within low-voltage systems - Part 1: Principles, requirements and tests	EN 60664-1	2007 ²⁾

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61076-1	- ¹⁾	Connectors for electronic equipment - Product requirements - Part 1: Generic specification	EN 61076-1	2006 ²⁾
IEC 61156	Series	Multicore and symmetrical pair/quad cables for digital communications	-	-
IEC 61196-1	Series	Coaxial communication cables	-	-
ISO/IEC 11801	2002	Information technology - Generic cabling for customer premises	-	-
ISO 1302	- ¹⁾	Geometrical Product Specifications (GPS) - Indication of surface texture in technical product documentation	EN ISO 1302	2002 ²⁾
ITU-T Recommendation K.20	- ¹⁾	Resistibility of telecommunication equipment installed in a telecommunications centre to overvoltages and overcurrents	-	-
ITU-T Recommendation K.44	- ¹⁾	Resistibility tests for telecommunication equipment exposed to overvoltages and overcurrents - Basic Recommendation	-	-
ITU-T Recommendation G.117	- ¹⁾	Transmission aspects of unbalance about earth	-	-
ITU-T Recommendation O.9	- ¹⁾	Measuring arrangements to assess the degree of unbalance about earth	-	-

iTeH STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 60603-7-5:2010](https://standards.iteh.ai/catalog/standards/sist/7c22d85d-b9a0-43c7-8c8a-38679a46020c/sist-en-60603-7-5-2010)

<https://standards.iteh.ai/catalog/standards/sist/7c22d85d-b9a0-43c7-8c8a-38679a46020c/sist-en-60603-7-5-2010>

**NORME
INTERNATIONALE
INTERNATIONAL
STANDARD**

**CEI
IEC**

60603-7-5

Première édition
First edition
2007-03

Connecteurs pour équipements électroniques –

Partie 7-5:

Spécification particulière pour les fiches et les embases blindées à 8 voies pour la transmission de données à des fréquences jusqu'à 250 MHz

(standards.iteh.ai)

Connectors for electronic equipment –

SIST EN 60603-7-5:2010

<https://standards.iteh.ai/catalog/standards/sist/7c22d85d-b9a0-43c7-8c8a-38679a46020c/sist-en-60603-7-5-2010>

Part 7-5:

Detail specification for 8-way, shielded, free and fixed connectors, for data transmissions with frequencies up to 250 MHz

© IEC 2007 Droits de reproduction réservés — Copyright - all rights reserved

Aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'éditeur.

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

CODE PRIX
PRICE CODE **XD**

*Pour prix, voir catalogue en vigueur
For price, see current catalogue*

CONTENTS

FOREWORD.....	11
INTRODUCTION.....	15
1 General.....	17
1.1 Scope.....	17
1.2 Normative references.....	17
2 IEC type designation.....	21
2.1 Terms and definitions.....	23
3 Common features and isometric view.....	25
3.1 Isometric view.....	25
3.2 Mating information.....	25
4 Cable terminations and internal connections – fixed and free connectors.....	41
4.1 General.....	41
4.2 Termination types.....	41
5 Gauges.....	43
5.1 Fixed connectors.....	43
5.2 Free connectors.....	49
6 Characteristics.....	53
6.1 General.....	53
6.2 Pin and pair grouping assignment.....	53
6.3 Classification into climatic category.....	53
6.4 Electrical characteristics.....	55
6.5 Transmission characteristics.....	59
6.6 Mechanical.....	65
7 Tests and test schedule.....	65
7.1 General.....	65
7.2 Arrangement for contact resistance test.....	67
7.3 Arrangement for vibration test (test phase CP1).....	69
7.4 Test procedures and measuring methods.....	69
7.5 Preconditioning.....	69
7.6 Wiring and mounting of specimens.....	71
7.7 Test schedules.....	71
Annex A (normative) Gauging continuity procedure.....	89
Annex B (normative) Locking-device mechanical operation.....	97
Annex C (normative) Test Plug requirements.....	99
Annex D (normative) General requirements for the measurement set-up.....	147
Annex E (normative) Insertion loss.....	157
Annex F (normative) Return loss.....	161
Annex G (normative) Near end cross talk (NEXT).....	165
Annex H (normative) Far end cross talk (FEXT).....	169
Annex I (normative) Transfer impedance.....	173
Annex J (normative) Transverse Conversion Loss (TCL) and Transverse Conversion Transfer Loss (TCTL).....	187

Annex K (normative) Termination of balun	193
Annex L (normative) Gauge requirements	197
Figure 1 – Isometric view	25
Figure 2 – Contact interface dimensions with terminated free connector	27
Figure 3 – Fixed connector details	33
Figure 4 – Free connector view	37
Figure 5 – “Go” gauge	43
Figure 6 – “No-go” gauges	45
Figure 7 – “No-go” gauges	49
Figure 8 – “Go” gauge	51
Figure 9 – Fixed connector pin and pair grouping assignment (front view of connector)	53
Figure 10 – Connector de-rating curve	57
Figure 11 – Arrangement for contact resistance test	67
Figure 12 – Arrangement for vibration test	69
Figure A.1 – Gauge	93
Figure A.2 – Gauge insertion	95
Figure C.1 – De-embedding reference plug	101
Figure C.2 – De-embedding reference jack	105
Figure C.3 – De-embedding reference FEXT plug without sockets	115
Figure C.4 – De-embedding reference FEXT plug with sockets	117
Figure C.5 – Reference FEXT plug mated to PWB	117
Figure C.6 – Reference FEXT plug test lead position	119
Figure C.7 – Reference FEXT plug assembly	119
Figure C.8 – Test leads connected to de-embedded reference jack/PWB assembly	123
Figure C.9 – Reference FEXT plug mated to reference jack/PWB assembly	123
Figure C.10 – Exploded assembly of the coaxial termination reference test head	127
Figure C.11 – Detailed view of the coaxial termination reference test head interface	127
Figure C.12 – THI3KIT test head interface with baluns attached	129
Figure C.13 – Alternative to item 3.1 in Table C.6	133
Figure C.14 – Back-to-back through calibration	133
Figure C.15 – Mated test plug/coaxial termination reference test head test configuration	137
Figure D.1 – 180° hybrid used as a balun	149
Figure D.2 – Calibration of reference loads	151
Figure D.3 – Resistor load	153
Figure D.4 – Screened pyramid	155
Figure D.5 – Definition of reference planes	155
Figure E.1 – Calibration	157

Figure E.2 – Measuring set-up	159
Figure G.1 – NEXT measurement for differential and common mode terminations	165
Figure H.1 – FEXT measurement differential and common mode terminations	169
Figure I.1 – Preparation of test specimen.....	175
Figure I.2 – Triaxial test set-up	177
Figure I.3 – Impedance matching for $R_1 < 50 \Omega$	179
Figure I.4 – Impedance matching for $R_1 > 50 \Omega$	181
Figure J.1 – TCL measurement	187
Figure J.2 – TCTL measurement.....	189
Figure K.1 – Balanced attenuator for balun centre tap grounded	193
Figure K.2 – Balanced attenuator for balun centre tap open.....	195
Table 1 – Dimensions for Figure 2	29
Table 2 – Dimensions for Figure 3	35
Table 3 – Dimensions for Figure 4	39
Table 4 – Dimensions for Figures 5 and 6.....	47
Table 5 – Dimensions for Figure 7	49
Table 6 – Dimensions for Figure 8.....	51
Table 7 – Climatic categories – selected values.....	53
Table 8 – Creepage and clearance (distances).....	55
Table 9 – Test group P	73
Table 10 – Test group AP.....	75
Table 11 – Test group BP	79
Table 12 – Test group CP	81
Table 13 – Test group DP	83
Table 14 – Test group EP	85
Table 15 – Test group FP	87
Table 16 – Test group GP.....	87
Table A.1 – Dimensions for Figure A.1.....	91
Table C.1 – De-embedded real and imaginary reference jack vectors	109
Table C.2 – Test plug NEXT loss limits	111
Table C.3 –Test plug NEXT loss ranges.....	113
Table C.4 – Coaxial termination reference head component list	125
Table C.5 – Coaxial termination reference head component list	129
Table C.6 – Coaxial termination reference head, additional parts.....	131
Table C.7 – Test plug FEXT requirements – de-embedding method	139
Table C.8 – Category 6 differential mode reference jack vectors.....	141
Table C.9 – Test-plug differential and differential with common-mode consistency.....	143
Table C.10 – Return loss requirements for return loss reference plug	145
Table D.1 – Test balun performance characteristics.....	149

Table F.1 – Uncertainty band of return loss measurement at frequencies below 100 MHz	163
Table F.2 – Uncertainty band of return loss measurement at frequencies above 100 MHz	163

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 60603-7-5:2010](#)

<https://standards.iteh.ai/catalog/standards/sist/7c22d85d-b9a0-43c7-8c8a-38679a46020c/sist-en-60603-7-5-2010>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CONNECTORS FOR ELECTRONIC EQUIPMENT –

Part 7-5: Detail specification for 8-way, shielded, free and fixed connectors, for data transmissions with frequencies up to 250 MHz

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60603-7-5 has been prepared by subcommittee 48B: Connectors, of IEC technical committee 48: Electromechanical components and mechanical structures for electronic equipment.

The text of this standard is based on the following documents:

FDIS	Report on voting
48B/1741/FDIS	48B/1749/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60603 series, under the general title *Connectors for electronic equipment*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 60603-7-5:2010](#)

<https://standards.iteh.ai/catalog/standards/sist/7c22d85d-b9a0-43c7-8c8a-38679a46020c/sist-en-60603-7-5-2010>

INTRODUCTION

Applications have emerged which require the use of the interface described in IEC 60603-7:1996 with certain performance specifications at higher frequencies. The parameters for this performance include insertion loss, near end crosstalk (NEXT), far end crosstalk (FEXT), and return loss. Based on application requirements, the specifications for these parameters always apply to a mated connection of a free (plug) and fixed (outlet) connector. Details for testing of connectors and test plugs are given in Annex C.

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[SIST EN 60603-7-5:2010](https://standards.iteh.ai/catalog/standards/sist/7c22d85d-b9a0-43c7-8c8a-38679a46020c/sist-en-60603-7-5-2010)

<https://standards.iteh.ai/catalog/standards/sist/7c22d85d-b9a0-43c7-8c8a-38679a46020c/sist-en-60603-7-5-2010>

CONNECTORS FOR ELECTRONIC EQUIPMENT –

Part 7-5: Detail specification for 8-way, shielded, free and fixed connectors, for data transmissions with frequencies up to 250 MHz

1 General

1.1 Scope

This part of IEC 60603-7 covers IEC 60603-7-5 connectors, and specifies mechanical and environmental requirements, and electrical transmission requirements for frequencies up to 250 MHz. These connectors are typically used as category 6 connectors in class E cabling systems specified in ISO/IEC 11801:2002.

These connectors are intermateable, interoperable, and backward compatible with other IEC 60603-7 series connectors. While the definition of interoperable is being discussed within IEC, “interoperable” in this standard means the following: The fixed and the free connector are capable of interconnecting with any IEC 60603-7 series connector, and that when it is interconnected, it fully meets all requirements of the lower frequency IEC 60603-7 series standard.

NOTE Transmission performance categories: In this part of IEC 60603-7, the term “category”, when used in reference to transmission performance, refers to those categories defined by ISO/IEC 11801:2002.

1.2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050(581), *International Electrotechnical Vocabulary (IEV) – Chapter 581: Electromechanical components for electronic equipment*

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-38, *Environmental testing – Part 2: Tests. Test Z/AD: Composite temperature/humidity cyclic test*

IEC 60169-16, *Radio frequency connectors – Part 16: R. F. coaxial connectors with inner diameter of outer conductor 7 mm (0,276 in) with screw coupling – Characteristic impedance 50 ohms (75 ohms) (Type N)*

IEC 60352 (all parts), *Solderless connections*

IEC 60512 (all parts), *Connectors for electronic equipment – Tests and measurements*

IEC 60512-1-100, *Connectors for electronic equipment – Tests and measurements – Part 1-100: General – Applicable publications*