

Edition 2.0 2009-02

INTERNATIONAL STANDARD





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2009 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Email: inmail@iec.ch Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

■ Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications,

■ IEC Just Published: www.iec.ch/online news/justpub

Stay up to date on all new IEC publications. Just Published details wice a month all new publications released. Available on-line and also by email.

Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

 Customer Service Centre: www.iec.ch/webstore/custserv
If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00




Edition 2.0 2009-02

INTERNATIONAL STANDARD



Multimedia systems and equipment – Multimedia E-publishing and E-books – Generic format for E-publishing



INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE

ICS 33.160.60; 35.240.30

ISBN 978-2-88910-713-1

CONTENTS

FΟ	REWORD	5
IN٦	TRODUCTION	7
1	Scope	8
2	Normative references	8
3	Terms and definitions	8
4	Position and requirements for generic format	9
	4.1 Generic format in contents creation/distribution model	9
	4.2 Requirements for generic format	9
5		10
6	Logical structure	10
7	Semantics	11
	, , , , , , , , , , , , , , , , , , , ,	12
	_ \	88
Bib	oliography	180
_	gure 1 – Contents creation/distribution model	
Fig	gure A.1 – Conceptual diagram of the "Block Jayout"	31
_	gure A.2 – Coordinate system	
Fig	gure A.3 – Page layout composition	33
Fig	gure A.4 – Block layout composition	34
Fig	gure A.5 – Bgimagemode attributegure A.6 – Layout attribute	40
Fig	gure A.6 – Layout attributê	41
Fig	gure B.1 – XML tree structure	
Fig	gure B.2 – Example of valign="middle"	124
Fig	gure B.3 – Example of dropped capital	128
Fig	gure B.4 – Left and right margin of a paragraph	128
Fig	gure B.5 – Horizontal writing in vertical text	131
Fig	gure B.6 – Ruby	132
Fig	gure B.7 – Example of search page object instance rendering	140
Fig	gure B.8 – Comic object Instance	144
Tal	ble A.1 – Data types	35
Tal	ble A.2 – Attribute of BBeBXylog	35
Tal	ble A.3 – Attribute of Info	36
Tal	ble A.4 – Attribute of Title	36
Tal	ble A.5 – Attribute of Autor	36
Tal	ble A.6 – Attribute of Publisher	37
Tal	ble A.7 – Attribute of Label	37
Tal	ble A.8 – Attribute of Cthumbnail	37
Tal	ble A.9 – Attribute of TocLabel	38
Tal	ble A.10 – Attribute of Page	39
Tal	ble A 11 – Attribute of Wait	42

Table A.12 – Attribute of TextBlock	43
Table A.13 – rubyalign attribute	45
Table A.14 – rubyadjust attribute	46
Table A.15 – rubyoverhang attribute	46
Table A.16 – empdotsposition attribute	46
Table A.17 – emplineposition attribute	46
Table A.18 – emplinetype attribute	47
Table A.19 – align attribute	47
Table A.20 – blockrule attribute	48
Table A.21 – Attribute of P	49
Table A.22 – Attribute of Plot	50
Table A.23 – Attribute of Fill	51
Table A.24 – Attribute of Space	51
Table A.25 – Attribute of CharButton	51
Table A.26 – Attribute of Gaiji	52
Table A.27 – Attribute of Box	52
Table A.28 – linetype attribute	53
Table A.29 – Attribute of EmpDots	53
Table A.30 – Attribute of Empline	54
Table A.31 – Attribute of DrawChar	54
Table A.32 – Attribute of ImageBlock	55
Table A.33 – Attribute of ButtonBlock	58
Table A.34 – Attribute of BaseButton	60
Table A.35 – Attribute of Focusin Button	60
Table A.36 – Attribute of Jump To	60
Table A.37 – Attribute of Run.	60
Table A.38 – runoption attribute	61
Table A.39 - Attribute of PushButton	61
Table A 40 - Attribute of UpButton	61
Table A.41 Attribute of Canvas	62
Table A.42 – Attribute of PutObj	63
Table A.43 – Attribute of Moveto	64
Table A.44 – Attribute of Lineto	64
Table A.45 – arrowtype attribute	65
Table A.46 – Attribute of DrawBox	65
Table A.47 – Attribute of DrawEllipse	66
Table A.48 – Attribute of RuledLine	67
Table A.49 – Attribute of BookStyle	67
Table A.50 – Attribute of SetDefault	68
Table A.51 – setwaitprop attribute	69
Table A.52 – Attribute of RegistFont	69
Table A.53 – Attribute of BookSetting	70
Table A.54 – Attribute of TextStyle	71

Table A.55 – Attribute of BlockStyle	74
Table A.56 – Attribute of PageStyle	76
Table A.57 – Attribute of Window	79
Table A.58 – Attribute of PopUpWin	79
Table A.59 – Attribute of Sound	80
Table A.60 – Attribute of SoundStream	80
Table A.61 – Attribute of ImageStream	81
Table A.62 – Attribute of Header	81
Table A.63 – Attribute of Footer	82
Table A.64 – Attribute of eSound	83
Table A.65 – Attribute of Font	83
Table A.66 – Attribute of Image	84
Table A.67 – Attribute of Button	85
Table B.1 – Base characters for reading	90
Table B.2 – Standard character set	90
Table B.3 – Usable characters for a telephone number	98
Table B.4 – Characters usable for email addresses	98
Table B.5 – Characters usable for the lookup key	13
Table B.6 – Color names1	50
Table B.7 – Examples of additional standard character sets	51
Table B.8 – Example of additional characters usable for readings1	51
Table B.9 – Example of additional sorting rules	52
Table B.10 – Example of additional language specific attributes for <enable_key_type>1</enable_key_type>	53

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MULTIMEDIA SYSTEMS AND EQUIPMENT – MULTIMEDIA E-PUBLISHING AND E-BOOKS – GENERIC FORMAT FOR E-PUBLISHING

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, rechnical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an EC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical sommittees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

International Standard IEC 62448 has been prepared by technical area 10: Multimedia e-publishing and e-book, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This second edition cancels and replaces the first edition, published in 2007 and constitutes a technical revision.

The main changes with respect to the previous edition are listed below.

- Addition of Annex B XMDF XML format
- Related changes in Clauses 2 and 6.

The text of this standard is based on the following documents:

CDV	Report on voting
100/1386A/CDV	100/1501/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.



INTRODUCTION

Markets for multimedia e-book and e-publishing require standardization of formats for e-book data interchange among associated people; authors, data preparers, publishers and readers. The formats are classified into submission format, generic format and reader's format. The submission format has to support an interaction between authors and data preparers. The reader's format depends on e-publishing equipment. The generic format has to provide an interchange format for data preparers and publishers and therefore should be e-publishing equipment independent.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of patents

Sony Corporation has informed IEC that it has patent applications or granted patents.

The IEC takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the IEC that he/she is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with the IEC. Information may be obtained from:

Sony Corporation 6-7-35 Kitashinagawa, Shinagawa-ku JP – Tokyo 141-0001

Sharp Corporation has informed IEC that it has patent applications or granted patents.

The IEC takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the IEO that he/she is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with the IEC. Information may be obtained from:

Sharp Corporation
Platform Technology Development Center
2613-1, Ichinomoto-cho, Tenri, Nara
632-8587, JAPAN

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. The IEC shall not be held responsible for identifying any or all such patent rights.

MULTIMEDIA SYSTEMS AND EQUIPMENT – MULTIMEDIA E-PUBLISHING AND E-BOOKS – GENERIC FORMAT FOR E-PUBLISHING

1 Scope

This International Standard specifies a generic format for multimedia e-publishing employed for e-book data interchange among data preparers and publishers, satisfying a number of publishers requirements: revisable, extensible and heterogeneous logical structure.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC/TS 62229:2006, Multimedia systems and equipment – Multimedia e-publishing and e-book – Conceptual model for multimedia e-publishing

ISO 639(all parts), Codes for the representation of names of languages

ISO 646, Information technology – ISO 7-bit-coded character set for information interchange

ISO 3166-1, Codes for the representation of names of countries and their subdivisions – Part 1: Country codes

ISO 8601, Data elements and interchange formats – Information interchange – Representation of dates and times

ISO/IEC 10646, Information technology – Universal Multiple-Octet Coded Character Set (UCS)

Amendment 1 (2005) Amendment 2 (2006)

Amendment 3 (2008)

Amendment 4 (2008)

Amendment 5 (2008)

ISO/IEC 19757-2:2003, Information technology – Document Schema Definition Language (DSDL) – Part 2: Regular-grammar based validation – RELAX NG

Amendment 1 (2006)

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

multimedia e-book

multimedia content consisting of texts, graphics, sounds and/or videos

[IEC 62229, 3.2]

3.2

data preparer

organization or person that prepares an e-book; an editor is an example of a preparer

[IEC 62229, 3.3 modified]

3.3

publisher

organization or person that issues and distributes an e-book

[IEC 62229, 3.4]

3.4

generic format

format for multimedia e-book contents created and edited by a data preparer and modified by a publisher to a reader's format for e-book distribution

4 Position and requirements for generic format

4.1 Generic format in contents creation/distribution model

The conceptual model for multimedia e-publishing [IEC 62229] defines a contents creation/distribution model shown in Figure 1.

Author <--(1)--> Data preparer <--(2)--> Publisher --(3)--> Reader

IEC 2379/06

Figure 1 - Contents creation/distribution model

Between the adjacent processing steps, data preparer and publisher, e-book contents data are interchanged using the generic format. Merging original texts, graphics, sounds and/or videos provided by authors, the data preparer creates and edits the e-book data are stored and forwarded to the publishers.

Publishers modify the generic format into reader's formats appropriate for distribution schemes and devices. The generic format can be used for e-book distribution as well.

4.2 Requirements for generic format

The generic format can satisfy the following requirements of the data preparer and the publisher:

a) logical structure:

the generic format has to have a logical structure that can easily be revised;

b) style specification:

the logical elements in the generic format should be rendered in accordance with a style specification for creating an appropriate reader's format;

c) heterogeneous structures:

multimedia e-books may include heterogeneous structures such as mathematics, chemistry and music notes according to the genre of contents. Those specific structures should be imported to the generic format;

d) metadata:

the generic format should support some metadata to manage the e-book contents data.

5 Notation

The logical structure of generic format is described by using RELAX NG schema, ISO/IEC 19757-2.

6 Logical structure

The logical structure of generic format: ebook-g, provides a simple and extensible format ebook-g-core and existing and actually employed formats bbebxylog and xmdf. The structures of bbebxylog and xmdf are shown in Annex A and Annex B, respectively.

```
default namespace= http://tc100.iec.ch/2005/ebook/generic
start = ebook-g
ebook-g = ebook-g-core
     | external "bbebxylog.rnc"
     | external "xmdf.rnc"
ebook-g-core = meta-g & body-g
meta-g = external "meta-g.rnc"
body-g = element body-g { body }
body =
 title*,
 foreword*.
 introduction*.
 titled-clause+,
 annex*.
 bibliography*
title = element title {
     element main { text },
     element sub { text }
    }
foreword = element foreword { text }
introduction = element introduction { block+ }
titled-clause = element clause { id, title, clause-content }
clause-content =
 (titled-clause, titled-clause+) | untitled-clause-content
untitled-clause-content = (untitled-clause, untitled-clause+) | block+
untitled-clause = element clause { id, untitled-clause-content }
referenced-document =
 element referenced-document {
   id,
   element abbrev { text },
   element title { text },
   element field { text }*,
   element url { xsd:anyURI }
 }
annex =
 element annex {
```

```
62448 © IEC:2009(E)
                                              - 11 -
  id,
  title,
  clause-content
 }
bibliography = element bibliography { referenced-document+ }
block = p | ol | ul | example | note | pre | float
p = element p { inline }
float = table | figure
table = external "table.rnc"
figure = external "figure.rnc"
ol =
 element ol {
  element li { id, block+ }+
 }
ul =
 element ul {
  element li { block+ }+
example = element example { p+ }
note = element note { p+ }
pre = element pre { pre-content }
pre-content =
 (text
  | element var { pre-content })
inline =
 (text
  | element code | to | i | var { inline }
  | ref
  | strong)*
ref =
  element ref {
    attribute to { xsd:IDREF }
  }
id = attribute id { xsd:ID }?
strong = element strong { text }
```

7 Semantics

Elements of ebook-g-core should be rendered in accordance with appropriate style specifications. Actual style specifications by style languages, for example XSL or DSSSL, are outside the scope of this standard.

The contents of meta-g.rnc, table.rnc and figure.rnc are not specified within an architecture of the ebook-g-core.

Annex A (normative)

BBeB Xylog Format

A.1 General

This annex specifies the bbebxylog format mentioned in Clause 6.

This format is intended to be used for two kinds of users, that is, the e-Book contents producer and the related tool developer. Those who produce contents can use this specification as a generic contents data storage format based on the international standard specification. The related tool developer can use it as a reference to decide on the specification for the display equipment and to define the conversion rule between this specification and the other data forms such as any types of XML or HTML.

The feature of this specification specified in this annex includes the following:

- a) "expression of book on paper" concerning two sofeeps layout and modified characters, etc.
- b) "expression of digital" such as sound, page jump and interactive action, etc.

The elements necessary for the above-mentioned expressions and their smooth operations are defined in this specification.

A.2 Structure description

| element.Italic

| element.Bold

| SimpleChar1)*

SimpleChar1 =

namespace a = "http://relaxing.org/ns/compatibility/annotations/1.0"

namespace sch = "http://www.assc.net/xml/schematron"

DrawChar = (element.Plot | element.Filk | element.CharButton | element.Yoko | element.Tate | element.Nekase | element.NoBR | element.DrawChar

```
62448 © IEC:2009(E)
                                           - 13 -
 (element.Rubi
 | element.Box
 | element.EmpDots
 | element.EmpLine
 | element.Sub
 | element.Sup
 | element.Space
 | SimpleChar0)*
SimpleChar0 = (text | element.Gaiji | element.AltString)*
SimpleChar2 = (element.Plot | SimpleChar0)*
# BBeB XML Xylog Basic
element.BBeBXylog =
 element BBeBXylog {
  attlist.version,
  element.BookInformation,
  element.Main,
  element.Style,
  element.Objects
 }
attlist.version &=
 attribute version { text }
 >> a:documentation [
    ' Constraint: Current "version" attribute value is "1.0" '
   ]
element.BookInformation =
 element BookInformation { element.Info, element.TOC }
element.Info =
 element Info {
  attlist.version, element.BookInfo, element.DocInfo, element.Keyword*
 }
element.BookInfo =
```

element BookInfo {