

Edition 6.0 2010-09

# INTERNATIONAL STANDARD

NORME INTERNATIONALE

Household and similar electrical appliances – Safety –
Part 2-25: Particular requirements for microwave ovens, including combination microwave ovens

Appareils électrodomestiques et analogues – Sécurité –
Partie 2-25: Règles particulières pour les fours à micro-ondes, y compris les fours à micro-ondes combinés



#### THIS PUBLICATION IS COPYRIGHT PROTECTED

#### Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IFC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Email: inmail@iec.ch

Web: www.iec.ch



The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

# **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published

Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

IEC Just Published: www.iec.ch/online news/justpub/

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivarent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

■ Customer Service Sentre: www.iec.ch/webstore/custserv

If you wish to give us you feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us

Email: csc@iec.ch Tel.: +41 22 919 02 11 Fax: +41 22 919 03 60

#### A propos de la CEV

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'èlectricité, à l'électronique et aux technologies apparentées.

#### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

■ Catalogue des publications de la CEI: www.iec.ch/searchpub/cur\_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

Just Published CEI: www.iec.ch/online\_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

Electropedia: www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

Service Clients: www.iec.ch/webstore/custserv/custserv\_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch Tél.: +41 22 919 02 11 Fax: +41 22 919 03 00



Edition 6.0 2010-09

# INTERNATIONAL STANDARD

NORME INTERNATIONALE



Appareils électrodomestiques et analogues – Sécurité –
Partie 2-25: Règles particulières pour les fours à micro-ondes, y compris les fours à micro-ondes combinés

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE
CODE PRIX

V

ICS 13.120, 97.040.20

ISBN 978-2-88912-154-0

# CONTENTS

INIT		
IINI	RODUCTION	6
1	Scope	7
2	Normative references	8
3		
4	General requirement	9
5	General conditions for the tests	9
6		9
7	Marking and instructions	10
8	- January Santa and January Santa Sa	11
9		12
10	Power input and current	12
		12
12	Void	
13	Leakage current and electric strength at operating temperature	12
14	Transient overvoltages	12
		13
16	Leakage current and electric strength	_
17	Overload protection of transformers and associated circuits	14
	Endurance	14
19		
20	/ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
<b>21</b> <sub>a</sub>	Mechanical strength	.52. 16
22	Construction	18
24	Components	23
26	Terminals for external conductors	23
27	Provision for earthing	24
28	Screws and connections	24
29	Clearances, creepage distances and solid insulation	24
30	Resistance to heat and fire	24
31	Resistance to rusting	24
32	Radiation, toxicity and similar hazards	24
Ann	exes	26
Ann	ex A (informative) Routine tests	26
Ann	ex AA (normative) Combination microwave ovens	27
Ann	ex BB (normative) Microwave ovens intended to be used on board ships	29
Bibl	iography	31
	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 31 31 31 31 31 31 31 31 31 31 31 31	2 Normative references 3 Terms and definitions 4 General requirement. 5 General conditions for the tests 6 Classification. 7 Marking and instructions. 8 Protection against access to live parts. 9 Starting of motor-operated appliances. 10 Power input and current. 11 Heating. 12 Void. 13 Leakage current and electric strength at operating temperature. 14 Transient overvoltages. 15 Moisture resistance. 16 Leakage current and electric strength. 17 Overload protection of transformers and associated circuits. 18 Endurance. 19 Abnormal operation. 20 Stability and mechanical hazards. 21 Mechanical strength. 22 Construction. 23 Internal wiring. 24 Components. 25 Supply connection and external flexible cords. 26 Terminals for external conductors. 27 Provision for earthing. 28 Screws and connections. 29 Clearances, creepage distances and solid insulation. 30 Resistance to heat and fire. 31 Resistance to heat and fire. 31 Resistance to rusting. 32 Radiation, toxicity and similar hazards. 33 Annexes. 34 Annex A (informative) Routine tests. 36 Annex AA (normative) Combination microwave ovens. 36 Annex BB (normative) Microwave ovens intended to be used on board ships.

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

# HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

# Part 2-25: Particular requirements for microwave ovens, including combination microwave ovens

### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by subcommittee 61B: Safety of microwave ovens, of IEC technical committee 61: Safety of household and similar electrical appliances.

This sixth edition cancels and replaces the fifth edition published in 2002 including its Amendment 1 (2005) and Amendment 2 (2006). It constitutes a technical revision.

The principal changes with respect to the previous edition are as follows (minor changes are not listed):

- the scope is extended by microwave ovens on board ships and Annex BB contains requirements and test specifications for microwave ovens on board ships;
- the scope and the requirements for the instructions are modified for better separation between "household and similar use" and "commercial use";

- the scope is modified by so that this International Standard does not take into account persons whose capabilities or lack of experience and knowledge prevents them from using the appliance safely without supervision or instruction and children playing with the appliance;
- the intended use is defined for clarification;
- the door endurance test is rationalised;
- the replacement of 22.103, 22.104 and 22.105 allows interlock systems with at least one concealed door interlock as well as alternative interlock systems without concealed door interlock;
- the tests on electronic door interlock systems and similar are defined for clarification;
- the pollution degree of combination microwave ovens is defined for clarification;
- the thickness requirement for sheaths of visibly glowing heating elements of combination microwave ovens is defined for clarification:
- there is an editorial correction of Clause 19 of Annex AA.

The text of this standard is based on the following documents:

FDIS	Report on voting
61B/417/FDIS	61B/425/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Particular requirements for microwave ovens, including combination microwave ovens.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold

A list of all parts of the IEC 60335 series, under the general title: Household and similar electrical appliances – Safety, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- · withdrawn,
- · replaced by a revised edition, or
- · amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

The following differences exist in the countries indicated below.

_	5.3:	Microwave leakage is not to exceed	I 10 W/m2 during the initia	test (ソ	apan and	USA)
---	------	------------------------------------	-----------------------------	---------	----------	------

- 6.1: Microwave ovens may be class 01 if the rated voltage does not exceed more than 150 V (Japan).
- 7.12: Specific instructions exist pertaining to using and servicing microwave overs with respect to the risk of exposure to microwave energy (USA.
- 7.12: It is prohibited to place the appliance in a cabinet with a door (Japan)
- Clause 18: The test is carried out on two appliances (USA)
- 19.11.2: The input voltage variation is not applied (USA).
- 19.13: Microwave leakage is measured only at the end of each test (USA).
- 21.102: The applied force is 222 N (USA).
- 21.105: Microwave leakage is not to exceed 50 W/m2 (Japan and USA).
- 22.111: Microwave leakage is measured only at the end of the test (USA).
- 22.112: Microwave leakage is not to exceed 50 W/m2 Japan and USA).
- 22.115: All access to the cavity has to be prevented (USA).

nttps://standards.iteh.ai

<u>-2-25:2010</u>

### INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features which impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

# HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

# Part 2-25: Particular requirements for microwave ovens, including combination microwave ovens

# 1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of microwave overs for household and similar use, their rated voltage being not more than 250 V.

This standard also deals with combination microwave ovens, for which Annex AA is applicable.

This standard also deals with **microwave ovens** intended to be used on board ships, for which Annex BB is applicable.

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as appliances intended to be used by laymen in shops, in light industry and on farms, are within the scope of this standard. However, if the appliance is intended to be used professionally to process food for commercial purposes, the appliance is not considered to be for household and similar use only.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- persons (including children) whose
  - physical, sensory or mental capabilities; or
  - lack of experience and knowledge

prevents them from using the appliance safely without supervision or instruction;

- children playing with the appliance.

NOTE 101 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities.

NOTE 102 This standard does not apply to

- commercial microwave ovens (IEC 60335-2-90)
- industrial microwave heating equipment (IEC 60519-6)
- appliances for medical purposes (IEC 60601)
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

#### 2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60068-2-6, Environmental testing – Part 2: Tests – Test Fc: Vibration (sinusoidal)

IEC 60068-2-27, Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock

IEC 60068-2-52, Environmental testing – Part 2-52: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)

IEC 60335-2-6, Household and similar electrical appliances – Safety – Part 2-6: Particular requirements for stationary cooking ranges, hobs, ovens and similar appliances

IEC 60335-2-9, Household and similar electrical appliances - Safety - Part 2-9: Particular requirements for grills, toasters and similar portable cooking appliances

#### 3 Terms and definitions

This clause of Part 1 is applicable except as follows

#### **3.1.7** *Addition:*

NOTE 101 The rated frequency is the input frequency.

# 3.1.9 Replacement:

#### normal operation

operation of the appliance with 1 000 g  $\pm$  50 g of potable water at an initial temperature of 20 °C  $\pm$  2 °C in a cylindrical borosilisate glass vessel having a maximum thickness of 3 mm and an outside diameter of approximately 190 mm. The vessel is placed on the centre of the shelf.

# 3.101

#### microwave oven

appliance using electromagnetic energy in one or several of the ISM frequency bands 1) between 300 MHz and 30 GHz, for heating food and beverages in a **cavity** 

#### 3.102

### combination microwave oven

**microwave oven** in which heat is also provided in the **cavity** by simultaneous or consecutive operation of resistive heating elements

NOTE The resistive heating elements are used to provide radiant heat, convection heat or steam.

# 3.103

#### cavity

space enclosed by the inner walls and the door in which the load is placed

<sup>1)</sup> ISM frequency bands are the electromagnetic frequencies established by the ITU and reproduced in CISPR 11.

#### 3.104

#### shelf

horizontal support in the cavity on which the load is placed

#### 3.105

#### door interlock

device or system that prevents the operation of the magnetron, unless the oven door is closed

#### 3.106

#### monitored door interlock

door interlock system that incorporates a supervision device

#### 3.107

### temperature-sensing probe

device that is inserted into the food to measure its temperature and is a part of an oven control

# 4 General requirement

This clause of Part 1 is applicable.

# 5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

#### 5.2 Addition:

NOTE 101 An additional sample may be required for the test of 19.104.

NOTE 102 Six samples of the interlocks are required for the test of 24.1.4.

#### 5.3 Modification:

Instead of carrying out the tests in the order of clauses, the following sequence of clauses and subclauses applies: Clause 32, 22.113, 22.108, 22.115. 22.116, Clause 7 to 17, Clause 20, Clause 21 (except 21.101 to 21.105), Clause 18, Clause 19 (except 19.104), Clause 22 (except 22.108, 22.113, 22.115 and 22.116), Clause 23 to 31, 21.101 to 21.105 and 19.104

- 5.101 Microwave ovens are tested as motor-operated appliances.
- **5.102** Class III temperature-sensing probes are only subjected to the tests of 22.112.

#### 6 Classification

This clause of Part 1 is applicable except as follows.

#### 6.1 Modification:

Microwave ovens shall be class I or class II.

# 7 Marking and instructions

This clause of Part 1 is applicable except as follows.

#### 7.1 Addition:

Appliances shall be marked with the nominal frequency in megahertz of the ISM band in which they operate.

If the removal of any cover results in microwave leakage exceeding the value specified in Clause 32, the cover shall be marked with the substance of the following:

# WARNING MICROWAVE ENERGY DO NOT REMOVE THIS COVER

If an appliance incorporates a socket-outlet protected by means of fuses, other than D-type fuses, it shall be marked with the rated current of the relevant fuse. When a miniature fuse-link is provided, this marking shall indicate that the fuse-link is to have a high breaking capacity.

#### 7.12 Addition:

The instructions shall state the substance of the following:

# IMPORTANT SAFETY INSTRUCTIONS READ CAREFULLY AND KEEP FOR FUTURE REFERENCE

The instructions shall include the substance of the following warnings:

- WARNING: If the door or door seals are damaged, the oven must not be operated until it
  has been repaired by a competent person.
- WARNING: It is hazardous for anyone other than a competent person to carry out any service or repair operation that involves the removal of a cover which gives protection against exposure to microwave energy.
- WARMING. Liquids and other foods must not be heated in sealed containers since they are liable to explode.

The instructions shall include the substance of the following:

- This appliance is intended to be used in household and similar applications such as:
  - staff kitchen areas in shops, offices and other working environments;
  - · farm houses;
  - by clients in hotels, motels and other residential environments;
  - · bed and breakfast type environments.

NOTE 101 If the manufacturer wishes to limit the use of the appliance to less than the above, this has to be clearly stated in the instructions.

- The minimum height of free space necessary above the top surface of the oven.
- Only use utensils that are suitable for use in microwave ovens.
- When heating food in plastic or paper containers, keep an eye on the oven due to the possibility of ignition.

- The microwave oven is intended for heating food and beverages. Drying of food or clothing and heating of warming pads, slippers, sponges, damp cloth and similar may lead to risk of injury, ignition or fire.
- If smoke is observed, switch off or unplug the appliance and keep the door closed in order to stifle any flames.
- Microwave heating of beverages can result in delayed eruptive boiling, therefore care must be taken when handling the container.
- The contents of feeding bottles and baby food jars shall be stirred or shaken and the temperature checked before consumption, in order to avoid burns.
- Eggs in their shell and whole hard-boiled eggs should not be heated in microwave ovens since they may explode, even after microwave heating has ended.
- Details for cleaning door seals, cavities and adjacent parts.
- The oven should be cleaned regularly and any food deposits removed.
- Failure to maintain the oven in a clean condition could lead to deterioration of the surface that could adversely affect the life of the appliance and possibly result in a hazardous situation.
- Only use the temperature probe recommended for this oven for appliances having a facility to use a temperature-sensing probe).

The manufacturer shall state in the instructions whether the microwave oven is intended to be used freestanding, built-in or in a cabinet. If the appliance can be used while placed in a cabinet.

- · the minimum dimensions of the cabinet shall be given by the manufacturer, and
- the instructions shall state that the appliance must be operated with any cabinet door open.

The instructions for **microwave ovens** having an additional decorative door shall state that the appliance must be operated with the decorative door open.

The instructions for microwave ovens that are not tested in a cabinet shall state that the appliance must not be placed in a cabinet.

# 7.14 Addition:

The height of the lettering of the warning specified in 7.1 shall be at least 3 mm.

Compliance is checked by measurement.

#### 8 Protection against access to live parts

This clause of Part 1 is applicable except as follows.

### 8.1.1 Addition:

Test probe 18 of IEC 61032 is also applied, as specified for test probe B. However, it is only applied to parts that are accessible when the oven is operated in normal use.

#### 8.2 Addition:

Test probe 18 of IEC 61032 is also applied, as specified for test probe B. However, it is only applied to parts that are accessible when the oven is operated in normal use.

# 9 Starting of motor-operated appliances

This clause of Part 1 is not applicable.

# 10 Power input and current

This clause of Part 1 is applicable.

# 11 Heating

This clause of Part 1 is applicable except as follows.

#### **11.2** Addition:

Appliances, other than built-in appliances, are positioned as specified for heating appliances.

A ceiling is placed over the appliance at the minimum height stated in the instructions. The ceiling has a depth of 300 mm from the back wall of the test corner and a length at least 150 mm in excess of the width of the appliance.

Appliances that can be used when placed in a cabinet are placed in a cabinet with the minimum dimension given in the instructions by the manufacturer, the plywood specified for the test corner being used. The appliance is positioned against the rear wall and one of the side walls.

The cabinet door is in the open position.

# 11.7 Replacement:

Appliances are operated for three cycles, each cycle consisting of a heating period of 10 min followed by a rest period of 1 min. During the rest periods, the door is open and the load is replaced.

#### 11.8 Addition:

The temperature xises of external surfaces of microwave ovens are only measured on the surfaces that are not placed against the wall and the floor of the test corner.

There are no temperature rise limits for air-outlet grilles and for surfaces up to a distance of 25 mm from them.

NOTE 101 These surfaces do not include handles.

#### 12 Void

# 13 Leakage current and electric strength at operating temperature

This clause of Part 1 is applicable.

# 14 Transient overvoltages

This clause of Part 1 is applicable.