

INTERNATIONAL STANDARD

NORME INTERNATIONALE



High definition (HD) recording link guidelines

Lignes directrices pour les liaisons d'enregistrement haute définition (HD)

IEC 62546:2009

<https://standards.iteh.ai/catalog/standards/sist/4d5360f9-3823-4c67-b5e4-1293f341bd94/iec-62546-2009>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2009 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC online collection - oc.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



High definition (HD) recording link guidelines

Lignes directrices pour les liaisons d'enregistrement haute définition (HD)

[IEC 62546:2009](#)

<https://standards.iteh.ai/catalog/standards/sist/4d5360f9-3823-4c67-b5e4-1293f341bd94/iec-62546-2009>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.160.25; 33.160.40

ISBN 978-2-8322-9334-8

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms, definitions and abbreviations	7
3.1 Terms and definitions	7
3.2 Abbreviations	7
4 Use cases	8
5 System definition	9
5.1 Device model	9
5.2 System usage	9
6 Guideline terminology and conventions	10
7 Guideline requirements	10
7.1 Purpose	10
7.2 General	10
7.3 Networking and connectivity	10
7.4 Device discovery and control.....	10
7.5 Media management.....	11
7.5.1 Purpose.....	11
7.5.2 Support for upload operations.....	11
7.5.3 Support for selection of record destination.....	12
7.5.4 Actions	12
7.6 Media transport	16
7.7 Media format	16
7.7.1 Purpose.....	16
7.7.2 General	16
7.7.3 Media format profile.....	16
7.8 Content protection.....	16
Annex A (informative) Use cases	17
Annex B (informative) Media format profile	22
Annex C (informative) Record destination selection	23
Annex D (informative) Vendor extension of XML service description	26
Bibliography.....	28
Figure 1 – High definition reception and recording	6
Figure 2 – Recording system usage interaction model	9
Figure A.1 – HD reception and recording device model – triggered by the recorder.....	18
Figure A.2 – HD reception and recording device model – triggered by the receiver	19
Table 1 – HDLNK namespace values	10
Table 2 – HD Recording Link guidelines version	11
Table 3 – <hdlnk:X_HDLNKDOC> element description	11
Table 4 – Arguments for X_HDLnkGetRecordDestinations().....	12
Table 5 – Arguments for X_HDLnkGetRecordDestinationInfo()	12

Table 6 – Arguments for X_HDLnkGetRecordContainerID()	13
Table 7 – Child elements and attributes of the <RecordDestination> element.	14
Table 8 – Child elements and attributes of the <RecordDestinationInfo> element.	15
Table 9 – Eventing and moderation.....	16
Table B.1 – Media format profiles for regions.....	22

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 62546:2009](#)

<https://standards.iteh.ai/catalog/standards/sist/4d5360f9-3823-4c67-b5e4-1293f341bd94/iec-62546-2009>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HIGH DEFINITION (HD) RECORDING LINK GUIDELINES

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62546 has been prepared by technical area 9: Audio, video and multimedia applications for end-user network, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

The text of this standard is based on the following documents:

CDV	Report on voting
100/1470/CDV	100/1558/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 62546:2009](#)

<https://standards.iteh.ai/catalog/standards/sist/4d5360f9-3823-4c67-b5e4-1293f341bd94/iec-62546-2009>

INTRODUCTION

With the global introduction of High definition (HD) TV services, receivers, and consumer recording equipment, the need has arisen for a universal recording interface to connect receivers and recorders.

This International Standard presents a comprehensive proposal for this interface including content protection [2][3]¹. The proposal – intended as a guideline – leverages existing standards IEC 62481-1, and [4] in the field, ensuring interoperability between receivers and recorders.



NOTE * HDMI (High-Definition Multimedia Interface)² is a digital interface for the connection between source device and monitor provided by HDMI Licensing, LLC.

Figure 1 – High definition reception and recording

The starting point for the proposal is an in-home configuration depicted in Figure 1. The assumption is that both the receiver (e.g. STB) as well as the recorder (e.g. BD-recorder) are connected to the display via an HDMI interface [4]. The proposed recording interface connects the recorder to the receiver and carries compressed signals only. Obviously, the receiver functionality can be integrated into the display.

The proposed interface recognises the fact that a large amount of content will be made available in the form of a Pay-TV and thus be protected via a Conditional Access (CA) system. The required CA functionality is assumed to be contained in the receiver.

¹ Figures in square brackets refer to the Bibliography.

² HDMI is the trade name of a product supplied by HDMI Licensing, LLC. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the product named.

HIGH DEFINITION (HD) RECORDING LINK GUIDELINES

1 Scope

This International Standard specifies the communication protocol between a TV receiver and a video recorder which are connected through a digital interface.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62481-1:2007, *Digital living network alliance (DLNA) home networked device interoperability guidelines – Part 1: Architecture and protocols*

IEC 62481-2, *Digital living network alliance (DLNA) home networked device interoperability guidelines – Part 2: DNLA media formats*

ETSI TR 101 211:2004, *Digital Video Broadcasting (DVB); Guidelines on Implementation and usage of Service Information (SI)-V1.6.1*

3 Terms, definitions and abbreviations

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1.1 content

video, audio or subtitles data which is intended to be delivered to and consumed by a user

3.1.2 content protection

control of access and usage of content through rules and rights

3.1.3 receiver

device with a digital broadcast reception capability which may have a storage for recording content, for example STB

3.1.4 recorder

device capable of recording digital content on to a storage medium (removable or non-removable or both), for example BD-recorder

3.2 Abbreviations

For the purposes of this document, the following abbreviations apply.

CDS	Content Directory Service
CEC	Consumer Electronics Control

CSV	Comma Separated Value
DIT	Discontinuity Information Table
DLNA	Digital Living Network Alliance
DMS	Digital Media Server
DTCP	Digital Transmission Content Protection
EPG	Electronic Program Guide
HDD	Hard Disk Drive
HDLNK	HD recording LiNK
HDMI	High Definition Multimedia Interface
HTTP	Hyper Text Transfer Protocol
IRD	Integrated Receiver Decoders
MPEG	Moving Picture Experts Group
OCM	Optional Content Management
PAT	Program Association Table
PMT	Program Map Table
PVR	Personal Video Recorder
RCV	Receiver
REC	Recorder
SIT	Selection Informative Table
SPTS	Single Program Transport Stream
STB	Set Top Box
STC	System Time Clock
TS	Transport Stream
SI	Service Information
SOAP	Simple Object Access Protocol
SCPD	Service Controlled Protocol Description
UPnP	Universal Plug and Play
XML	eXtensible Markup Language

4 Use cases

Annex A shows the following use cases derived from the interconnection depicted in Figure 1.

- a) Impulse recording (What You See Is What You Record – WYSIWYR)
- b) Scheduled recording
- c) Pause TV
- d) Archiving

This standard addresses the following two use cases described in A.4.3 and Clause A.6, but not others described in Annex A.

In addition, it should be noted that this guideline implements the scheduled recording use case without reservation of the storage on the recorder side. Other use cases described in Annex A may be covered by the future publications.

5 System definition

5.1 Device model

HD Recording Link guidelines uses the device model described in DLNA (see Clause 5 in IEC 62481-1). This subclause maps the receiver and the recorder (target devices for the guidelines) to DLNA device model.

This guideline provides the requirements for the following devices:

- RCV** – receiver is a device that consists of one or more broadcasting tuner(s), an IP-based home network interface and may have storage for recording content. The storage functionality of the receiver is not covered by the guidelines;
- REC** – recorder is a device that consists of a storage for recording content (removable or non-removable or both) and an IP-based home network interface.

5.2 System usage

The system usage describes the device interaction model between devices defined in this document in order to realise the use cases listed in Clause 4.

The usage covers the use cases addressed in Clause 4 of this document. The recording system usage has an upload controller device capability in the **RCV** to instruct the **REC** to accept the content for recording.




Figure 2 – Recording system usage interaction model

Figure 2 illustrates the device interaction model. The following steps are performed in the system usage:

- invoke UPnP action to select the destination media (HDD, BD, etc.);
- invoke UPnP action to create a CDS entry for the content to be recorded;
- transport the content to the recorder.

It should be noted that the upload controller device capability is incorporated as part of a valid DLNA device. In preparation for the next steps of the guidelines it has been decided to host the upload controller device capability in a DMS. Therefore, the receiver requires adherence to the DMS device class although the functionality of the DMS is not required to implement the use cases realised by the current guidelines.

6 Guideline terminology and conventions

The HD Recording Link guidelines include references to XML [6][7] elements and attributes without the definition of formal HDLNK XML schema. This allows the HD Recording Link guidelines to define new XML elements and attributes in the future, without having to define a new namespace or schema definition. Table 1 lists the namespace values that are used by HD Recording Link guidelines and the context of their usage.

Table 1 – HDLNK namespace values

Namespace value	Usage context
urn:schemas-hdlnk-org:device-1-0	Used for XML elements and attributes defined by HD Recording Link guidelines for use in UPnP device description files.

7 Guideline requirements

7.1 Purpose

This clause covers the guidelines that enable vendors to build HD receivers and recorders that together, provide HD Recording Link functionality as defined in the current phase.

7.2 General

The **RCV** must fulfil all the guidelines for a DMS device class in IEC 62481-1 and upload controller device capability (+UP+) in IEC 62481-1. The **REC** must fulfil all guidelines for DMS device class in IEC 62481-1 and must accept upload operations from the **RCV** (see following subclause for details).

<https://standards.iteh.ai/catalog/standards/sist/4d5360f9-3823-4c67-b5e4-1293f341bd94/iec-62546-2009>

7.3 Networking and connectivity

The **RCV** and **REC** must support the following connectivity selection of IEC 62481-1.

- Ethernet conformant to all [NC Ethernet:] labeled requirements in the general capability requirements clause of networking and connectivity.

The **RCV** and **REC** may support the following connectivity selection of IEC 62481-1.

- 802.11 conformant to all [NC 802:11:] labeled requirements in the general capability requirements clause of networking and connectivity³.

Any of the above selections can be supported via an add-on card, dongle, or equivalent.

7.4 Device discovery and control

The device discovery and control should be performed using UPnP device architecture as described in 7.3 of IEC 62481-1.

However, the HD Recording Link devices (**RCV** and **REC**) must incorporate the following changes to the device description documents.

- The **RCV** and **REC** must employ the <hdlnk:X_HDLNKDOC> XML element inside the <device> element of the device description document to indicate adherence to a particular HDLNK guidelines parts.
- The value of <hdlnk:X_HDLNKDOC> element is a string as defined below:

³ It is to be noted that the transmission of an HD signal may require more than 10 Mbps of network bandwidth.

- hdlnkdoc-value = hdlnk-dev-class”-“hdlnk-version;
- hdlnk-dev-class = “RCV” | “REC”;
- hdlnk-version = major-version”.”minor-version;
- major-version = DIGIT;
- minor-version = DIGIT DIGIT.

The hdlnk-dev-class represents a Device Class of a HDLNK device. The hdlnk-version represents adherence to specific guidelines parts according to Table 2.

The namespace value in the <hdlnk:X_HDLNKDOC> element of the device description of RCV and REC devices must be according to Clause 6.

Table 2 – HD Recording Link guidelines version

HD Recording Link guidelines adherence	HD Record Link guidelines version
HD Recording Link guidelines (this standard)	1.00

For instance, to indicate adherence to the currently defined specification, the HD Recording Link devices must include the values as shown in Table 3.

Table 3 – <hdlnk:X_HDLNKDOC> element description

Device class	<hdlnk:X_HDLNKDOC> element
RCV	<pre><hdlnk:X_HDLNKDOC xmlns:hdlnk="urn:schemas-hdlnk-org:device-1-0"> RCV-1.00 </hdlnk:X_HDLNKDOC></pre>
REC	<pre><hdlnk:X_HDLNKDOC xmlns:hdlnk="urn:schemas-hdlnk-org:device-1-0"> REC-1.00 </hdlnk:X_HDLNKDOC></pre>

7.5 Media management

7.5.1 Purpose

This subclause covers the guidelines for implementing media management, mainly transfer of content, using the DLNA and UPnP AV architecture.

7.5.2 Support for upload operations

An **RCV** must support the DLNA upload controller device capability according to IEC 62481-1, 7.4.1.2.4 with the following exception.

- The support for upload functionality as specified in these guidelines is not determined by the presence of the capability ID (av-upload) in <dlina:X_DLNACAP> element of the device description. Instead, it must be deduced from adherence of a device to the **REC** device class specified by <hdlnk:X_HDLNKDOC> defined in 7.4.

A **REC** must support the DLNA upload device option according to IEC 62481-1, 7.4.1.7.1 with the following additional requirements and exceptions.

- DLNA OCM content upload operation must be supported according to IEC 62481-1 7.4.1.7.12.1.

- The DLNA advertisement of the upload AnyContainer operation and OCM upload content operation is optional⁴. More specifically:
 - it is not required to use the capability ID (av-upload) in <dlina:X_DLNACAP> element of the device description to indicate support for the upload AnyContainer operation;
 - and it is not required to use @dlina:dlnaManaged attribute to indicate support for OCM upload content operation.
- The support for upload device option as specified in this guidelines must be deduced from adherence of a device to the **REC** device class specified by <hdlnk:X_HDLNKDOC> defined in 7.4.

7.5.3 Support for selection of record destination

A **REC** must support the selection of record destination using the following vendor-specific UPnP actions of the Content Directory service [5]:

- a) *CDS:X_HDLnkGetRecordDestinations()*– returns a list of possible record destinations. This action is used by RCV to acquire the possible record destinations;
- b) *CDS:X_HDLnkGetRecordDestinationInfo()*– returns properties of a given record destination. This action is used by the **RCV** to query the status of a given record destination (e.g. media type, total capacity, etc.);
- c) *CDS:X_HDLnkGetRecordContainerID()* – returns the CDS container ID associated to a given record destination. This function is used by the **RCV** to select a CDS container with a given record destination. The returned container ID is later used in the execution of the *CreateObject()* action of the upload operation.

7.5.4 Actions

(standards.iteh.ai)

7.5.4.1 X_HDLnkGetRecordDestinations()

This action returns a *RecordDestination* XML document describing the possible record destinations that a **REC** device supports, if any. The action is used by the **REC** to expose the possible record destinations, see Table 4.

Table 4 – Arguments for X_HDLnkGetRecordDestinations()

Argument	Direction	Related state variable
<i>RecordDestinationList</i>	OUT	<i>X_RecordDestinationList</i>

7.5.4.2 X_HDLnkGetRecordDestinationInfo()

This action returns a *RecordDestinationInfo* XML document describing the properties of a given record destination, see Table 5.

Table 5 – Arguments for X_HDLnkGetRecordDestinationInfo()

Argument	Direction	Related State Variable
<i>RecordDestinationID</i>	IN	<i>X_A_ARG_TYPE_RecordDestinationID</i>
<i>RecordDestinationInfo</i>	OUT	<i>X_A_ARG_TYPE_RecordDestinationInfo</i>

⁴ The advertisement of the DLNA upload functionality is not mandatory in the REC for the following reasons:

A REC is not necessarily fully compliant with DLNA upload device option. Some valid REC implementations may not be able to support all mandatory upload media profiles as defined in IEC 62481-2.

A REC implementation may want to hide the upload functionality from all DLNA devices that are not aware of this guidelines. This may be used to avoid possible unmanaged upload operation from other DLNA devices conflicting with RCV record schedule.

7.5.4.3 X_HDLnkGetRecordContainerID()

This action returns the container ID associated with a given record destination. The container is later used to create the new object for the upload operation, see Table 6.

Table 6 – Arguments for X_HDLnkGetRecordContainerID()

Argument	Direction	Related State Variable
<i>RecordDestinationID</i>	IN	<i>X_ARG_TYPE RecordDestinationID</i>
<i>Elements</i>	IN	<i>A_ARG_TYPE Result</i>
<i>ContainerID</i>	OUT	<i>A_ARG_TYPE ObjectID</i>

The state variables *A_ARG_TYPE_ObjectID* and *A_ARG_TYPE_Result* are defined in [5].

The argument *Elements* is identical to the argument *Elements* of CreateObject (see [5]) except ParentID and is provided to describe the object that will be uploaded later. This way the **REC** can refine the selection of the associated container ID. For example, using the same *RecordDestinationID* a given **REC** implementation may expect the upload of audio and video items in two different containers.

Obviously, the argument *Elements* cannot include a valid parentID which is the expected result of the action. Hence, the value of parentID in the argument *Elements* must be empty (" ") in this action.

7.5.4.4 State variables

(standards.iteh.ai)

7.5.4.4.1 X_A_ARG_TYPE_RecordDestinationID

This state variable is introduced to provide type information for the *RecordDestinationID* argument in various actions. The *RecordDestinationID* argument uniquely identifies individual record destinations within this vendor-specific extension of the Content Directory service [5].

7.5.4.4.2 X_RecordDestinationList

This state variable enumerates the various record destinations supported by the **REC**. The value is a valid *RecordDestination* XML document:

- the root element of the document is <RecordDestinations>. It contains zero or more child <RecordDestination> elements, each of which represents one record destination that is supported in this **REC** implementation;
- a <RecordDestination> element must have the required (R) child value and attributes as defined in Table 7;
- a <RecordDestination> element may have optional (O) attributes as defined in Table 7;
- a <RecordDestination> element may have other attributes.