

### SLOVENSKI STANDARD SIST EN 2732:2005

01-november-2005

#### Aerospace series - Magnesium alloy MG-C46001-T6 - Chill casting

Aerospace series - Magnesium alloy MG-C46001-T6 - Chill casting

Luft- und Raumfahrt - Magnesiumlegierung MG-C46001-T6 - Kokillengussstück iTeh STANDARD PREVIEW

Série aérospatiale - Alliage de magnésium MG-C46001-T6 - Produit coulé en coquille

Ta slovenski standard je istoveten 2: EN 2732:2005 https://standards.iteh.avcatalog/standards/sist/44f14c42-3c73-408d-a065-

c750f5114250/sist-en-2732-2005

ICS:

49.025.15 Neželezove zlitine na

splošno

Non-ferrous alloys in general

SIST EN 2732:2005

en

**SIST EN 2732:2005** 

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 2732:2005</u> https://standards.iteh.ai/catalog/standards/sist/44f14c42-3c73-408d-a065c750f5114250/sist-en-2732-2005 EUROPEAN STANDARD NORME EUROPÉENNE

**EN 2732** 

EUROPÄISCHE NORM

June 2005

ICS 49.025.15

#### English version

## Aerospace series - Magnesium alloy MG-C46001-T6 - Chill casting

Série aérospatiale - Alliage de magnésium MG-C46001-T6 - Produit coulé en coquille

Luft- und Raumfahrt - Magnesiumlegierung MG-C46001-T6 - Kokillengußstück

This European Standard was approved by CEN on 22 April 2005.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

SIST EN 2732:2005

https://standards.iteh.ai/catalog/standards/sist/44f14c42-3c73-408d-a065-c750f5114250/sist-en-2732-2005



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

EN 2732:2005 (E)

#### **Foreword**

This document (EN 2732:2005) has been prepared by the European Association of Aerospace Manufacturers - Standardization (AECMA-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of AECMA, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2005, and conflicting national standards shall be withdrawn at the latest by December 2005.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

(standards.iteh.ai)

<u>SIST EN 2732:2005</u> https://standards.iteh.ai/catalog/standards/sist/44f14c42-3c73-408d-a065c750f5114250/sist-en-2732-2005

#### Introduction

This standard is part of the series of EN metallic material standards for aerospace applications. The general organization of this series is described in EN 4258.

This standard has been prepared in accordance with EN 4500-2.

#### 1 Scope

This standard specifies the requirements relating to:

Magnesium alloy MG-C46001 T6 Chill casting

for aerospace application.

### 2 Normative references ANDARD PREVIEW

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

SIST EN 2732:2005

EN 2076-3, Aerospace://series.ds.itel Aluminium and magnesium\_alloy\_ingots) (and castings — Technical specification — Part 3: Pre-production and production castings 005

EN 4258, Aerospace series — Metallic materials — General organization of standardization — Links between types of EN standards and their use.

EN 4500-2, Aerospace series — Metallic materials — Rules for drafting and presentation of material standards — Part 2: Specific rules for aluminium, aluminium alloys and magnesium alloys. <sup>1)</sup>

<sup>1)</sup> Published as AECMA Prestandard at the date of publication of this standard.

#### EN 2732:2005 (E)

1	Material designation			Magnesium alloy MG – C46001 <sup>a</sup>											
2	Chemical	Element		Ag	Cu	Fe	Mn	Ni	RE	Si	Zn	Zr	Others		Mg
	composition	Licincii		χ,	Ou	16	IVIII	INI		51	211	<u> </u>	Each	Total	ivig
	%	min.		2,0	ı	ı	ı	ı	1,8	-	-	0,40	-	ı	Base
		max.		3,0	0,03	0,10	0,15	0,005	3,0	0,01	0,20	1,0	0,05	0,20	Dasc
3	Method of melting	-													
4.1	Form			Chill casting											
4.2	Method of production			Chill casting											
4.3	Limit dimension(s) mm			_											
5	Technical specification			EN 2076-3											

6.1	Delivery condition	T6					
	Heat treatment	510 °C ≤ θ ≤ 545 °C / 4 h ≤ t ≤ 8 h / WQ 60 °C ≤ θ ≤ 80 °C <sup>b</sup> + 195 °C ≤ θ ≤ 205 °C / 8 h ≤ t ≤ 16 h / Air cool					
6.2	Delivery condition code	U					
7	Use condition	T6					
	Heat treatment	Delivery condition					

# iTeh STANDARD PREVIEW (standards.iteh.ai)

8.1	Test sample(s)				Separately cast	Cut-up, designated location				
8.2	Test piece(s)			https	See EN 2076-3.	See EN 2076-3.				
8.3	Heat treatment				Use condition: 114250/s	Use condition.				
9	Dimensions concerned mm			mm	See EN 2076-3.	a ≤ 20				
10	Th ea	ickness of cladding ch face	on	%	-	-				
11	Dii	rection of test piece	)		-	-				
12		Temperature	θ	°C	Ambient	Ambient	Ambient			
13		Proof stress	R <sub>p0,2</sub>	MPa	≥ 185	≥ 185 ≥ 140 °				
14	Т	Strength	R <sub>m</sub>	MPa	≥ 240	≥ 240 ≥ 200 °				
15		Elongation	Α	%	≥ 2	≥2 ≥1 <sup>c</sup>				
16		Reduction of area	Z	%	-					
17	Hardness				-					
18	Shear strength R <sub>c</sub> MPa			MPa	-					
19	Bending k -		-							
20	Impact strength									
21		Temperature	mperature θ °C -							
22		Time		h –						
23	С	Stress	$\sigma_{\text{a}}$	MPa	_					
24	C	Elongation	а	%	-					
25		Rupture stress	$\sigma_{\text{R}}$	MPa	-					
26		Elongation at rupture	Α	%	-					
27	Notes (see line 98)				a, b, c					

#### EN 2732:2005 (E)

44	External defects	_	See EN 2076-3.						
61			See EN 2076-3.						
82			See EN 2076-3.						
	·				70 (Typical value)				
		7	Hardness	НВ	$\Delta \leq$ 20 per batch				
			STANDARD PI (standards.iteh SIST EN 2732:2005 iteh.ai/catalog/standards/sist/44f14 c750f5114250/sist-en-2732-2	4c42-3c73					
95			See EN 2076-3.  See EN 2076-3.						
96	· ·								
98	Notes	-	especially to minimize distor temperature from the solution additives (polymer quench) at <i>θ</i> <sup>c</sup> The tensile properties stated m	he purchase tion in thin heat treat 9≤30°C. ay not be co	r, the manufacturer may, at his discretion, and sections, alternatively air cool to ambient ment temperature or use water with quench ensistently achievable in all parts of all castings. Fawing shall take precedence over those of this				
99	Typical use	_							

#### **SIST EN 2732:2005**

#### EN 2732:2005 (E)