



IEC 62453-303-1

Edition 1.1 2016-06
CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Field device tool (FDT) interface specification –
Part 303-1: Communication profile integration – IEC 61784 CP 3/1 and CP 3/2**

**Spécification des interfaces des outils des dispositifs de terrain (FDT) –
Partie 303-1: Intégration des profils de communication – IEC 61784 CP 3/1
et CP 3/2**

[IEC 62453-303-1:2009](#)

<https://standards.iteh.ai/catalog/standards/iec/f621fef8-d88a-44c7-8c63-7f8087b2af2a/iec-62453-303-1-2009>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalelement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 62453-303-1

Edition 1.1 2016-06
CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Field device tool (FDT) interface specification –
Part 303-1: Communication profile integration – IEC 61784 CP 3/1 and CP 3/2

Spécification des interfaces des outils des dispositifs de terrain (FDT) –
Partie 303-1: Intégration des profils de communication – IEC 61784 CP 3/1
et CP 3/2

[IEC 62453-303-1:2009](#)

<https://standards.iteh.ai/catalog/standards/iec/f621fef8-d88a-44c7-8c63-7f8087b2af2a/iec-62453-303-1-2009>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40; 35.100.05; 35.110

ISBN 978-2-8322-3498-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**



IEC 62453-303-1

Edition 1.1 2016-06
CONSOLIDATED VERSION

REDLINE VERSION

VERSION REDLINE



**Field device tool (FDT) interface specification –
Part 303-1: Communication profile integration – IEC 61784 CP 3/1 and CP 3/2**

**Spécification des interfaces des outils des dispositifs de terrain (FDT) –
Partie 303-1: Intégration des profils de communication – IEC 61784 CP 3/1
et CP 3/2**

[IEC 62453-303-1:2009](#)

<https://standards.iteh.ai/catalog/standards/iec/f621fef8-d88a-44c7-8c63-7f8087b2af2a/iec-62453-303-1-2009>

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope	8
2 Normative references	8
3 Terms, definitions, symbols, abbreviated terms and conventions	9
3.1 Terms and definitions	9
3.2 Symbols and abbreviated terms	9
3.3 Conventions	10
3.3.1 Data type names and references to data types	10
3.3.2 Vocabulary for requirements.....	10
3.3.3 Use of UML.....	10
4 Bus category	10
5 Access to instance and device data	11
5.1 Process Channel objects provided by DTM.....	11
5.2 DTM services to access instance and device data	11
6 Protocol specific behavior.....	11
6.1 PROFIBUS device model.....	11
6.2 Configuration and parameterization of PROFIBUS devices	12
6.2.1 General	12
6.2.2 Monolithic DTM for a modular PROFIBUS device.....	13
6.2.3 Modular DTM for a modular PROFIBUS device.....	13
6.3 Support for DPV0 configuration.....	14
6.4 PROFIBUS slaves operating without a cyclic PROFIBUS master	14
6.5 PROFIBUS-related information of a slave DTM	14
6.5.1 General	14
6.5.2 Bus Master Configuration Part (BMCP).....	15
7 Protocol specific usage of general data types.....	25
8 Protocol specific common data types	27
9 Network management data types	27
9.1 General	27
9.1.1 Configuration	27
9.1.2 Process Channel.....	28
9.1.3 Parameterization.....	28
9.2 Master-bus parameter set.....	29
9.3 Slave bus parameter set	29
9.4 Module and channel data	30
9.5 GSD information	33
9.5.1 General	33
9.5.2 GSD for gateway devices	33
10 Communication data types.....	34
10.1 General	34
10.2 Error information provided by Communication Channel.....	34
10.3 DPV0 communication.....	34
10.4 DPV1 communication.....	41
11 Channel parameter data types	44

12	Device identification	47
12.1	General	47
12.2	Protocol specific handling of the data type STRING	47
12.3	Common device type identification data types	47
12.4	Topology scan data types	52
12.5	Scan identification data types	52
12.6	Device type identification data types – provided by DTM	55
12.7	Identification information in GUI	58
13	ProfiSafe	58
13.1	Motivation	58
13.2	General parameter handling	58
13.3	ProfiSafe individual device parameter	59
	Bibliography	61

Figure 1 – Part 303-1 of the IEC 62453 series	7
Figure 2 – FDT PROFIBUS device model	12
Figure 3 – Example for IO data within datagrams	31
Figure 4 – F-Parameter and individual device parameter	59
Figure 5 – Data structure of ProfiSafe individual device parameters	60

Table 1 – Protocol identifiers	10
Table 2 – Physical layer identifiers	10
Table 3 – BMPC BMCP Part1 – General configuration	16
Table 4 – BMPC BMCP Part2 – Parameter data	16
Table 5 – BMPC BMCP Part3 – Configuration data	17
Table 6 – Part 4: Address table and slave user parameters	18
Table 7 – Part 4: Extended Prm data	18
Table 8 – Complete BMCP	19
Table 9 – Protocol specific usage of general data types	25
Table 10 – Bus parameter set for master device	29
Table 11 – Bus parameter set for slave device	30
Table 12 – Signal channels within the data frame	32
Table 13 – Simple DPV0 communication data types	35
Table 14 – Structured DPV0 Communication data types	35
Table 15 – Availability of services for Master Class1 (C1)	40
Table 16 – Availability of services for Master Class2 (C2)	40
Table 17 – Simple DPV1 communication data types	41
Table 18 – Structured DPV1 communication data types	42
Table 19 – Mapping of DPV1 data types to FDT data types	44
Table 20 – Simple Channel Parameter data types	45
Table 21 – Structured Channel Parameter data types	46
Table 22 – Identification data types with Profibus DP specific mapping	48
Table 23 – Identification data types with Profibus I&M specific mapping	49
Table 24 – Identification data types with Profibus PA specific mapping	51

Table 25 – Simple identification data types with protocol independent semantics	52
Table 26 – Structured identification data types with protocol independent semantics	52
Table 27 – Simple topology scan data types	52
Table 28 – Structured topology scan data types	52
Table 29 – Simple scan identification data types	53
Table 30 – Structured scan identification data types	53
Table 31 – Structured device identification data types	56
Table 32 – DataLink Layer Identifiers	10

iTeh Standards

(<https://standards.iteh.ai>)

Document Preview

[IEC 62453-303-1:2009](#)

<https://standards.iteh.ai/catalog/standards/iec/f621fef8-d88a-44c7-8c63-7f8087b2af2a/iec-62453-303-1-2009>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –

**Part 303-1: Communication profile integration –
IEC 61784 CP 3/1 and CP 3/2**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
<https://www.iec.ch/standards/patch/electrical/62453-303-1-2009>
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 62453-303-1 edition 1.1 contains the first edition (2009-06) [documents 65E/127/FDIS and 65E/140/RVD] and its amendment 1 (2016-06) [documents 65E/336/CDV and 65E/395A/RVC].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 62453-303-1 been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation.

Each part of the IEC 62453-3xy series is intended to be read in conjunction with IEC 62453-2.

The French version of this standard has not been voted upon.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 62453 series, under the general title *Field Device Tool (FDT) interface specification*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

[IEC 62453-303-1:2009](#)

<https://standards.iteh.ai/catalog/standards/iec/f621fef8-d88a-44c7-8c63-7f8087b2af2a/iec-62453-303-1-2009>

INTRODUCTION

This part of IEC 62453 is an interface specification for developers of FDT (Field Device Tool) components for function control and data access within a client/server architecture. The specification is a result of an analysis and design process to develop standard interfaces to facilitate the development of servers and clients by multiple vendors that need to interoperate seamlessly.

With the integration of fieldbuses into control systems, there are a few other tasks which need to be performed. In addition to fieldbus- and device-specific tools, there is a need to integrate these tools into higher-level system-wide planning- or engineering tools. In particular, for use in extensive and heterogeneous control systems, typically in the area of the process industry, the unambiguous definition of engineering interfaces that are easy to use for all those involved is of great importance.

A device-specific software component, called DTM (Device Type Manager), is supplied by the field device manufacturer with its device. The DTM is integrated into engineering tools via the FDT interfaces defined in this specification. The approach to integration is in general open for all kinds of fieldbuses and thus meets the requirements for integrating different kinds of devices into heterogeneous control systems.

Figure 1 shows how IEC 62453–303-1 is aligned in the structure of the IEC 62453 series.




Figure 1 – Part 303-1 of the IEC 62453 series

FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –

Part 303-1: Communication profile integration – IEC 61784 CP 3/1 and CP 3/2

1 Scope

Communication Profile 3/1 and Communication Profile 3/2 (commonly known as PROFIBUS™¹) defines communication profiles based on IEC 61158-2 Type 3, IEC 61158-3-3, IEC 61158-4-3, IEC 61158-5-3, and IEC 61158-6-3. The basic profiles CP 3/1 (PROFIBUS DP) and CP 3/2 (PROFIBUS PA) are defined in IEC 61784-1.

This part of IEC 62453 provides information for integrating the PROFIBUS protocol into the FDT interface specification (IEC 62453-2).

This part of the IEC 62453 specifies communication and other services.

This specification neither contains the FDT specification nor modifies it.

2 Normative references

The following referenced documents are indispensable for the application of this specification. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61131-3:2003, *Programmable controllers – Part 3: Programming languages*

[IEC 62453-303-1:2009](https://standards.iec.ch/IEC%2062453-303-1:2009)

[https://standards.iec.ch/IEC%2061158%20\(all%20parts\).pdf](https://standards.iec.ch/IEC%2061158%20(all%20parts).pdf), *Industrial communication networks – Fieldbus specifications*

| IEC 61158-2:2014, *Industrial communication networks – Fieldbus specifications – Part 2: Physical layer specification and service definition*

| IEC 61158-3-3, *Industrial communication networks – Fieldbus specifications – Part 3-3: Data-link layer service definition – Type 3 elements*

| IEC 61158-4-3 *Industrial communication networks – Fieldbus specifications – Part 4-3: Data-link layer protocol specification – Type 3 elements*

| IEC 61158-5-3: *Industrial communication networks – Fieldbus specifications – Part 5-3: Application layer service definition – Type 3 elements*

| IEC 61158-6-3, *Industrial communication networks – Fieldbus specifications – Part 6-3: Application layer protocol specification – Type 3 elements*

| IEC 61784-1, *Industrial communication networks – Profiles – Part 1: Fieldbus profiles*

¹ PROFIBUS™ is a trade name of the non-profit organization PROFIBUS Nutzerorganisation e.V. (PNO). This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade name holder or any of its products. Compliance to this standard does not require use of the registered logos for PROFIBUS™. Use of the registered logos for PROFIBUS™ requires permission of PNO.

IEC 62453-1:2009, *Field Device Tool (FDT) interface specification – Part 1: Overview and guidance*

IEC 62453-2:2009, *Field Device Tool (FDT) interface specification – Part 2: Concepts and detailed description*

3 Terms, definitions, symbols, abbreviated terms and conventions

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 62453-1 and IEC 62453-2 apply.

3.1.1

bus interface module

module of a field device that provides the connection to the fieldbus

3.1.2

CP 3/1

Communication profile of CPF3, featuring asynchronous transmission; RS 485 (ANSI TIA/EIA RS-485-A); optional RS 485-IS; plastic fiber; glass multi mode fiber or glass single mode fiber; PCF fiber

3.1.3

CP 3/2

Communication profile of CPF3, featuring synchronous transmission; manchester coded and bus powered (MBP); optional intrinsically safe (MBP-IS) and lower power (MBP-LP)

3.2 Symbols and abbreviated terms

For the purposes of this document, the symbols and abbreviations given in IEC 62453-1, IEC 62453-2 and the following apply.

<https://standards.iec.ch/catalog/standards/62453-303-1-2009>

ANSI	American National Standards Institute (http://www.ansi.org)
BIM	Bus Interface Module
BMCP	Bus Master Configuration Part
CFG	Configuration data used during initialization of PROFIBUS slave device
DCS	Distributed Control System
DP	Decentralized Peripherals
EIA	Electronic Industries Alliance
FDL	Fieldbus Data Link layer
FMA	Fieldbus Management layer
FMS	Fieldbus Message Specification
GSD	General Station Description
MBP	Manchester coded Bus Powered
I&M	Identification and maintenance functions
PA	Process Automation
PCF	Polymer Clad Fibre
PROFIBUS	Process Field Bus
RS	Radio Sector / Recommended Standard
TIA	Telecommunications Industry Association

3.3 Conventions

3.3.1 Data type names and references to data types

The conventions for naming and referencing of data types are explained in IEC 62453-2, Clause A.1

3.3.2 Vocabulary for requirements

The following expressions are used when specifying requirements.

Usage of "shall" or "mandatory"	No exceptions allowed.
Usage of "should" or "recommended"	Strong recommendation. It may make sense in special exceptional cases to differ from the described behaviour.
Usage of "conditional"	Function or behaviour shall be provided, depending on defined conditions.
Usage of "can" or "optional"	Function or behaviour may be provided, depending on defined conditions.

3.3.3 Use of UML

Figures in this document are using the UML notation as defined in Annex A of IEC 62453-1.

4 Bus category

CP 3/1 and CP 3/2 protocols are identified in the protocolId element of the structured data type 'fdt:BusCategory' by the following unique identifiers (Table 1):

Table 1 – Protocol identifiers

Identifier value	Protocol name	Description
036D1497-387B-11D4-86E1-00E0987270B9	'Profibus DP/V0'	Support of Profibus DP V0 protocol
036D1499-387B-11D4-86E1-00E0987270B9	'Profibus DP/V1'	Support of Profibus DP V1 protocol

CP 3/1 AND CP 3/2 protocols are using the following unique identifiers in physicalLayer members within PhysicalLayer data type (Table 2):

Table 2 – Physical layer identifiers

Identifier value	Name	Description
036D1590-387B-11D4-86E1-00E0987270B9	MBP	IEC 61158-2 (MBP, Profibus PA)
036D1591-387B-11D4-86E1-00E0987270B9	RS485	IEC 61158-2:2014, Clause 22 (RS485, PROFIBUS DP)
036D1592-387B-11D4-86E1-00E0987270B9	Fiber Optic	IEC 61158-2:2014, Clause 23 (Fiber Optic cable, PROFIBUS DP)
036D1593-387B-11D4-86E1-00E0987270B9		Ethernet (deprecated, do not use)

Table 32 defines which DataLinkLayer shall be used in combination with the BusCategory values defined in Table 32.

Table 32 – DataLink Layer Identifiers

Identifier value	Name	Description
50A21B35-7EE7-4999-8174-70396929C0B4	PROFIBUS FDL	PROFIBUS FDL
CDF338DC-E9A3-4D13-91AC-60A43DCB2904	PROFIBUS FMA1/2	PROFIBUS FMA1/2