

Edition 6.0 2008-09

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

Household and similar electrical appliances — Safety — EW Part 2-4: Particular requirements for spin extractors (Standards.iten.al)

Appareils électrodomestiques et analogues – Sécurité – Partie 2-4: Règles particulières pour les essoreuses centrifuges

9a028cb461d1/jec-60335-2-4-2008





#### THIS PUBLICATION IS COPYRIGHT PROTECTED

#### Copyright © 2008 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Email: inmail@iec.ch

Email: inmail@iec.cl Web: www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Catalogue of IEC publications: www.iec.ch/searchpub ARD PREVIEW

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, with drawn and replaced publications.

■ IEC Just Published: www.iec.ch/online news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

IEC 60335-2-4:2008

Electropedia: <a href="www.electropedia.org">www.electropedia.org</a>ds.iteh.ai/catalog/standards/sist/e912b01a-3c07-411b-bbbb

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00

#### A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

■ Catalogue des publications de la CEI: <u>www.iec.ch/searchpub/cur\_fut-f.htm</u>

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

Just Published CEI: www.iec.ch/online\_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

■ Electropedia: <u>www.electropedia.org</u>

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

Service Clients: www.iec.ch/webstore/custserv/custserv\_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch Tél.: +41 22 919 02 11 Fax: +41 22 919 03 00



Edition 6.0 2008-09

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

Household and similar electrical appliances - Safety-IEW Part 2-4: Particular requirements for spin extractors

Appareils électrodomestiques et analogues Sécurité – Partie 2-4: Règles particulières pour les essoreuses centrifuges

9a028cb461d1/iec-60335-2-4-2008

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE
CODE PRIX

Q

ICS 13.120; 97.060

ISBN 978-2-88910-140-5

# CONTENTS

| FΟ  | REWORD   | 3  |  |
|-----|--|----|--|
| INT | FRODUCTION   | 6  |  |
| 1   | Scope  | 7  |  |
| 2   | Normative references   | 8  |  |
| 3   | Definitions  | 8  |  |
| 4   | General requirement  | 8  |  |
| 5   | General conditions for the tests   | 8  |  |
| 6   | Classification   | 8  |  |
| 7   | Marking and instructions   | 9  |  |
| 8   | Protection against access to live parts  | 9  |  |
| 9   | Starting of motor-operated appliances  | 9  |  |
| 10  | Power input and current  | 9  |  |
| 11  | Heating  | 9  |  |
| 12  | Void   | 10 |  |
| 13  | Leakage current and electric strength at operating temperature                       | 10 |  |
| 14  | Transient overvoltages   | 10 |  |
| 15  | Moisture resistance S.T.A.N.D.A.R.D P.R.E.V.I.E.W.                                   | 10 |  |
| 16  | Leakage current and electric strength  | 11 |  |
| 17  | Leakage current and electric strength  | 11 |  |
| 18  | EnduranceEC 60335-2-4:2008   | 11 |  |
| 19  | Abnormal operation/standards.iteh.ai/catalog/standards/sist/e912b01a-3c07-411b-bbbb- | 11 |  |
| 20  | Stability and mechanical hazards   | 12 |  |
| 21  | Mechanical strength  | 14 |  |
| 22  | Construction   | 14 |  |
| 23  | Internal wiring  | 14 |  |
| 24  | Components   | 15 |  |
| 25  | Supply connection and external flexible cords  | 15 |  |
| 26  | Terminals for external conductors  | 15 |  |
| 27  | Provision for earthing   | 15 |  |
| 28  | Screws and connections   | 15 |  |
| 29  | Clearances, creepage distances and solid insulation                                  | 15 |  |
| 30  | Resistance to heat and fire  | 15 |  |
| 31  | Resistance to rusting  | 15 |  |
| 32  | Radiation, toxicity and similar hazards  | 15 |  |
| Anr | nexes  | 16 |  |
| Anr | Annex C (normative) Ageing test on motors  |    |  |
| Anr | Annex AA (normative) Rinsing agent   |    |  |
| Bib | oliography   | 17 |  |

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

# HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

# Part 2-4: Particular requirements for spin extractors

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- https://standards.iteh.ai/catalog/standards/sist/e912b01a-3c07-411b-bbbb
  5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication. 4-2008
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60335-2-4 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This sixth edition cancels and replaces the fifth edition published in 2002 including its Amendment 1 (2004) and Amendment 2 (2006). It constitutes a technical revision.

The principal changes in this edition as compared with the fifth edition of IEC 60335-2-4 are as follows (minor changes are not listed):

- aligns the text with IEC 60335-1:2001, and its Amendments 1 and 2;
- clarifies criteria for the protection against mechanical hazards for double lid appliances (20.103 and 20.104);
- some notes have been converted to normative text (Clause 1, 20.102 and Annex AA).

The text of this standard is based on the following documents:

| FDIS         | Report on voting |
|--------------|------------------|
| 61/3677/FDIS | 61/3697/RVD      |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electric spin extractors.

NOTE 2 The following annex contain provisions suitably modified from another IEC standard:

Annex AA Rinsing agent

IEC 60436

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly Provided to the part of the part of

NOTE 3 The following numbering system is used: arcs.iten.ai)

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 018 they are numbered starting from 101, including those in a replaced clause or subclause; catalog/standards/sist/e912b01a-3c07-411b-bbbb-
- additional annexes are lettered AA, BB 0etc.b461d1/jec-60335-2-4-2008

NOTE 4 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed.
- withdrawn,
- · replaced by a revised edition, or
- · amended.

NOTE 5 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

### The following differences exist in the countries indicated below.

- 3.1.9: As an alternative to the test material specified, pieces of cloth having an area between 4 800  $\text{cm}^2$  and 5 000  $\text{cm}^2$ , with one side at least 55 cm, may be used for the tests (USA).
- 6.1: Class 0I appliances are allowed (Japan).
- 6.2: IPX0 appliances are allowed (USA).
- 15.2: The test is different (USA).
- 18: The test is carried out for 6 000 cycles (Canada and USA).
- 19.7: This subclause is applicable (USA).
- 20.101: The test is not carried out (USA).
- 20.103: The requirement is different (USA).
- 20.104: The requirement is different (USA).
- 21.101: There are constructional requirements for metal lids and the tests are different for thermoplastic lids (USA)
- 21.102: There are constructional requirements for metal sids and the lests are different for thermoplastic lids (USA).

IEC 60335-2-4:2008 https://standards.iteh.ai/catalog/standards/sist/e912b01a-3c07-411b-bbbb-9a028cb461d1/iec-60335-2-4-2008

# INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features which impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

# HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

# Part 2-4: Particular requirements for spin extractors

# 1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of

- stand alone electric spin extractors, and
- spin extractors incorporated in washing machines that have separate containers for washing and spin extraction

for household and similar purposes that have a capacity not exceeding 10 kg of dry cloth and a drum peripheral speed not exceeding 50 m/s, their **rated voltages** being not more than 250 V for single-phase appliances and 480 V for other appliances.

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as spin extractors intended to be used by laymen in shops, in light industry and on farms, and spin extractors for communal use in blocks of flats or in launderettes are within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by appliances which are encountered by all persons in and around the home? However, in general, it does not take into account 9a028cb461d1/iec-60335-2-4-2008

- persons (including children) whose
  - physical, sensory or mental capabilities; or
  - lack of experience and knowledge

prevents them from using the appliance safely without supervision or instruction;

children playing with the appliance.

NOTE 101 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities.

NOTE 102 This standard does not apply to

- appliances intended exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

### 2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60730-2-12:2005, Automatic electrical controls for household and similar use – Part 2: Particular requirements for electrically operated door locks

# 3 Definitions

This clause of Part 1 is applicable except as follows.

# 3.1.9 Replacement:

#### normal operation

operation of the appliance under the following conditions

The drum is filled with textile material having a mass in the dry condition equal to the maximum mass specified in the instructions. The textile material consists of pre-washed double hemmed cotton sheets having dimensions of approximately 700 mm  $\times$  700 mm and a specific mass between 140 g/m² and 175 g/m² in the dry condition. It is saturated with water before being evenly distributed in the drum ARD PREVIEW

# (standards.iteh.ai)

# 4 General requirement

IEC 60335-2-4:2008

This clause of Part 1 is applicable 12b01a-3c07-411b-bbbb-9a028cb461d1/iec-60335-2-4-2008

### 5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

# **5.2** Addition:

The tests of 21.101, 21.102 and 22.101 shall be carried out on the same appliance as that used for the test of Clause 18.

#### 5.3 Addition:

The tests of 21.101 and 21.102 are carried out before the test of Clause 18. The test of 22.101 is carried out after the test of Clause 18.

# 6 Classification

This clause of Part 1 is applicable except as follows.

#### **6.1** *Modification:*

Appliances shall be class I, class II or class III.

### **6.2** Addition:

Appliances shall be at least IPX4.

# 7 Marking and instructions

This clause of Part 1 is applicable except as follows.

#### 7.10 Addition:

If the **off position** is only indicated by letters, the word "off" shall be used.

#### 7.12 Addition:

The instructions shall specify the maximum mass of dry cloth in kilograms, to be used in the appliance.

#### **7.12.1** Addition:

If the label specified in 7.101 is supplied with the appliance, the installation instructions shall state that it has to be permanently fixed to the wall close to the appliance.

For appliances intended for communal use in blocks of flats, and having an interlock system that has to be energized in order to release the lid, the installation instructions shall state that a device for switching off the appliance automatically is not to be installed in the supply circuit.

**7.101** Appliances intended for communal use in blocks of flats, and having an interlock system that has to be energized in order to release the lid, shall be supplied with a label that states the substance of the following, unless the instruction is marked on the appliance:

This spin extractor has to be connected to the supply mains before the lid can be opened. Do not force it open/standards.itch.ai/catalog/standards/sist/e912b01a-3c07-411b-bbbb-9a028cb461d1/iec-60335-2-4-2008

# 8 Protection against access to live parts

This clause of Part 1 is applicable.

#### 9 Starting of motor-operated appliances

This clause of Part 1 is not applicable.

# 10 Power input and current

This clause of Part 1 is applicable.

# 11 Heating

This clause of Part 1 is applicable except as follows.

#### 11.7 Replacement:

Appliances are operated for five periods of water extraction, the periods being separated by a rest period. Each rest period, which includes the braking time, has a duration of 1 min for each kilogram of dry textile material or 4 min, whichever is longer. During the rest period, the textile material is re-saturated with water.

For appliances incorporating a programmer or timer, the water extraction period is the maximum allowed by the control.

For other appliances, the water extraction period has a duration of

- 15 min for continuous-flow rinsing appliances;
- 5 min for other appliances.

If a longer period is indicated in the instructions, this period applies instead.

#### 12 Void

# 13 Leakage current and electric strength at operating temperature

This clause of Part 1 is applicable.

# 14 Transient overvoltages

This clause of Part 1 is applicable.

# 15 Moisture resistance II eh STANDARD PREVIEW

This clause of Part 1 is applicable except as follows teh.ai)

#### **15.2** Replacement:

IEC 60335-2-4:2008

https://standards.iteh.ai/catalog/standards/sist/e912b01a-3c07-411b-bbbb-Appliances shall be constructed so that spillage of liquid in normal use does not affect their electrical insulation.

Compliance is checked by the following tests.

Appliances with **type X attachment**, except those having a specially prepared cord, are fitted with the lightest permissible type of flexible cord and having the smallest cross-sectional area specified in Table 13.

The inlet to the discharge pump or to the gravity drain is blocked. The drum is filled as specified for **normal operation**, the mass of water being twice the mass of the dry textile material. Any water remaining after the saturation process is poured into the appliance, which is supplied at **rated voltage** and operated for 1 min or the maximum period allowed by the programmer or timer, whichever is shorter.

In addition, continuous-flow rinsing appliances having a vertical axis are completely filled with saturated textile material and 10 I of water is poured in over a period of 20 s. The appliance is then operated while supplied at **rated voltage**.

For all appliances, 0,5 I of water containing approximately 1 % NaCl and 0,6 % of rinsing agent, as specified in Annex AA, is poured over the top of the appliance, the controls being placed in the on position. The controls are then operated through their working range, this operation being repeated after a period of 5 min.

The appliance shall then withstand the electric strength test of 16.3 and inspection shall show that there is no trace of water on insulation that could result in a reduction of **clearances** or **creepage distances** below the values specified in Clause 29.