

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Household and similar electrical appliances – Safety –
Part 2-54: Particular requirements for surface-cleaning appliances for household
use employing liquids or steam

Appareils électrodomestiques et analogues – Sécurité –
Partie 2-54: Règles particulières pour les appareils de nettoyage des surfaces à
usage domestique, utilisant des liquides ou de la vapeur



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2008 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

[IEC 60335-2-54:2008](tel:+41229190300)

- Electropedia: www.electropedia.org ds.iech.ai/catalog/standards/sist/458100ab-75fe-4c97-9044-

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch

Tel.: +41 22 919 02 11

Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch

Tél.: +41 22 919 02 11

Fax: +41 22 919 03 00



IEC 60335-2-54

Edition 4.0 2008-09

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Household and similar electrical appliances – Safety –
Part 2-54: Particular requirements for surface-cleaning appliances for household
use employing liquids or steam**

**Appareils électrodomestiques et analogues – Sécurité –
Partie 2-54: Règles particulières pour les appareils de nettoyage des surfaces à
usage domestique, utilisant des liquides ou de la vapeur**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

S

ICS 13.120; 97.180

ISBN 978-2-88910-159-7

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references.....	9
3 Definitions.....	9
4 General requirement.....	9
5 General conditions for the tests.....	9
6 Classification.....	10
7 Marking and instructions.....	10
8 Protection against access to live parts.....	11
9 Starting of motor-operated appliances.....	11
10 Power input and current.....	11
11 Heating.....	11
12 Void.....	12
13 Leakage current and electric strength at operating temperature.....	12
14 Transient overvoltages.....	12
15 Moisture resistance.....	12
16 Leakage current and electric strength.....	12
17 Overload protection of transformers and associated circuits.....	12
18 Endurance.....	12
19 Abnormal operation.....	12
20 Stability and mechanical hazards.....	13
21 Mechanical strength.....	13
22 Construction.....	15
23 Internal wiring.....	16
24 Components.....	16
25 Supply connection and external flexible cords.....	16
26 Terminals for external conductors.....	17
27 Provision for earthing.....	17
28 Screws and connections.....	17
29 Clearances, creepage distances and solid insulation.....	17
30 Resistance to heat and fire.....	17
31 Resistance to rusting.....	17
32 Radiation, toxicity and similar hazards.....	17
Annexes.....	21
Bibliography.....	22

STANDARD PREVIEW

(standards.iteh.ai)

IEC 60335-2-54:2008

[https://standards.iteh.ai/catalog/standards/sist/458100ab-75fe-4c97-9044-](https://standards.iteh.ai/catalog/standards/sist/458100ab-75fe-4c97-9044-1f50211dbd89/iec-60335-2-54-2008)

[1f50211dbd89/iec-60335-2-54-2008](https://standards.iteh.ai/catalog/standards/sist/458100ab-75fe-4c97-9044-1f50211dbd89/iec-60335-2-54-2008)

Figure 101 – Apparatus for testing the abrasion resistance of current-carrying hoses	18
Figure 102 – Apparatus for testing the resistance to flexing of current-carrying hoses	19
Figure 103 – Configuration of the hose for the freezing treatment	20
Figure 104 – Flexing positions for the hose after removal from the freezing cabinet.....	20

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 60335-2-54:2008](https://standards.iteh.ai/catalog/standards/sist/458100ab-75fe-4c97-9044-1fb02f1dbd89/iec-60335-2-54-2008)

<https://standards.iteh.ai/catalog/standards/sist/458100ab-75fe-4c97-9044-1fb02f1dbd89/iec-60335-2-54-2008>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
SAFETY –**
**Part 2-54: Particular requirements for surface-cleaning appliances
for household use employing liquids or steam**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60335-2-54 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This fourth edition cancels and replaces the third edition published in 2002 and its Amendment 1 (2004) and Amendment 2 (2007). It constitutes a technical revision.

The principal change in this edition as compared with the third edition of IEC 60335-2-54 is as follows (minor changes are not listed):

The scope has been further restricted to cover appliances where the product of pressure (in MPa) and container volume (in l) does not exceed 5.

The text of this standard is based on the following documents:

FDIS	Report on voting
61/3676/FDIS	61/3699/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When “Part 1” is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electric surface-cleaning appliances employing liquids or steam.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states “addition”, “modification” or “replacement”, the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used: [IEC 60335-2-54:2008](https://standards.iteh.ai/catalog/standards/sist/458100ab-75fe-4c97-9044-1fb02f1dbd89/iec-60335-2-54-2008)

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

The following differences exist in the countries indicated below.

- 6.1: Hand-held cleaning appliances and parts held in the hand in normal use shall be class II or class III (Netherlands).
- 22.103: The dimensions of the inlet aperture are different (USA).

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[IEC 60335-2-54:2008](https://standards.iteh.ai/catalog/standards/sist/458100ab-75fe-4c97-9044-1fb02f1dbd89/iec-60335-2-54-2008)

<https://standards.iteh.ai/catalog/standards/sist/458100ab-75fe-4c97-9044-1fb02f1dbd89/iec-60335-2-54-2008>

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-54: Particular requirements for surface-cleaning appliances for household use employing liquids or steam

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric cleaning appliances for household use that are intended for cleaning surfaces such as windows, walls and empty swimming pools by using liquid cleansing agents or steam, their **rated voltage** being not more than 250 V. It also covers wallpaper strippers.

NOTE 101 Appliances may incorporate heating elements or means for pressurising the liquid container.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- persons (including children) whose
 - physical, sensory or mental capabilities; or
 - lack of experience and knowledgeprevents them from using the appliance safely without supervision or instruction;
- children playing with the appliance.

NOTE 102 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, and similar authorities.

NOTE 103 This standard does not apply to

- floor treatment and wet scrubbing machines (IEC 60335-2-10);
- cleaning appliances that are permanently fixed to a building;
- cleaning appliances covered by IEC 60335-2-79, namely those having a
 - pressure exceeding 2,5 MPa;
 - pressurised volume over 5 l;
 - product of pressure (in MPa) and container volume (in l) exceeding 5;
 - liquid temperature exceeding 160 °C;
 - **rated power input** exceeding 3 500 W;
- cleaning appliances intended for commercial or industrial use;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- fabric steamers (IEC 60335-2-85).

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

ISO 6344-2: *Coated abrasives – Grain size analysis – Part 2: Determination of grain size distribution of macrogrits P12 to P220*

3 Definitions

This clause of Part 1 is applicable except as follows.

3.1.9 Replacement:

normal operation

operation of the appliance under the most unfavourable conditions specified in the instructions

The cleaning head is pressed with a force of 30 N against a vertical pane of plain glass and moved up and down over a length of 1 m at a rate of 15 cycles per minute. A film of water is maintained on the pane of glass by continuously applying water having a temperature of $20^{\circ}\text{C} \pm 5^{\circ}\text{C}$.

For steam cleaners and wallpaper strippers, a sheet of stainless steel is used instead of glass, without additional wetting. However, if the steam outlet is not intended to be pressed against the surface, the appliance is operated with the outlet in free air directed downwards at an angle of approximately 45° .

3.101

pressurised appliance

appliance in which steam is produced in a boiler at a pressure exceeding 50 kPa and in which the pressure does not drop to atmospheric pressure when the steam is not supplied

NOTE The boiler may be incorporated in the appliance or connected to the appliance by a hose.

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.2 Addition:

A new hose is used for each of the tests of 21.101 to 21.105.

5.101 *Appliances incorporating heating elements are tested as **heating appliances** even if they incorporate motors.*

6 Classification

This clause of Part 1 is applicable except as follows.

6.1 Modification:

Appliances shall be **class I, class II** or **class III**.

6.2 Addition:

Class I and class II hand-held appliances dispensing liquids shall be at least IPX7. Other appliances shall be at least IPX4. **Class III appliances** not exceeding 24 V can be IPX0.

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.1 Modification:

Appliances shall be marked with their **rated power input** in watts.

Addition:

iTeh STANDARD PREVIEW
(Standards.Iteh.ir)

Appliances intended to be connected to the water mains shall be marked with their maximum permissible water pressure, in megapascals.

Steam cleaners, wallpaper strippers and appliances dispensing liquids having a temperature exceeding 50 °C shall be marked with symbol IEC 60417-5597 (2002-10), or with the following:

WARNING: Danger of scalding.

NOTE 101 This symbol is a warning sign and the rules of ISO 3864-1 apply.

Appliance outlets for accessories shall be marked with their maximum load, in watts.

NOTE 102 This marking may be on the appliance close to the appliance outlet.

The sum of the **rated power input** and the maximum load of the appliance outlet shall also be marked on the appliance.

7.6 Addition:



[symbol IEC 60417-5597 (2002-10)]

steam

7.12 Addition:

The instructions shall state that the liquid or steam must not be directed towards equipment containing electrical components, such as the interior of ovens.

For **pressurised appliances**, the instructions shall state that the filling aperture must not be opened during use. Instructions for the safe refilling of the water container shall be given.

The instructions shall state that the appliance has to be unplugged after use and before carrying out **user maintenance** on the appliance.

The instructions for appliances intended to clean swimming pools shall include the substance of the following:

Do not use in swimming pools containing water.

If symbol IEC 60417-5597 (2002-10) is used, its meaning shall be explained.

8 Protection against access to live parts

This clause of Part 1 is applicable.

9 Starting of motor-operated appliances

This clause of Part 1 is not applicable.

10 Power input and current

This clause of Part 1 is applicable.

11 Heating

This clause of Part 1 is applicable except as follows.

11.4 Addition:

*If the temperature rise limits are exceeded in appliances incorporating motors, transformers or **electronic circuits**, and the power input is lower than the **rated power input**, the test is repeated with the appliance supplied at 1,06 times **rated voltage**.*

11.7 Replacement:

Appliances are operated until steady conditions are established.

NOTE 101 Water is added as necessary to maintain the emission of liquid or steam.

Appliances generating steam are also operated without emission of steam.

Appliances incorporating an automatic cord reel are operated with one-third of the total length of the cord unreeled for 30 min, after which the cord is completely unreeled.

11.8 Addition:

*Temperature rises of **accessible surfaces** of hoses that supply steam to parts held in the hand shall comply with the temperature rise limits for handles that are held for short periods only in normal use. However, if a non-metallic hose is covered by textile material, the temperature rise of the surface of the textile material shall not exceed 80 K.*

*The temperature rise limits of motors, transformers and components of **electronic circuits**, including parts directly influenced by them, may be exceeded when the appliance is operated at 1,15 times **rated power input**.*

NOTE 101 The pressure in **pressurised appliances** is measured so that the test of 22.7 can be carried out.