# INTERNATIONAL STANDARD

ISO 8859-2

First edition 1987-02-15



INTERNATIONAL ORGANIZATION FOR STANDARDIZATION ORGANISATION INTERNATIONALE DE NORMALISATION МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ

Information processing — 8-bit single-byte coded graphic character sets —

Part 2: Latin alphabet No. 2 AND ARD PREVIEW (Standards itch ai)

Traitement de l'information — Jeux de caractères graphiques codés sur un seul octet —

Partie 2: Alphabet latin nº 2

ISO 8859-2:1987

https://standards.iteh.ai/catalog/standards/sist/cd6f7827-ec1f-4428-be52-02d416239a32/iso 8859-2-1987

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at least 75 % approval by the member bodies voting.

International Standard ISO 8859-2 was prepared by Technical Committee ISO/TC 97, Information processing systems.

Users should note that all International Standards undergo revision from time to time and that any reference made herein to any other International Standard implies its latest edition, unless otherwise stated.

https://standards.iteh.ai/catalog/standards/sist/cd6f7827-ec1f-4428-be52-02d416239a32/iso-8859-2-1987

© International Organization for Standardization, 1987 ●

### **Contents**

	Page
0 Introduction	. 1
<b>1</b> Scope	. 1
2 Field of application	. 1
<b>3</b> Conformance	. 1
4 References	. 1
5 Definitions	. 1
5.1 Bit combination; byte	. 1
<b>5.2</b> Character	. 1
5.3 Coded character set; code	. 1
<b>5.4</b> Code table	. 1
tps://standards.iteh.ai/catalog/star <b>5.5</b> Graphic character 1 f. 4 4 2 8 . 1 6 5 2 . 0 2 d 4 1 6 2 3 9 6 3 2 / 5 0	. 1
<b>5.6</b> Graphic symbol	. 2
<b>5.7</b> Position	. 2
6 Notation, code table and names	. 2
<b>6.1</b> Notation	. 2
<b>6.2</b> Layout of the code table	. 2
<b>6.3</b> Names and meanings	. 2
6.3.1 SPACE (SP)	. 2
6.3.2 NO-BREAK SPACE (NBSP)	. 2
6.3.3 SOFT HYPHEN (SHY)	. 2
7 Specification of the coded character set	. 2
7.1 Characters of the set and their coded representation	. 3
<b>7.2</b> Code table	4
8 Designation of the character set	4
Annex — Geographical areas of application of the coded character set of this	1

# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 8859-2:1987

https://standards.iteh.ai/catalog/standards/sist/cd6f7827-ec1f-4428-be52-02d416239a32/iso-8859-2-1987

# Information processing — 8-bit single-byte coded graphic character sets —

### Part 2:

## Latin alphabet No. 2

#### 0 Introduction

ISO 8859 consists of several parts. Each part specifies a set of up to 191 graphic characters and the coded representation of each of these characters by means of a single 8-bit byte. The use of control functions for the coded representation of composite characters is prohibited by ISO 8859. Each set is intended for use for a group of languages.

ISO 8859/1 specifies a set of 191 graphic characters identified as Latin alphabet No. 1.

#### 1 Scope

This part of ISO 8859 specifies a set of 191 graphic characters identified as Latin alphabet No. 2.

#### 2 Field of application

This set of graphic characters, the Latin alphabet No. 2, is intended for use in data processing and text applications and may also be used for information interchange.

The set contains graphic characters used for general purpose applications in typical office environments in at least the following languages:

Albanian, Czech, English, German, Hungarian, Polish, Rumanian, Serbocroation, Slovak and Slovene.

This set of graphic characters is suitable for use in a version of an 8-bit code according to ISO 2022 or ISO 4873.

NOTE - ISO 8859 is not intended for use with CCITT-defined Telematic services. If information coded according to ISO 8859 is to be transferred to such services, it will have to conform at the coding interface to their requirements.

#### 3 Conformance

A set of graphic characters is in conformance with this part of ISO 8859 if it comprises all graphic characters specified herein to the exclusion of any other and if their coded representations are those specified by this part of ISO 8859.

Equipment claimed to implement this part of ISO 8859 shall implement all 191 characters.

#### 4 References

ISO 646, Information processing — ISO 7-bit coded character set for information interchange.

ISO 2022, Information processing — ISO 7-bit and 8-bit coded character sets — Code extension techniques.

ISO 4873, Information processing — ISO 8-bit code for information interchange — Structure and rules for implementation.

ISO 6429, Information processing — ISO 7-bit and 8-bit coded character sets — Additional control functions for characterimaging devices.

ISO 6937/2, Information processing — Coded character sets for text communication — Part 2: Latin alphabetic and non-alphabetic graphic characters.

#### 5 Definitons

For the purpose of this part of ISO 8859 the following definitions apply.

- **5.1 bit combination; byte:** An ordered set of bits that represents a character or is used as a part of the representation of a character.
- **5.2 character:** A member of a set of elements used for the organization, control or representation of data.
- **5.3 coded character set; code:** A set of unambiguous rules that establishes a character set and the one-to-one relationship between each character of the set and its coded representation.
- **5.4 code table**: A table showing the character allocated to each bit combination in a code.
- **5.5 graphic character**: A character, other than a control function, that has a visual representation normally handwritten, printed or displayed, and that has a coded representation consisting of one or more bit combinations.

 ${\sf NOTE}-{\sf In}$  ISO 8859 a single bit combination is used to represent each character.

ISO 8859-2:1987(E)

**5.6 graphic symbol**: A visual representation of a graphic character.

**5.7 position:** That part of a code table identified by its column and row coordinates.

#### 6 Notation, code table and names

#### 6.1 Notation

The bits of the bit combinations of the 8-bit code are identified by  $b_8$ ,  $b_7$ ,  $b_6$ ,  $b_5$ ,  $b_4$ ,  $b_3$ ,  $b_2$  and  $b_1$ , where  $b_8$  is the highest-order, or most-significant bit, and  $b_1$  is the lowest-order, or least-significant bit.

The bit combinations may be interpreted to represent numbers in binary notation by attributing the following weights to the individual bits:

Bit	b <sub>8</sub>	b <sub>7</sub>	b <sub>6</sub>	b <sub>5</sub>	b <sub>4</sub>	b <sub>3</sub>	b <sub>2</sub>	b <sub>1</sub>
Weight	128	64	32	16	8	4	2	1

Using these weights, the bit combinations of the 8-bit code represent numbers in the range 0 to 255.

In this part of ISO 8859, the bit combinations are identified by notations of the form xx/yy, where xx and yy are numbers in the range 00 to 15. The correspondence between the notations of the form xx/yy and the bit combinations consisting of the bits  $b_8$  to  $b_1$  is as follows:

- xx is the number represented by  $b_8$ ,  $b_7$ ,  $b_6$  and  $b_5$  where these bits are given the weights 8, 4, 2 and 1 respectively;
- $-\,$  yy is the number represented by  $b_4$ ,  $b_3$ ,  $b_2$  and  $b_1$  where these bits are given the weights 8, 4, 2 and 1 respectively.

#### 6.2 Layout of the code table

An 8-bit code table consists of 256 positions arranged in 16 columns and 16 rows. The columns and the rows are numbered 00 to 15.

The code table positions are identified by notations of the form xx/yy, where xx is the column number and yy is the row number.

The positions of the code table are in one-to-one correspondence with the bit combinations of the code. The notation of a code table position, of the form xx/yy, is the same as that of the corresponding bit combination.

#### 6.3 Names and meanings

This part of ISO 8859 assigns at least one name to each character. In addition, it specifies a graphic symbol for each graphic character. By convention only capital letters, the graphic symbols of small letters and hyphens are used for writing the names of the characters.

The names chosen to denote graphic characters are intended to reflect their customary meaning. However, except for SPACE (SP), NO-BREAK SPACE (NBSP) and SOFT HYPHEN (SHY), this part of ISO 8859 does not define and does not restrict the meanings of graphic characters. Neither does it specify a particular style or font design for imaging graphic characters.

#### 6.3.1 SPACE (SP)

This character may be interpreted as a graphic character, a control character or as both. As a graphic character it has the visual representation consisting of the absence of a graphic symbol.

#### 6.3.2 NO-BREAK SPACE (NBSP)

A graphic character the visual representation of which consists of the absence of a graphic symbol, for use when a line break is to be prevented in the text as presented.

#### 6.3.3 SOFT HYPHEN (SHY)

A graphic character that is imaged by a graphic symbol identical with, or similar to, that representing HYPHEN, for use when a line break has been established within a word.

#### 7 Specification of the coded character set

This part of ISO 8859 specifies 191 characters allocated to the bit combinations of the code table (table 2). None of these characters are "non-spacing".

The use of control functions, such as BACKSPACE or CAR-RIAGE RETURN for the coded representation of composite characters is prohibited by this part of ISO 8859.

## 7.1 Characters of the set and their coded representation

Table 1 — Character set — Coded representation

		1	D:4	
Bit	Name		Bit combi-	Name
combi- nation	Name		nation	reame
L	ODAOE ( C 2)		06/00	GRAVE ACCENT
02/00 02/01	SPACE (see 6.3) EXCLAMATION MARK		06/00	SMALL LETTER a
02/01	QUOTATION MARK		06/02	SMALL LETTER b
02/02	NUMBER SIGN		06/03	SMALL LETTER c
02/04	DOLLAR SIGN		06/04	SMALL LETTER d
02/05	PERCENT SIGN		06/05	SMALL LETTER e
02/06	AMPERSAND		06/06	SMALL LETTER f
02/07	APOSTROPHE		06/07	SMALL LETTER 9
02/08	LEFT PARENTHESIS		06/08 06/09	SMALL LETTER h SMALL LETTER i
02/09	RIGHT PARENTHESIS ASTERISK		06/09	SMALL LETTER j
02/10 02/11	PLUS SIGN		06/10	SMALL LETTER k
02/11	COMMA		06/12	SMALL LETTER I
02/13	HYPHEN, MINUS SIGN		06/13	SMALL LETTER m
02/14	FULL STOP		06/14	SMALL LETTER n
02/15	SOLIDUS		06/15	SMALL LETTER o
03/00	DIGIT ZERO		07/00	SMALL LETTER p
03/01	DIGIT ONE		07/01	SMALL LETTER q
03/02	DIGIT TWO		07/02 07/03	SMALL LETTER r SMALL LETTER s
03/03	DIGIT THREE		07/03	SMALL LETTER t
03/04 03/05	DIGIT FOUR DIGIT FIVE		07/05	SMALL LETTER u
03/05	DIGIT SIX		07/06	SMALL LETTER v
03/07	DICIT CEVEN		07/07	SMALL LETTER w
03/08	DIGIT SEVEN DIGIT EIGHT STANDE		07/08	SMALL LETTER x
03/09	DIGIT NINE		07/09	SMALL LETTER y
03/10	COLON		07/10	SMALL LETTER Z
03/11	SEMICOLON LESS-THAN SIGN		07/11	LEFT CURLY BRACKET
03/12	FOLIAL C CICAL		07/12 -07/13	VERTICAL LINE RIGHT CURLY BRACKET
03/13 03/14	EQUALS SIGN catalog/standards/sist/cd		07/13	TILDE
03/14	QUESTION MARK 8859-2		10/00	NO-BREAK SPACE (see 6.3)
04/00	COMMERCIAL AT		10/01	CAPITAL LETTER A WITH OGONEK
04/01	CAPITAL LETTER A		10/02	BREVE
04/02	CAPITAL LETTER B		10/03	CAPITAL LETTER L WITH STROKE
04/03	CAPITAL LETTER C		10/04	CURRENCY SIGN
04/04	CAPITAL LETTER D		10/05 10/06	CAPITAL LETTER L WITH CARON CAPITAL LETTER S WITH ACUTE ACCENT
04/05	CAPITAL LETTER E		10/06	PARAGRAPH SIGN
04/06 04/07	CAPITAL LETTER F CAPITAL LETTER G		10/07	DIAERESIS
04/07	CAPITAL LETTER H		10/09	CAPITAL LETTER S WITH CARON
04/09	CAPITAL LETTER I		10/10	CAPITAL LETTER S WITH CEDILLA
04/10	CAPITAL LETTER J		10/11	CAPITAL LETTER T WITH CARON
04/11	CAPITAL LETTER K		10/12	CAPITAL LETTER Z WITH ACUTE ACCENT
04/12	CAPITAL LETTER L		10/13	SOFT HYPHEN (see 6.3)
04/13	CAPITAL LETTER M		10/14	CAPITAL LETTER Z WITH CARON CAPITAL LETTER Z WITH DOT ABOVE
04/14	CAPITAL LETTER O		10/15 11/00	RING ABOVE, DEGREE SIGN
04/15 05/00	CAPITAL LETTER O CAPITAL LETTER P		11/00	SMALL LETTER a WITH OGONEK
05/00	CAPITAL LETTER Q		11/02	OGONEK
05/01	CAPITAL LETTER R		11/03	SMALL LETTER I WITH STROKE
05/03	CAPITAL LETTER S		11/04	ACUTE ACCENT
05/04	CAPITAL LETTER T		11/05	SMALL LETTER I WITH CARON
05/05	CAPITAL LETTER U		11/06	SMALL LETTER'S WITH ACUTE ACCENT
05/06	CAPITAL LETTER V		11/07	CARON
05/07	CAPITAL LETTER Y		11/08 11/09	CEDILLA SMALL LETTER'S WITH CARON
05/08 05/09	CAPITAL LETTER X CAPITAL LETTER Y		11/09	SMALL LETTER'S WITH CARON SMALL LETTER'S WITH CEDILLA
05/09	CAPITAL LETTER Y CAPITAL LETTER Z	1	11/10	SMALL LETTER t WITH CARON
05/10	LEFT SQUARE BRACKET	1	11/12	SMALL LETTER z WITH ACUTE ACCENT
05/11	REVERSE SOLIDUS	1	11/13	DOUBLE ACUTE ACCENT
05/13	RIGHT SQUARE BRACKET		11/14	SMALL LETTER z WITH CARON
05/14	CIRCUMFLEX ACCENT	1	11/15	SMALL LETTER Z WITH DOT ABOVE
05/15	LOW LINE	1	12/00	CAPITAL LETTER R WITH ACUTE ACCENT

Table 1 — (concluded)

Bit combi- nation	Name
12/01	CAPITAL LETTER A WITH ACUTE ACCENT
12/02	CAPITAL LETTER A WITH CIRCUMFLEX ACCENT
12/03	CAPITAL LETTER A WITH BREVE
12/04	CAPITAL LETTER A WITH DIAERESIS
12/05	CAPITAL LETTER L WITH ACUTE ACCENT CAPITAL LETTER C WITH ACUTE ACCENT
12/06 12/07	CAPITAL LETTER C WITH ACOTE ACCENT
12/07	CAPITAL LETTER C WITH CARON
12/09	CAPITAL LETTER E WITH ACUTE ACCENT
12/10	CAPITAL LETTER E WITH OGONEK
12/11	CAPITAL LETTER E WITH DIAERESIS
12/12	CAPITAL LETTER E WITH CARON
12/13	CAPITAL LETTER I WITH ACUTE ACCENT CAPITAL LETTER I WITH CIRCUMFLEX ACCENT
12/14 12/15	CAPITAL LETTER I WITH CIRCONIFLEX ACCENT
13/00	CAPITAL LETTER D WITH STROKE
13/01	CAPITAL LETTER N WITH ACUTE ACCENT
13/02	CAPITAL LETTER N WITH CARON
13/03	CAPITAL LETTER O WITH ACUTE ACCENT
13/04	CAPITAL LETTER O WITH CIRCUMFLEX ACCENT
13/05	CAPITAL LETTER O WITH DOUBLE ACUTE ACCENT
13/06 13/07	CAPITAL LETTER O WITH DIAERESIS MULTIPLICATION SIGN
13/07	CAPITAL LETTER R WITH CARON
13/09	CAPITAL LETTER U WITH RING ABOVE
13/10	CAPITAL LETTER U WITH ACUTE ACCENT
13/11	CAPITAL LETTER U WITH DOUBLE ACUTE ACCENT
13/12	CAPITAL LETTER U WITH DIAERESIS
13/13	CAPITAL LETTER Y WITH ACUTE ACCENT
13/14	CAPITAL LETTER T WITH CEDILLA SMALL GERMAN LETTER SHARP s
13/15 14/00	SMALL GERMAN LETTER SHARP'S SMALL LETTER r WITH ACUTE ACCENT
14/00	SMALL LETTER a WITH ACUTE ACCENT and ards/s
14/02	SMALL LETTER a WITH CIRCUMFLEX ACCENT
14/03	SMALL LETTER a WITH BREVE
14/04	SMALL LETTER a WITH DIAERESIS
14/05	SMALL LETTER I WITH ACUTE ACCENT
14/06	SMALL LETTER c WITH ACUTE ACCENT SMALL LETTER c WITH CEDILLA
14/07	SMALL LETTER C WITH CEDILLA SMALL LETTER C WITH CARON
14/08	SMALL LETTER & WITH ACUTE ACCENT
14/10	SMALL LETTER e WITH OGONEK
14/11	SMALL LETTER e WITH DIAERESIS
14/12	SMALL LETTER e WITH CARON
14/13	SMALL LETTER I WITH ACUTE ACCENT
14/14	SMALL LETTER I WITH CIRCUMFLEX ACCENT
14/15	SMALL LETTER d WITH CARON SMALL LETTER d WITH STROKE
15/00 15/01	SMALL LETTER 0 WITH STROKE  SMALL LETTER n WITH ACUTE ACCENT
15/01	SMALL LETTER n WITH CARON
15/03	SMALL LETTER o WITH ACUTE ACCENT
15/04	SMALL LETTER o WITH CIRCUMFLEX ACCENT
15/05	SMALL LETTER o WITH DOUBLE ACUTE ACCENT
15/06	SMALL LETTER o WITH DIAERESIS
15/07	DIVISION SIGN
15/08	SMALL LETTER r WITH CARON SMALL LETTER u WITH RING ABOVE
15/09 15/10	SMALL LETTER U WITH RING ABOVE  SMALL LETTER U WITH ACUTE ACCENT
15/10	SMALL LETTER U WITH ACCIT ACCENT
15/12	SMALL LETTER u WITH DIAERESIS
15/13	SMALL LETTER y WITH ACUTE ACCENT
15/14	SMALL LETTER t WITH CEDILLA
15/15	DOT ABOVE

#### 7.2 Code table

The code table (table 2) shows the characters listed at the position in the code table corresponding to the specified bit combination.

The shaded positions correspond to bit combinations that do not represent graphic characters. Their use is outside the scope of ISO 8859; it is specified in other International Standards, for example ISO 646 or ISO 6429.

#### 8 Designation of the character set

The graphic characters of this part of ISO 8859 constitute a single coded character set. However, when this character set is implemented together with other coding standards such as ISO 2022 or ISO 4873, the code table of this part of ISO 8859 shall be considered to consist of the following components:

The character SPACE represented by bit combination 02/00.

 A 94-character G0 graphic character set represented by bit combinations 02/01 to 07/14.

A 96-character G1 graphic character set represented by bit combinations 10/00 to 15/15.

When required by other coding standards, for example ISO 2022 or ISO 4873, the following pair of escape sequences shall be used:

ESC 02/08 04/02 ESC 02/13 04/02

to designate the G0 and the G1 sets, respectively. According to ISO 2022, the character SPACE does not require designation.

Table 2 — Code table

				b.	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1
				b,	0	0	0	0	1	1	1	1	0	0	0	0	1	1	1	1
				<u>ь.</u> Ь.		0	0	1	0	0	0	1	0	0	0	4	0	0 1	1 0	1
				<u>D.</u>	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15
о О	0 ₽³	0 <sub>2</sub>	0 D'	00			SP	0	<b>a</b>	Р	,	р			NBSP	0	Ŕ	Ð	ŕ	đ
0	0	0	1	01			!	1	Α	Q	а	q			Ą	ą	Á	Ń	á	ń
0	0	1	0	02			''	2	В	R	b	r			)	č	Â	Ň	â	ň
0	0	1	1	03			#	3	C	S	С	S			Ł	ł	Ă	Ó	ĭa	ó
0	1	0	0	04			\$	4	D	A	d	t			n		Ά	ô	ä	ô
0	1	0	1	0 5			%	5	E	U	e				Ľ	ľ	Ľ	Ő	ľ	Ő
0	1	1	0	06			&	6	F	V 2251	f 12:10	V 97			\$	Ś	Ć	Ö	ć	ö
0	1	tp:	1/5	07			itaiog	st7nc	ai <b>G</b> s/	sisWed	6 <b>.g</b> 8:	.7Wee			5: <b>\$</b> 0	ld41(	2 <b>Ç</b> )a	3 <b>2X</b> 50	Ç	÷
1	0	0	0	80			(	8	Н°	Χ	h	Х			••	,	Č	Ř	Č	ř
1	0	0	1	09			)	9	I	Υ	j	У			Š	Š	É	Ů	é	ů
1	0	1	0	10			*	:	J	Z	j	Z			Ş	Ş	Ę	Ú	ę	ú
1	0	1	1	11			+	;	K		k	<b>\</b>			Ť	ť	Ë	Ű	ë	ü
1	1	0	0	12			,	<	L	١	l	1			Ź	ź	Ě	Ü	ě	ü
1	1	0	1	13			-	=	М	]	m	}			SHY	"	Í	Ý	í	ý
1	1	1	0	14			•	>	N	^	n	~			Ž	ž	Î	Ţ	ĵ	ţ
1	1	1	1	15			/	?	0		0				Ż	ż	Ď	ß	ď	

ISO 8859-2:1987(E)

#### **Annex**

# Geographical areas of application of the coded character set of this part of ISO 8859

(This annex does not form part of the standard.)

The coded character set of this part of ISO 8859 contains graphic characters used in at least the following countries:

Albania

Austria

Czechoslovakia

Germany

Hungary

Poland

Romania

Switzerland

Yugoslavia

# iTeh STANDARD PREVIEW (standards.iteh.ai)

I<u>SO 8859-2:1</u>987

https://standards.iteh.ai/catalog/standards/sist/cd6f7827-ec1f-4428-be52-02d416239a32/iso-8859-2-1987