

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Communication networks and systems for power utility automation –
Part 8-1: Specific communication service mapping (SCSM) – Mappings to MMS
(ISO 9506-1 and ISO 9506-2) and to ISO/IEC 8802-3**

**Réseaux et systèmes de communication pour l'automatisation des systèmes
électriques –**

**Partie 8-1: Mise en correspondance des services de communication spécifiques
(SCSM) – Mises en correspondance pour MMS (ISO 9506-1 et ISO 9506-2) et
pour l'ISO/IEC 8802-3**





THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and definitions clause of IEC publications issued between 2002 and 2015. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et définitions des publications IEC parues entre 2002 et 2015. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



IEC 61850-8-1

Edition 2.1 2020-02
CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Communication networks and systems for power utility automation –
Part 8-1: Specific communication service mapping (SCSM) – Mappings to MMS
(ISO 9506-1 and ISO 9506-2) and to ISO/IEC 8802-3**

**Réseaux et systèmes de communication pour l'automatisation des systèmes
électriques –**

**Partie 8-1: Mise en correspondance des services de communication spécifiques
(SCSM) – Mises en correspondance pour MMS (ISO 9506-1 et ISO 9506-2) et
pour l'ISO/IEC 8802-3**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.200

ISBN 978-2-8322-7913-7

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	12
INTRODUCTION.....	15
1 Scope.....	16
1.1 General.....	16
1.2 Namespace name and version	16
1.3 Code Component distribution	17
2 Normative references	18
3 Terms and definitions	22
4 Abbreviations	24
5 Overview	26
5.1 General.....	26
5.2 MMS communication profiles	27
5.3 Non-MMS communication profiles	27
5.4 MMS objects being used	28
6 Communication stack	28
6.1 Overview of the protocol usage	28
6.2 Client/server services and communication profiles	29
6.2.1 Client/server services	29
6.2.2 A-Profile	31
6.2.3 TCP/IP T-Profile	33
6.3 GSE management and GOOSE services communication profiles	34
6.3.1 GSE mapping overview.....	34
6.3.2 A-Profile	34
6.3.3 T-Profile	35
6.4 Time sync	36
6.4.1 Conformance statement.....	36
6.4.2 A-Profile	37
6.4.3 T-Profile	37
6.5 Sampled value management and Sampled value services communication profiles.....	38
6.5.1 Sampled value mapping overview.....	38
6.5.2 A-Profile	38
6.5.3 T-Profile	39
7 Objects of IEC 61850	41
7.1 Server.....	41
7.2 Logical device (LD).....	41
7.3 Logical node (LN)	41
7.3.1 General	41
7.3.2 Mapping of LNReference to VariableAccessSpecifications.....	44
7.3.3 Mapping of DataObjects reference to VariableAccessSpecifications	44
7.3.4 Mapping of DataAttributes (DataAttr) reference to VariableAccessSpecifications	44
8 Mapping of IEC 61850-7-2 data attributes.....	45
8.1 Mapping of Attributes specified in IEC 61850-7-2.....	45
8.1.1 BasicTypes.....	45
8.1.2 Additional definitions of BasicType	45

8.1.3	Common ACSITypes	47
8.2	Mapping of quality common data attribute type specified in IEC 61850-7-2	68
9	Server class model	69
9.1	Server mapping	69
9.2	Server class attributes	69
9.2.1	ServiceAccessPoint	69
9.2.2	Logical devices	70
9.2.3	Files	70
9.2.4	Client associations	70
9.3	Server class service GetServerDirectory	70
10	Association model	72
10.1	Association relation to communication profiles	72
10.2	Two party association model for client/server communication profile	72
10.2.1	Association mapping	72
10.2.2	Association services	73
10.3	Two party association model for GSE management communication profile	74
10.4	Two party association model for time sync	74
10.5	Multicast association model	74
11	Logical device model	74
12	Logical node model	74
12.1	GenLogicalNodeClass	74
12.2	GenLogicalNodeClass attributes	74
12.3	GenLogicalNodeClass services	75
12.3.1	GetLogicalNodeDirectory	75
12.3.2	GetAllDataValues	76
13	DataObject, DataAttribute, SubDataAttribute model	77
13.1	GenDataObjectClass	77
13.2	GenDataAttributeClass	77
13.3	GenSubDataAttributeClass	77
13.4	GenDataObjectClass services	78
13.4.1	GetDataValues	78
13.4.2	SetDataValues	78
13.4.3	GetDataDirectory	79
13.4.4	GetDataDefinition	79
14	Data set class model	79
14.1	Data set class	79
14.2	Data set attributes	79
14.3	Data set services	79
14.3.1	GetDataSetValues	79
14.3.2	SetDataSetValues	80
14.3.3	CreateDataSet	80
14.3.4	DeleteDataSet	81
14.3.5	GetDataSetDirectory	81
15	ServiceTracking model	82
15.1	General	82
15.2	Common Service Tracking – CST	82
15.3	Mapping of the Buffered Report Tracking Service – BTS	84
15.4	Mapping of the Unbuffered Report Tracking Service – UTS	85

15.5	Mapping of the Log Control Block Tracking Service Tracking – LTS	85
15.6	Mapping of the Log Tracking Service – OTS	86
15.7	Mapping of the GOOSE Control Block Tracking Service – GTS	86
15.8	Mapping of the Setting Group Control Block Tracking Service – STS	87
15.9	Mapping of the tracking service for MSVCB control block – MTS.....	87
15.10	Mapping of the tracking service of the deprecated USVCB control block – NTS	87
16	Setting group control class model	88
16.1	Setting group control block definition	88
16.2	Setting group control class services	88
16.2.1	SelectActiveSG.....	88
16.2.2	SelectEditSG	88
16.2.3	SetEditSGValue.....	89
16.2.4	ConfirmEditSGValues	89
16.2.5	GetEditSGValue	89
16.2.6	GetSGCBValues	89
17	Reporting and logging class model	89
17.1	Report model – Report control blocks	89
17.1.1	Functional Constraint for Report Control Blocks.....	89
17.1.2	Buffered report control block.....	89
17.1.3	Unbuffered report control block.....	91
17.2	Reporting services	93
17.2.1	Report service	93
17.2.2	GetBRCBValues	95
17.2.3	SetBRCBValues	95
17.2.4	GetURCBValues	95
17.2.5	SetURCBValues	95
17.3	Log model.....	95
17.3.1	General	95
17.3.2	Mapping of log control class	95
17.3.3	Mapping of log class	95
17.3.4	Mapping of log and log control services	100
17.3.5	Conformance	102
18	Mapping of the generic substation event model (GSE).....	102
18.1	Generic object oriented substation event (GOOSE).....	102
18.1.1	GOOSE control definition.....	102
18.1.2	GOOSE services	104
19	Transmission of sampled values class model.....	112
19.1	Sampled value	112
19.1.1	Sampled value control block	112
19.1.2	Sampled value services	113
20	Control class model	117
20.1	General.....	117
20.2	Control service parameters	117
20.3	Mapping of control objects and CO_CtrlObjectRef	118
20.4	Mapping of control services	120
20.5	Select	120
20.5.1	Select service parameter mapping	120

20.5.2	Mapping of the select service	121
20.5.3	Select request	121
20.5.4	Select response+	121
20.5.5	Select response–	121
20.6	SelectWithValue	121
20.6.1	SelectWithValue service parameter mapping	121
20.6.2	Mapping of the SelectWithValue service	122
20.6.3	SelectWithValue request	123
20.6.4	SelectWithValue response+	123
20.6.5	SelectWithValue response–	124
20.7	Cancel	124
20.7.1	Cancel service parameter mapping	124
20.7.2	Mapping of the Cancel service	124
20.7.3	Cancel request	125
20.7.4	Cancel response+	125
20.7.5	Cancel response–	126
20.8	Operate	126
20.8.1	Operate service parameter mapping	126
20.8.2	Mapping of the Operate service	126
20.8.3	Operate request	127
20.8.4	Operate response+	127
20.8.5	Operate response–	128
20.9	CommandTermination	128
20.9.1	CommandTermination service parameter mapping	128
20.9.2	Mapping of the CommandTermination service	128
20.10	TimeActivatedOperate	129
20.10.1	TimeActivatedOperate service parameter mapping	129
20.10.2	Mapping of the TimeActivatedOperate service	129
20.10.3	Mapping of the TimeActivatedOperateTermination service	131
20.11	AdditionalCauseDiagnosis in negative control service responses	132
20.12	Tracking of control services	134
20.12.1	General	134
20.12.2	Mapping of the Control service tracking (CTS)	134
21	Time and time synchronization model	135
22	Naming conventions	135
23	File transfer	135
23.1	File transfer model	135
23.2	File services	137
23.2.1	GetFile	137
23.2.2	SetFile	140
23.2.3	DeleteFile	141
23.2.4	GetFileAttributeValues	141
24	Conformance	142
24.1	Notation	142
24.2	PICS	142
24.2.1	Profile conformance	142
24.2.2	MMS conformance	144
24.3	PICS Statement	163

24.3.1	General	163
24.3.2	Logical device	163
24.3.3	GOOSE Services	164
24.3.4	Substation configuration language	164
24.3.5	Sampled value Services	164
25	Substation Configuration Language (SCL)	165
25.1	SCL file and SCL extensions	165
25.2	General	165
25.3	SCSM specific address element definitions	165
25.3.1	Client/server addressing – element “address”	165
25.3.2	GOOSE layer 2 addressing	167
25.3.3	GOOSE/SMV UPD/IP addressing	167
25.3.4	GSSE definition	169
25.4	Subnetwork protocol type	169
25.5	SCSM NameSpace	169
Annex A (normative) Application protocol specification for GOOSE and GSE management		170
A.1	ASN.1 Definitions	170
A.2	BER Encoding rules	172
A.3	Fixed-length encoded GOOSE message	173
A.4	Conformance	177
Annex B (informative) Multicast address selection		178
Annex C (normative) Overview of ISO/IEC 8802-3 frame structure for GSE management and GOOSE		179
C.1	PDU	179
C.2	PDU fields	183
C.2.1	Address fields:	183
C.2.2	Priority tagging/Virtual LAN:	183
C.2.3	TPID (Tag Protocol Identifier) Field:	183
C.2.4	TCI (Tag Control Information) Fields:	183
C.2.5	Ethertype and other header information	184
Annex D (informative) SCL conformance		186
Annex E (informative) Time scales and epochs		187
Annex F (normative) Type extensions to ISO 9506-1:2003 and ISO 9506-2:2003		188
F.1	General	188
F.2	ISO 9506-1 (Service definitions)	188
F.3	ISO 9506-2 (Protocol specification)	188
Annex G (informative) Example SCL File		191
Annex H (informative) Generic Substation State Event (GSSE) – Deprecated		204
Annex I (informative) Certificate management		205
Annex J (normative) Routable GOOSE and SV		206
J.1	General	206
J.2	A-Profiles	206
J.3	A-Profile GOOSE, SV, and Management A-Profile	206
J.3.1	Application Layer	206
J.3.2	Session Layer	207
J.3.3	Common T-Profile Standards	215
Annex K (normative) Compatibility of the different revisions of the standard		218

K.1	General.....	218
K.2	Compatibility rules for IEC 61850-8-1.....	218
K.3	Special compatibility rules.....	223
K.3.1	Inherited from ACSI model.....	223
K.3.2	Common format for transient data exchange (COMTRADE).....	223
	Bibliography.....	224
	Figure 1 – Overview of functionality and profiles	27
	Figure 2 – OSI reference model and profiles	29
	Figure 3 – Algorithm for logical node mapping	42
	Figure 4 – Ordered list of functional constraints	43
	Figure 5 – Relationship of LCB attributes to IEC 61850-7-2 log definitions.....	96
	Figure 6 – GetGoReference service primitives	104
	Figure 7 – GetGOOSEElementNumber service primitives	107
	Figure 8 – Transmission time for events	109
	Figure 9 – SendGooseMessage message service primitives	109
	Figure 10 – Publisher state machine for GOOSE service	110
	Figure 11 – Subscriber state machine for GOOSE service	110
	Figure 12 – GetMsvReference service primitives	113
	Figure 13 – GetMsvElementNumber service primitives.....	115
	Figure 14 – Mapping of ACSI GetFile to MMS FileOpen, FileRead, FileClose	138
	Figure 15 – Mapping of ACSI SetFile service.....	140
	Figure A.1 – Basic encoding rules format.....	172
	Figure A.2 – Format of the tag octets	173
	Figure C.1 – ISO/IEC 8802-3 frame format of the GOOSE publisher	180
	Figure C.2 – ISO/IEC 8802-3 frame format of the GOOSE publisher with HSR link redundancy.....	181
	Figure C.3 – ISO/IEC 8802-3 frame format of the GOOSE publisher with PRP link redundancy.....	182
	Figure C.4 – Virtual LAN tag	183
	Figure C.5 – Reserved 1	185
	Figure J.1 – General Byte Ordering of Session Protocol	207
	Figure J.2 – Structure of Routable GOOSE / SV Session Protocol	208
	Figure J.3 – Format of IP Header	216
	Figure J.4 – ToS Byte Field Definition RFC-2474 and RFC-3168	216
	Table 1 – MMS objects and services in use within this SCSM	28
	Table 2 – Services requiring client/server Communication Profile	30
	Table 3 – Service and protocols for client/server communication A-Profile	31
	Table 4 – Service and protocols for client/server TCP/IP T-Profile	33
	Table 5 – Services requiring GSE Management and GOOSE communication profile	34
	Table 6 – Service and protocols for GSE Management and GOOSE communication A- Profile.....	34
	Table 7 – RFC 1240 A-Profile Options	35
	Table 8 – GOOSE/GSE T-Profile	35

Table 9 – UDP Field Implementation Requirements	36
Table 10 – Time sync A-Profile	37
Table 11 – Time sync T-Profile	38
Table 12 – Services requiring sampled value Management and sampled value communication profile	38
Table 13 – Service and protocols for Sampled value Management and Multicast sampled value communication A-Profile	39
Table 14 – MSV T-Profile	40
Table 15 – Mapping of ACSI BasicTypes	45
Table 16 – PhyComAddr structure for Layer 2 communication	48
Table 17 – Associate ACSI service error mappings	50
Table 18 – Release service error mappings	50
Table 19 – GetNameList conflicting IEC 61850 objectClass and objectScope	51
Table 20 – GetNameList service error mappings	51
Table 21 – Read of NamedVariableList object error mappings	52
Table 22 – Write of NamedVariableList object error mappings	53
Table 23 – DefineNamedVariableList service error mappings	54
Table 24 – GetNamedVariableListAttributes service error mappings	55
Table 25 – DeleteNamedVariableList service error mappings	56
Table 26 – Read service error mappings	57
Table 27 – Write service error mappings	58
Table 28 – GetVariableAccessAttributes service error mappings	59
Table 29 – ServiceError mappings for Log services	59
Table 30 – FileDirectory service error mappings	60
Table 31 – Mappings of ACSI ServiceErrors to ObtainFile Service Errors	61
Table 32 – Mappings of ACSI ServiceErrors to FileOpen Service Errors	61
Table 33 – Mappings of ACSI ServiceErrors to FileRead Service Errors	62
Table 34 – Mappings of ACSI ServiceErrors to FileClose Service Errors	62
Table 35 – Mappings of ACSI ServiceErrors to FileDelete Service Errors	63
Table 36 – Encoding of IEC 61850-7-2 TimeQuality	64
Table 37 – Encoding of the TriggerConditions	65
Table 38 – Encoding of the ReasonForInclusionInReport	65
Table 39 – Encoding of the ReasonForInclusionInLog	65
Table 40 – PhyComAddr for UPD/IP communication	66
Table 41 – Encoding of the RCBReportOptions	67
Table 42 – Encoding of the SVMMessageOptions	67
Table 43 – Encoding of the CheckConditions	68
Table 44 – Encoding of IEC 61850-7-2 quality	69
Table 45 – Mapping of ACSI GetServerDirectory (LOGICAL DEVICE) to MMS	71
Table 46 – Mapping of ACSI GetServerDirectory(FILE) to MMS	71
Table 47 – Association model versus communication profiles	72
Table 48 – Mapping of ACSI Associate service to MMS	73
Table 49 – Mapping of ACSI Release service to MMS	73
Table 50 – GetNameList classes for GetLogicalNodeDirectory service	75

Table 51 – Mapping of ACSI GetLogicalNodeDirectory (DataObject) service to MMS	76
Table 52 – Mapping of ACSI GetAllDataValues service to MMS	77
Table 53 – Mapping of GetDataValues service parameters	78
Table 54 – Mapping of SetDataValues service parameters.....	78
Table 55 – Mapping of GetDataDirectory service parameters	79
Table 56 – Mapping of GetDataSetValues service parameters	80
Table 57 – Mapping of SetDataSetValues service parameters	80
Table 58 – Mapping of CreateDataSet service parameters	81
Table 59 – Mapping of DeleteDataSet service parameters	81
Table 60 – Mapping of GetDataSetDirectory service parameters.....	82
Table 61 – Mapping of CDC CST to MMS type definition.....	82
Table 62 – Mapping of ACSI ServiceType values	83
Table 63 – Mapping of ACSI ServiceError values	84
Table 64 – Mapping of CDC BTS to MMS type definition.....	85
Table 65 – Mapping of CDC UTS to MMS type definition.....	85
Table 66 – Mapping of CDC LTS to MMS type definition	86
Table 67 – Mapping of CDC GTS to MMS type definition	86
Table 68 – Mapping of CDC STS to MMS type definition.....	87
Table 69 – Mapping of CDC MTS to MMS type definition	87
Table 70 – Mapping of CDC NTS to MMS type definition.....	88
Table 71 – Mapping of SGCB to MMS type definition	88
Table 72 – Mapping of BRCB to MMS type definition	90
Table 73 – Mapping of URCB to MMS type definition	92
Table 74 – Order of AccessResults for variableListName report.....	93
Table 75 – Definition of an MMS log control block.....	97
Table 76 – Mapping of values for LogEna	97
Table 77 – Mapping of ACSI LogEntries.....	98
Table 78 – General mappings of ACSI log model services	100
Table 79 – Mapping of QueryLogByTime request parameters	101
Table 80 – Mapping of response parameters	101
Table 81 – Mapping of QueryLogAfter request parameters.....	102
Table 82 – Log conformance requirements	102
Table 83 – MMS TypeDescription definition for GoCB MMS structure	103
Table 84 – Mapping of GetGoReference service	105
Table 85 – GetGoReference	105
Table 86 – Mapping of GetGOOSEElementNumber service	107
Table 87 – GetGOOSEElementNumber.....	108
Table 88 – GOOSE service parameter mapping	111
Table 89 – Mapping of GetMsvReference service	114
Table 90 – GetMsvReference.....	114
Table 91 – Mapping of GetMsvElementNumber service	116
Table 92 – GetMsvElementNumber.....	116
Table 93 – Controllable service parameters	118

Table 94 – Mapping of IEC 61850-7-2 control model to MMS control components.....	119
Table 95 – Mapping of control services	120
Table 96 – Select service parameter mapping.....	121
Table 97 – Mapping of the Select service.....	121
Table 98 – SelectWithValue service parameter mapping.....	122
Table 99 – Mapping of the SelectWithValue service	123
Table 100 – SelectWithValue, Oper and Cancel AccessResult specification.....	124
Table 101 – Cancel service parameter mapping.....	124
Table 102 – Mapping of the Cancel service.....	125
Table 103 – Operate service parameter mapping	126
Table 104 – Mapping of the Operate service	127
Table 105 – Mapping of the CommandTermination service	128
Table 106 – TimeActivatedOperate service parameter mapping	129
Table 107 – Mapping of the TimeActivatedOperate service	130
Table 108 – Mapping of the TimeActivatedOperateTermination service.....	131
Table 109 – Definition of LastApplError variable structure.....	132
Table 110 – Mapping of ACSI AddCause values	134
Table 111 – Mapping of CDC CTS to MMS type definition.....	135
Table 112 – Mapping of ACSI file class to MMS file object.....	135
Table 113 – Reserved file suffixes	136
Table 114 – Mapping of ACSI GetFile service parameters	138
Table 115 – Mapping of ACSI GetFile service	139
Table 116 – Mappings of GetFile ServiceErrors to MMS Service Errors	139
Table 117 – Mapping of ACSI SetFile parameters	140
Table 118 – Mapping of ACSI DeleteFile service	141
Table 119 – Mapping of ACSI GetFileAttributeValues parameters	142
Table 120 – Mapping of ACSI ListOfDirectoryEntry	142
Table 121 – PICS for A-Profile support	143
Table 122 – PICS for Time Sync A-Profile support.....	143
Table 123 – PICS for T-Profile support	144
Table 124 – MMS InitiateRequest general parameters	145
Table 125 – MMS InitiateResponse general parameters.....	145
Table 126 – MMS InitiateError general parameters	146
Table 127 – MMS service supported conformance table	146
Table 128 – MMS Parameter CBB	149
Table 129 – GetNameList conformance statement	149
Table 130 – GetCapabilityList conformance statement.....	150
Table 131 – GetDomainAttributes conformance statement	150
Table 132 – Status conformance statement	151
Table 133 – Cancel conformance statement	151
Table 134 – Identify conformance statement.....	152
Table 135 – Environment and general management conformance statement	152
Table 136 – Conclude conformance statement.....	153

Table 137 – AlternateAccess conformance statement	153
Table 138 – AlternateAccessSelection conformance statement	154
Table 139 – VariableSpecification for LDevice/MHAI1.HA.phsAHar(7).cVal.mag.f	155
Table 140 – VariableSpecification for LDevice/MHAI1.HA.phsAHar(7).cVal.mag.f	155
Table 141 – Non conformant VariableSpecification I	156
Table 142 – Non conformant VariableSpecification II	156
Table 143 – VariableSpecification for LDevice/MHAI1.HA.phsAHar(7) [MX]	157
Table 144 – VariableSpecification for LDevice/MHAI1.HA.phsAHar(7) [MX]	157
Table 145 – VariableAccessSpecification conformance statement	158
Table 146 – VariableSpecification conformance statement	158
Table 147 – Read conformance statement	158
Table 148 – Write conformance statement	159
Table 149 – InformationReport conformance statement	159
Table 150 – GetVariableAccessAttributes conformance statement	159
Table 151 – DefineNamedVariableList conformance statement	160
Table 152 – GetNamedVariableListAttributes conformance statement	160
Table 153 – DeleteNamedVariableList conformance statement	160
Table 154 – ReadJournal conformance statement	161
Table 155 – EntryContent conformance statement	162
Table 156 – FileDirectory conformance statement	162
Table 157 – FileOpen conformance statement	163
Table 158 – FileRead conformance statement	163
Table 159 – FileClose conformance statement	163
Table 160 – GOOSE conformance statement	164
Table 161 – Multicast Sampled value conformance statement	165
Table 162 – Allowed P-Type definitions for client/server addressing	166
Table 163 – Definitions for GSE over Layer 2 SCL	167
Table 164 – Definitions for GSE/SMV over UDP/IP SCL	168
Table A.1 – Encoding the GOOSE Header in Fixed-length GOOSE message	174
Table A.2 – Encoding allData in Fixed-length GOOSE message – the basic data types	175
Table A.3 – Encoding example for Data	176
Table B.1 – Recommended multicast addressing example	178
Table C.1 – Default virtual LAN IDs and priorities	184
Table C.2 – Assigned Ethertype values	184
Table D.1 – SCL conformance degrees	186
Table D.2 – Supported ACSI services for SCL.2	186
Table J.1 – Example encodings of SPDU Length	210
Table J.2 – Network Protocol Conformance Implementation Statement (PICS) for IPv4 based T-Profiles	216

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMUNICATION NETWORKS AND SYSTEMS FOR POWER UTILITY AUTOMATION –

Part 8-1: Specific communication service mapping (SCSM) – Mappings to MMS (ISO 9506-1 and ISO 9506-2) and to ISO/IEC 8802-3

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 61850-8-1 edition 2.1 contains the second edition (2011-06) [documents 57/2150/FDIS and 57/2168/RVD] and its amendment 1 (2020-02) [documents 57/2150/FDIS and 57/2168/RVD].