

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

Communication networks and systems for power utility automation –  
Part 8-1: Specific communication service mapping (SCSM) – Mappings to MMS  
(ISO 9506-1 and ISO 9506-2) and to ISO/IEC 8802-3

Réseaux et systèmes de communication pour l'automatisation des systèmes  
électriques –  
Partie 8-1: Mise en correspondance des services de communication spécifiques  
(SCSM) – Mises en correspondance pour MMS (ISO 9506-1 et ISO 9506-2) et pour  
l'ISO/CEI 8802-3



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2011 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland  
Email: [inmail@iec.ch](mailto:inmail@iec.ch)  
Web: [www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

[IEC 61850-8-1:2011](mailto:IEC.61850-8-1:2011)

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: [www.iec.ch/webstore/custserv](http://www.iec.ch/webstore/custserv)

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: [csc@iec.ch](mailto:csc@iec.ch)

Tel.: +41 22 919 02 11

Fax: +41 22 919 03 00

### A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: [www.iec.ch/searchpub/cur\\_fut-f.htm](http://www.iec.ch/searchpub/cur_fut-f.htm)

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: [www.iec.ch/webstore/custserv/custserv\\_entry-f.htm](http://www.iec.ch/webstore/custserv/custserv_entry-f.htm)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: [csc@iec.ch](mailto:csc@iec.ch)

Tél.: +41 22 919 02 11

Fax: +41 22 919 03 00

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

---

**Communication networks and systems for power utility automation –  
Part 8-1: Specific communication service mapping (SCSM) – Mappings to MMS  
(ISO 9506-1 and ISO 9506-2) and to ISO/IEC 8802-3**

**Réseaux et systèmes de communication pour l'automatisation des systèmes  
électriques –  
Partie 8-1: Mise en correspondance des services de communication spécifiques  
(SCSM) – Mises en correspondance pour MMS (ISO 9506-1 et ISO 9506-2) et pour  
l'ISO/CEI 8802-3**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

## CONTENTS

FOREWORD.....	11
INTRODUCTION.....	13
1 Scope.....	14
2 Normative references .....	14
3 Terms and definitions .....	18
4 Abbreviations .....	20
5 Overview .....	22
5.1 General .....	22
5.2 MMS communication profiles .....	23
5.3 Non-MMS communication profiles .....	23
5.4 MMS objects being used .....	23
6 Communication stack .....	24
6.1 Overview of the protocol usage .....	24
6.2 Client/server services and communication profiles .....	25
6.2.1 Client/server services .....	25
6.2.2 A-Profile .....	26
6.2.3 TCP/IP T-Profile .....	26
6.2.4 OSI T-Profile .....	28
6.3 GSE management and GOOSE services communication profiles.....	29
6.3.1 GSE mapping overview .....	29
6.3.2 A-Profile .....	29
6.3.3 T-Profile .....	29
6.4 Time sync.....	30
6.4.1 Conformance statement.....	30
6.4.2 A-Profile .....	31
6.4.3 T-Profile .....	31
7 Objects of IEC 61850 .....	32
7.1 Server .....	32
7.2 Logical device (LD) .....	32
7.3 Logical node (LN).....	32
7.3.1 General .....	32
7.3.2 Mapping of LNReference to VariableAccessSpecifications.....	34
7.3.3 DataObjects .....	34
7.3.4 DataAttributes (DataAttr) .....	35
8 Mapping of IEC 61850-7-2 and IEC 61850-7-3 data attributes .....	35
8.1 Mapping of Attributes specified in IEC 61850-7-2 .....	35
8.1.1 BasicTypes.....	35
8.1.2 Additional definitions of BasicType .....	36
8.1.3 Common ACSITypes .....	37
8.2 Mapping of quality common data attribute type specified in IEC 61850-7-3.....	55
9 Server class model.....	55
9.1 Server mapping.....	55
9.2 Server class attributes.....	56
9.2.1 ServiceAccessPoint.....	56
9.2.2 Logical devices.....	56

9.2.3	Files .....	56
9.2.4	Client associations .....	56
9.3	Server class service GetServerDirectory .....	56
10	Association model .....	58
10.1	Association relation to communication profiles .....	58
10.2	Two party association model for client/server communication profile .....	58
10.2.1	Association mapping .....	58
10.2.2	Association services .....	59
10.3	Two party association model for GSE management communication profile .....	60
10.4	Two party association model for time sync .....	60
10.5	Multicast association model .....	60
11	Logical device model .....	60
12	Logical node model .....	60
12.1	GenLogicalNodeClass .....	60
12.2	GenLogicalNodeClass attributes .....	61
12.3	GenLogicalNodeClass services .....	61
12.3.1	GetLogicalNodeDirectory .....	61
12.3.2	GetAllDataValues .....	62
13	DataObject, DataAttribute, SubDataAttribute model .....	63
13.1	GenDataObjectClass .....	63
13.2	GenDataAttributeClass .....	63
13.3	GenSubDataAttributeClass .....	64
13.4	GenDataObjectClass services .....	64
13.4.1	GetDataValues .....	64
13.4.2	SetDataValues .....	64
13.4.3	GetDataDirectory .....	64
13.4.4	GetDataDefinition .....	65
14	Data set class model .....	65
14.1	Data set class .....	65
14.2	Data set attributes .....	65
14.3	Data set services .....	65
14.3.1	GetDataSetValues .....	65
14.3.2	SetDataSetValues .....	66
14.3.3	CreateDataSet .....	66
14.3.4	DeleteDataSet .....	67
14.3.5	GetDataSetDirectory .....	67
15	ServiceTracking model .....	68
15.1	General .....	68
15.2	Common Service Tracking – CST .....	68
15.3	Mapping of the Buffered Report Tracking Service – BTS .....	70
15.4	Mapping of the Unbuffered Report Tracking Service – UTS .....	71
15.5	Mapping of the Log Control Block Tracking Service Tracking – LTS .....	71
15.6	Mapping of the Log Tracking Service – OTS .....	72
15.7	Mapping of the GOOSE Control Block Tracking Service – GTS .....	72
15.8	Mapping of the Setting Group Control Block Tracking Service – STS .....	72
15.9	Mapping of the tracking service for MSVCB control block – MTS .....	73
15.10	Mapping of the tracking service of the USVCB control block – NTS .....	73
16	Setting group control class model .....	73

16.1	Setting group control block definition .....	73
16.2	Setting group control class services .....	74
16.2.1	SelectActiveSG .....	74
16.2.2	SelectEditSG .....	74
16.2.3	SetEditSGValue .....	74
16.2.4	ConfirmEditSGValues .....	74
16.2.5	GetEditSGValue .....	75
16.2.6	GetSGCBValues .....	75
17	Reporting and logging class model .....	75
17.1	Report model – Report control blocks .....	75
17.1.1	Functional Constraint for Report Control Blocks .....	75
17.1.2	Buffered report control block .....	75
17.1.3	Unbuffered report control block .....	76
17.2	Reporting services .....	77
17.2.1	Report service .....	77
17.2.2	GetBRCBValues .....	79
17.2.3	SetBRCBValues .....	80
17.2.4	GetURCBValues .....	80
17.2.5	SetURCBValues .....	80
17.3	Log model .....	80
17.3.1	General .....	80
17.3.2	Mapping of log control class .....	80
17.3.3	Mapping of log class .....	80
17.3.4	Mapping of log and log control services .....	85
17.3.5	Conformance .....	86
18	Mapping of the generic substation event model (GSE) .....	87
18.1	Generic object oriented substation event (GOOSE) .....	87
18.1.1	GOOSE control definition .....	87
18.1.2	GOOSE services .....	88
19	Transmission of sampled values class model .....	97
20	Control class model .....	97
20.1	General .....	97
20.2	Control service parameters .....	97
20.3	Mapping of control objects and CO_CtrlObjectRef .....	97
20.4	Mapping of control services .....	99
20.5	Select .....	100
20.5.1	Select service parameter mapping .....	100
20.5.2	Mapping of the select service .....	100
20.5.3	Select request .....	100
20.5.4	Select response+ .....	100
20.5.5	Select response– .....	100
20.6	SelectWithValue .....	101
20.6.1	SelectWithValue service parameter mapping .....	101
20.6.2	Mapping of the SelectWithValue service .....	101
20.6.3	SelectWithValue request .....	102
20.6.4	SelectWithValue response+ .....	102
20.6.5	SelectWithValue response– .....	103
20.7	Cancel .....	103

20.7.1	Cancel service parameter mapping	103
20.7.2	Mapping of the Cancel service	103
20.7.3	Cancel request	104
20.7.4	Cancel response+	104
20.7.5	Cancel response–	104
20.8	Operate	105
20.8.1	Operate service parameter mapping	105
20.8.2	Mapping of the Operate service	105
20.8.3	Operate request	106
20.8.4	Operate response+	106
20.8.5	Operate response–	107
20.9	CommandTermination	107
20.9.1	CommandTermination service parameter mapping	107
20.9.2	Mapping of the CommandTermination service	107
20.10	TimeActivatedOperate	108
20.10.1	TimeActivatedOperate service parameter mapping	108
20.10.2	Mapping of the TimeActivatedOperate service	108
20.10.3	Mapping of the TimeActivatedOperateTermination service	110
20.11	AdditionalCauseDiagnosis in negative control service responses	111
21	Time and time synchronization model	113
22	Naming conventions	113
23	File transfer	114
23.1	File transfer model	114
23.2	File services	115
23.2.1	GetFile	115
23.2.2	SetFile	117
23.2.3	DeleteFile	119
23.2.4	GetFileAttributeValues	119
24	Conformance	120
24.1	Notation	120
24.2	PICS	120
24.2.1	Profile conformance	120
24.2.2	MMS conformance	121
24.3	PICS Statement	132
24.3.1	General	132
24.3.2	Logical device	132
24.3.3	GOOSE Services	132
24.3.4	Substation configuration language	133
25	Substation Configuration Language (SCL)	133
25.1	SCL file and SCL extensions	133
25.2	General	133
25.3	SCSM specific address element definitions	133
25.3.1	Client/server addressing – element “address”	133
25.3.2	GOOSE addressing	134
25.3.3	GSSE definition	135
25.4	Subnetwork protocol type	135
25.5	SCSM NameSpace	135



Annex A (normative) Application protocol specification for GOOSE and GSE management.....	136
Annex B (informative) Multicast address selection .....	143
Annex C (normative) Overview of ISO/IEC 8802-3 frame structure for GSE management and GOOSE.....	144
Annex D (informative) SCL conformance .....	151
Annex E (informative) Time scales and epochs .....	152
Annex F (normative) Type extensions to ISO 9506-1:2003 and ISO 9506-2:2003.....	155
Annex G (informative) Example SCL File .....	158
Annex H (informative) Generic Substation State Event (GSSE).....	176
Annex I (informative) Certificate management.....	189
Figure 1 – Overview of functionality and profiles .....	23
Figure 2 – OSI reference model and profiles .....	24
Figure 3 – Algorithm for logical node mapping .....	33
Figure 4 – Ordered list of functional constraints .....	33
Figure 5 – Relationship of LCB attributes to IEC 61850-7-2 log definitions.....	81
Figure 6 – GetGoReference service primitives .....	89
Figure 7 – GetGOOSEElementNumber service primitives .....	91
Figure 8 – Transmission time for events .....	93
Figure 9 – SendGooseMessage message service primitives .....	94
Figure 10 – Publisher state machine for GOOSE service .....	94
Figure 11 – Subscriber state machine for GOOSE service .....	95
Figure 12 – Mapping of ACSI GetFile to MMS FileOpen, FileRead, FileClose .....	116
Figure 13 – Mapping of ACSI SetFile service .....	118
Figure A.1 – Basic encoding rules format.....	138
Figure A.2 – Format of the tag octets .....	138
Figure C.1 – ISO/IEC 8802-3 frame format .....	145
Figure C.2 – ISO/IEC 8802-3 frame format with HSR link redundancy.....	146
Figure C.3 – ISO/IEC 8802-3 frame format with PRP link redundancy.....	147
Figure C.4 – Virtual LAN tag .....	148
Figure C.5 – Reserved 1 .....	150
Figure H.1 – Overview of functionality and profiles.....	176
Figure H.2 – GetGsReference service primitives .....	181
Figure H.3 – GetGSSEDataOffset service primitives .....	183
Figure H.4 – GSSE service primitives .....	185
Figure H.5 – Client state machine for GSSE service .....	185
Figure H.6 – Server state machine for GSSE service .....	186
Table 1 – MMS objects and services in use within this SCSM .....	24
Table 2 – Services requiring client/server Communication Profile .....	25
Table 3 – Service and protocols for client/server communication A-Profile.....	26
Table 4 – Service and protocols for client/server TCP/IP T-Profile .....	27
Table 5 – Service and protocols for client/server OSI T-Profile .....	28



Table 6 – Services requiring GSE Management and GOOSE communication profile .....	29
Table 7 – Service and protocols for GSE Management and GOOSE communication A-Profile .....	29
Table 8 – GOOSE/GSE T-Profile .....	30
Table 9 – Time sync A-Profile .....	31
Table 10 – Time sync T-Profile .....	31
Table 11 – Mapping of ACSI BasicTypes .....	36
Table 12 – PHYCOMADDR structure .....	39
Table 13 – Associate ACSI service error mappings .....	40
Table 14 – Release service error mappings .....	41
Table 15 – GetNameList conflicting IEC 61850 objectClass and objectScope .....	41
Table 16 – GetNameList service error mappings .....	41
Table 17 – Read of NamedVariableList object error mappings .....	42
Table 18 – Write of NamedVariableList object error mappings .....	43
Table 19 – DefineNamedVariableList service error mappings .....	44
Table 20 – GetNamedVariableListAttributes service error mappings .....	45
Table 21 – DeleteNamedVariableList service error mappings .....	46
Table 22 – Read service error mappings .....	47
Table 23 – Write service error mappings .....	48
Table 24 – GetVariableAccessAttributes service error mappings .....	49
Table 25 – ServiceError mappings for Log services .....	49
Table 26 – FileDirectory service error mappings .....	50
Table 27 – Mappings of ACSI ServiceErrors to ObtainFile Service Errors .....	51
Table 28 – Mappings of ACSI ServiceErrors to FileOpen Service Errors .....	51
Table 29 – Mappings of ACSI ServiceErrors to FileRead Service Errors .....	52
Table 30 – Mappings of ACSI ServiceErrors to FileClose Service Errors .....	52
Table 31 – Mappings of ACSI ServiceErrors to FileDelete Service Errors .....	53
Table 32 – Encoding of IEC 61850-7-2 TimeQuality .....	54
Table 33 – Encoding of IEC 61850-7-3 quality .....	55
Table 34 – Mapping of ACSI GetServerDirectory(LOGICAL DEVICE) to MMS .....	57
Table 35 – Mapping of ACSI GetServerDirectory(FILE) to MMS .....	57
Table 36 – Association model versus communication profiles .....	58
Table 37 – Mapping of ACSI Associate service to MMS .....	59
Table 38 – Mapping of ACSI Release service to MMS .....	59
Table 39 – GetNameList classes for GetLogicalNodeDirectory service .....	61
Table 40 – Mapping of ACSI GetLogicalNodeDirectory(DataObject) service to MMS .....	62
Table 41 – Mapping of ACSI GetAllDataValues service to MMS .....	63
Table 42 – Mapping of GetDataValues service parameters .....	64
Table 43 – Mapping of SetDataValues service parameters .....	64
Table 44 – Mapping of GetDataDirectory service parameters .....	65
Table 45 – Mapping of GetDataSetValues service parameters .....	65
Table 46 – Mapping of SetDataSetValues service parameters .....	66
Table 47 – Mapping of CreateDataSet service parameters .....	66

Table 48 – Mapping of DeleteDataSet service parameters .....	67
Table 49 – Mapping of GetDataSetDirectory service parameters.....	67
Table 50 – Mapping of CDC CST to MMS type definition.....	68
Table 51 – Mapping of ACSI ServiceType values .....	68
Table 52 – Mapping of ACSI ServiceError values.....	70
Table 53 – Mapping of CDC BTS to MMS type definition.....	70
Table 54 – Mapping of CDC UTS to MMS type definition.....	71
Table 55 – Mapping of CDC LTS to MMS type definition .....	71
Table 56 – Mapping of CDC GTS to MMS type definition .....	72
Table 57 – Mapping of CDC STS to MMS type definition.....	72
Table 58 – Mapping of CDC MTS to MMS type definition .....	73
Table 59 – Mapping of CDC NTS to MMS type definition.....	73
Table 60 – Mapping of SGCB to MMS type definition .....	74
Table 61 – Mapping of BR CB to MMS type definition .....	75
Table 62 – Mapping of OptFlds within Bitstring .....	76
Table 63 – Mapping of UR CB to MMS type definition .....	77
Table 64 – Order of AccessResults for variableListName report.....	78
Table 65 – Definition of an MMS log control block.....	82
Table 66 – Mapping of values for LogEna .....	82
Table 67 – Mapping of ACSI LogEntries .....	83
Table 68 – General mappings of ACSI log model services .....	85
Table 69 – Mapping of QueryLogByTime request parameters .....	86
Table 70 – Mapping of response parameters .....	86
Table 71 – Mapping of QueryLogAfter request parameters.....	86
Table 72 – Log conformance requirements .....	87
Table 73 – MMS TypeDescription definition for GoCB MMS structure .....	87
Table 74 – DstAddress structure.....	88
Table 75 – Mapping of GetGoReference service .....	89
Table 76 – GetGoReference .....	90
Table 77 – Mapping of GetGOOSEElementNumber service .....	92
Table 78 – GetGOOSEElementNumber.....	92
Table 79 – GOOSE service parameter mapping.....	95
Table 80 – Controllable service parameters .....	97
Table 81 – Mapping of IEC 61850-7-2 control model to MMS control components.....	98
Table 82 – Mapping of control services .....	99
Table 83 – Select service parameter mapping.....	100
Table 84 – Mapping of the Select service.....	100
Table 85 – SelectWithValue service parameter mapping.....	101
Table 86 – Mapping of the SelectWithValue service.....	102
Table 87 – SelectWithValue, Oper and Cancel AccessResult specification .....	103
Table 88 – Cancel service parameter mapping.....	103
Table 89 – Mapping of the Cancel service.....	104
Table 90 – Operate service parameter mapping.....	105

Table 91 – Mapping of the Operate service .....	106
Table 92 – Mapping of the CommandTermination service .....	107
Table 93 – TimeActivatedOperate service parameter mapping .....	108
Table 94 – Mapping of the TimeActivatedOperate service .....	109
Table 95 – Mapping of the TimeActivatedOperate_Termination service.....	110
Table 96 – Definition of LastAppIError variable structure.....	111
Table 97 – Mapping of ACSI AddCause values .....	113
Table 98 – Mapping of ACSI file class to MMS file object.....	114
Table 99 – Reserved file suffixes .....	115
Table 100 – Mapping of ACSI GetFile service parameters .....	116
Table 101 – Mapping of ACSI GetFile service .....	117
Table 102 – Mappings of GetFile ServiceErrors to MMS Service Errors .....	117
Table 103 – Mapping of ACSI SetFile parameters .....	118
Table 104 – Mapping of ACSI DeleteFile service .....	119
Table 105 – Mapping of ACSI GetFileAttributeValues parameters .....	119
Table 106 – Mapping of ACSI ListOfDirectoryEntry .....	120
Table 107 – PICS for A-Profile support .....	120
Table 108 – PICS for T-Profile support .....	121
Table 109 – MMS InitiateRequest general parameters .....	122
Table 110 – MMS InitiateResponse general parameters .....	122
Table 111 – MMS service supported conformance table .....	123
Table 112 – MMS Parameter CBB .....	125
Table 113 – GetNameList conformance statement .....	126
Table 114 – AlternateAccessSelection conformance statement.....	126
Table 115 – VariableAccessSpecification conformance statement.....	127
Table 116 – VariableSpecification conformance statement.....	127
Table 117 – Read conformance statement .....	127
Table 118 – Write conformance statement .....	128
Table 119 – InformationReport conformance statement .....	128
Table 120 – GetVariableAccessAttributes conformance statement .....	128
Table 121 – DefineNamedVariableList conformance statement .....	129
Table 122 –GetNamedVariableListAttributes conformance statement.....	129
Table 123 – DeleteNamedVariableList conformance statement .....	129
Table 124 – ReadJournal conformance statement.....	130
Table 125 – JournalEntry conformance statement.....	130
Table 126 – InitializeJournal conformance statement .....	131
Table 127 – FileDirectory conformance statement.....	131
Table 128 – FileOpen conformance statement .....	131
Table 129 – FileRead conformance statement .....	132
Table 130 – FileClose conformance statement.....	132
Table 131 – GOOSE conformance statement.....	133
Table 132 – Allowed P-Type definitions for client/server addressing .....	133
Table 133 – Definitions for GSE SCL .....	134

Table A.1 – Encoding allData in Fixed-length GOOSE message – the GOOSE Header.....	139
Table A.2 – Encoding allData in Fixed-length GOOSE message – the basic data types .....	140
Table A.3 – Encoding example for Data .....	141
Table B.1 – Recommended multicast addressing example .....	143
Table C.1 – Default virtual LAN IDs and priorities .....	149
Table C.2 – Assigned Ethertype values.....	149
Table D.1 – SCL conformance degrees.....	151
Table D.2 – Supported ACSI services for SCL.2 .....	151
Table E.1 – Relationships between timescales.....	153
Table E.2 – Examples of timescale correspondence .....	154
Table H.1 – Service requiring GSSE communication profile .....	176
Table H.2 – Service and protocols for GSSE communication A-Profile .....	177
Table H.3 – GSSE T-Profile .....	177
Table H.4 – MMS TypeDescription Definition for GSSE control block MMS structure .....	178
Table H.5 – Mapping of LSentData .....	179
Table H.6 – Definition of integer values of PhsID .....	180
Table H.7 – Definition of double-bit GSSE values .....	180
Table H.8 – Mapping of GetGsReference service.....	181
Table H.9 – GetGsReference .....	182
Table H.10 – Mapping of GetGSSEDataOffset service.....	183
Table H.11 – GetGSSEDataOffset .....	184
Table H.12 – GSSE service .....	186
Table H.13 – Mapping of test values to bit-pair values.....	187
Table H.14 – GSSE conformance statement .....	188

iteh STANDARD PREVIEW  
(standards.iteh.ai)  
IEC 61850-8-1:2011  
<https://standards.iteh.ai/catalog/standards/sist/c765016d-849e-408c-921c-4798830e-714c/iec-61850-8-1-2011>

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**COMMUNICATION NETWORKS AND  
SYSTEMS FOR POWER UTILITY AUTOMATION –****Part 8-1: Specific communication service mapping (SCSM) –  
Mappings to MMS (ISO 9506-1 and ISO 9506-2)  
and to ISO/IEC 8802-3**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61850-8-1 has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

This second edition cancels and replaces the first edition, published in 2004, and constitutes a technical revision.

The main changes with respect to the previous edition are listed below:

- the support of gigabit Ethernet,
- the link layer redundancy,
- the extension of the length of the object reference,
- the extension of the reason for inclusion type for comprehensive logging,
- the mapping of the tracking services,

- a second mapping of the objectReference when used in the tracking services, or as linking,
- the extension of the AdditionalCause enumeration,
- the simulation of GOOSE telegram,
- the so-called fixed-length encoded GOOSE,
- the removal of the SCL Control Block,
- the mappings of ACSI service error codes and ISO 9506 error codes have changed (see 8.1.3.4). One change that should be noted is the change in usage of object-undefined. The object-undefined code has been replaced by object-non-existent in many responses.

The text of this standard is based on the following documents:

FDIS	Report on voting
57/1109/FDIS	57/1127/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 61850 series, under the general title *Communication networks and systems for power utility automation*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

IEC 61850-8-1:2011

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## INTRODUCTION

This document is part of a set of specifications which details layered utility communication architecture.

This part of IEC 61850 is intended to provide inter-device operation of a variety of devices to achieve interoperability providing detailed information on how to create and exchange concrete communication messages that implement abstract services and models specified in IEC 61850-7-4, IEC 61850-7-3, and IEC 61850-7-2.

The mapping allows for data exchange over ISO/IEC 8802-3 Local Area Networks between all kinds of utility devices. Some of the protocol stacks used within this document are routable. Therefore the actual communications path may not be restricted to the LAN. Data exchange consists of real-time monitoring and control data, including measured values, to name just a few.

NOTE This part of IEC 61850 does not provide tutorial material. It is recommended that IEC 61850-5 and IEC 61850-7-1 be read in conjunction with IEC 61850-7-2.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 61850-8-1:2011](https://standards.iteh.ai/catalog/standards/sist/e765016d-849e-408c-921c-4798b838e1f4/iec-61850-8-1-2011)

<https://standards.iteh.ai/catalog/standards/sist/e765016d-849e-408c-921c-4798b838e1f4/iec-61850-8-1-2011>