

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses (RCCBs) – Part 1: General rules

Interrupteurs automatiques à courant différentiel résiduel sans dispositif de protection contre les surintensités incorporé pour usages domestiques et analogues (ID) –

Partie 1: Règles générales

[IEC 61008-1-2010](https://standards.iteh.ai/Document-Preview/IEC-61008-1-2010)

<https://standards.iteh.ai/Document-Preview/IEC-61008-1-2010>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC online collection - oc.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses (RCCBs) – Part 1: General rules

Interrupteurs automatiques à courant différentiel résiduel sans dispositif de protection contre les surintensités incorporé pour usages domestiques et analogues (ID) –

Partie 1: Règles générales

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.120.50

ISBN 978-2-8322-1093-2

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

REDLINE VERSION

VERSION REDLINE



Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses (RCCBs) – Part 1: General rules

Interrupteurs automatiques à courant différentiel résiduel sans dispositif de protection contre les surintensités incorporé pour usages domestiques et analogues (ID) –

Partie 1: Règles générales

CONTENTS

FOREWORD.....	10
INTRODUCTION.....	12
1 Scope	13
2 Normative references	14
3 Terms and definitions	15
3.1 Definitions relating to currents flowing from live parts to earth	15
3.2 Definitions relating to the energization of a residual current circuit-breaker	16
3.3 Definitions relating to the operation and functions of residual current circuit-breakers	16
3.4 Definitions relating to values and ranges of energizing quantities.....	18
3.5 Definitions relating to values and ranges of influencing quantities	20
3.6 Definitions relating to terminals	21
3.7 Definitions relating to conditions of operation	22
3.8 Definitions relating to tests.....	23
3.9 Definitions relating to insulation coordination.....	23
4 Classification.....	25
4.1 According to the method of operation.....	25
4.1.1 RCCB functionally independent of line voltage (see 3.3.4)	25
4.1.2 RCCB functionally dependent on line voltage (see 3.3.5)	25
4.2 According to the type of installation.....	25
4.3 According to the number of poles and current paths	25
4.4 According to the possibility of adjusting the residual operating current	25
4.5 According to resistance to unwanted tripping due to voltage surges	25
4.6 According to behaviour in presence of d.c. components.....	26
4.7 According to time-delay (in presence of a residual current).....	26
4.8 According to the protection against external influences.....	26
4.9 According to the method of mounting	26
4.10 According to the method of connection.....	26
4.11 According to the type of terminals	26
5 Characteristics of RCCBs	27
5.1 Summary of characteristics.....	27
5.2 Rated quantities and other characteristics	27
5.2.1 Rated voltage (U_N).....	27
5.2.2 Rated current (I_N).....	28
5.2.3 Rated residual operating current ($I_{\Delta N}$).....	28
5.2.4 Rated residual non-operating current ($I_{\Delta NO}$)	28
5.2.5 Rated frequency	28
5.2.6 Rated making and breaking capacity (I_M)	28
5.2.7 Rated residual making and breaking capacity ($I_{\Delta M}$).....	28
5.2.8 RCCB type S	28
5.2.9 Operating characteristics in case of residual currents with d.c. components	28
5.3 Standard and preferred values	29
5.3.1 Preferred values of rated voltage (U_N)	29
5.3.2 Preferred values of rated current (I_N).....	29
5.3.3 Standard values of rated residual operating current ($I_{\Delta N}$)	29

5.3.4	Standard value of residual non-operating current ($I_{\Delta no}$)	29
5.3.5	Standard minimum value of non-operating overcurrent in case of a multiphase balanced load through a multipole RCCB (see 3.4.2.1)	30
5.3.6	Standard minimum value of the non-operating overcurrent in case of a single-phase load through a three-pole or four-pole RCCB (see 3.4.2.2)	30
5.3.7	Preferred values of rated frequency	30
5.3.8	Minimum value of the rated making and breaking capacity (I_M)	30
5.3.9	Minimum value of the rated residual making and breaking capacity ($I_{\Delta M}$)	30
5.3.10	Standard and preferred values of the rated conditional short-circuit current (I_{nc})	30
5.3.11	Standard values of the rated conditional residual short-circuit current ($I_{\Delta C}$)	30
5.3.12	Limit values of break time and non-actuating time for RCCB of type AC and A	31
5.3.13	Standard value of rated impulse withstand voltage (U_{imp})	32
5.4	Coordination with short-circuit protective devices (SCPDs)	32
5.4.1	General	32
5.4.2	Rated conditional short-circuit current (I_{nc})	33
5.4.3	Rated conditional residual short-circuit current ($I_{\Delta C}$)	33
6	Marking and other product information	33
7	Standard conditions for operation in service and for installation	35
7.1	Standard conditions	35
7.2	Conditions of installation	35
7.3	Pollution degree	36
8	Requirements for construction and operation	36
8.1	Mechanical design	36
8.1.1	General	36
8.1.2	Mechanism	36
8.1.3	Clearances and creepage distances (see Annex B)	38
8.1.4	Screws, current-carrying parts and connections	40
8.1.5	Terminals for external conductors	41
8.2	Protection against electric shock	44
8.3	Dielectric properties and isolating capability	44
8.4	Temperature-rise	45
8.4.1	Temperature-rise limits	45
8.4.2	Ambient air temperature	45
8.5	Operating characteristic	45
8.6	Mechanical and electrical endurance	45
8.7	Performance at short-circuit currents	45
8.8	Resistance to mechanical shock and impact	46
8.9	Resistance to heat	46
8.10	Resistance to abnormal heat and to fire	46
8.11	Test device	46
8.12	Requirements for RCCBs functionally dependent on line voltage	46
8.13	Behaviour of RCCBs in case of overcurrents in the main circuit	47
8.14	Behaviour of RCCBs in the case of current surges caused by impulse voltages	47

8.15	Behaviour of RCCBs in case of earth fault currents comprising a d.c. component	47
8.16	Reliability	47
8.17	Electromagnetic compatibility (EMC).....	47
9	Tests.....	47
9.1	General.....	47
9.2	Test conditions	48
9.3	Test of indelibility of marking.....	49
9.4	Test of reliability of screws, current-carrying parts and connections	50
9.5	Tests of reliability of screw-type terminals for external copper conductors.....	51
9.6	Verification of protection against electric shock	53
9.7	Test of dielectric properties.....	53
9.7.1	Resistance to humidity	53
9.7.2	Insulation resistance of the main circuit.....	54
9.7.3	Dielectric strength of the main circuit.....	55
9.7.4	Insulation resistance and dielectric strength of auxiliary circuits	55
9.7.5	Secondary circuit of detection transformers	56
9.7.6	Capability of control circuits connected to the main circuit withstanding high d.c. voltages due to insulation measurements	56
9.7.7	Verification of impulse withstand voltages (across clearances and across solid insulation) and of leakage current across open contacts	57
9.8	Test of temperature-rise	62
9.8.1	Ambient air temperature.....	62
9.8.2	Test procedure.....	62
9.8.3	Measurement of the temperature of parts	62
9.8.4	Temperature rise of a part.....	62
9.9	Verification of the operating characteristics	63
9.9.1	Test circuit and test procedure	63
9.9.2	Off load tests with residual sinusoidal alternating currents at the reference temperature of 20 °C ± 5 °C Tests for all RCCBs	63
9.9.3	Additional verification of the correct operation with load at the reference temperature at residual currents with d.c. components for type A RCCBs	65
9.9.4	Tests at the temperature limits	66
9.9.54	Particular test conditions for RCCBs functionally dependent on line voltage	66
9.10	Verification of mechanical and electrical endurance.....	66
9.10.1	General test conditions	66
9.10.2	Test procedure.....	67
9.10.3	Condition of the RCCB after test.....	67
9.11	Verification of the behaviour of the RCCB under short-circuit conditions	68
9.11.1	List of the short-circuit tests	68
9.11.2	Short-circuit tests.....	68
9.12	Verification of resistance to mechanical shock and impact	77
9.12.1	Mechanical shock	77
9.12.2	Mechanical impact	77
9.13	Test of resistance to heat	80
9.14	Test of resistance to abnormal heat and to fire	81
9.15	Verification of the trip-free mechanism	82
9.15.1	General test conditions	82

9.15.2	Test procedure.....	82
9.16	Verification of the operation of the test device at the limits of rated voltage.....	82
9.17	Verification of the behaviour of RCCBs functionally dependent on line voltage, classified under 4.1.2.1, in case of failure of the line voltage.....	83
9.17.1	Determination of the limiting value of the line voltage (U_X).....	83
9.17.2	Verification of the automatic opening in case of failure of the line voltage.....	83
9.17.3	Verification of the correct operation, in presence of a residual current, for RCCBs opening with delay in case of failure of the line voltage.....	83
9.17.4	Verification of the correct operation of RCCBs with three or four current paths, with a residual current, one line terminal only being energized.....	84
9.17.5	Verification of the reclosing function of automatically reclosing RCCBs.....	84
9.18	Verification of limiting values of the non-operating current under overcurrent conditions.....	84
9.18.1	Verification of the limiting value of overcurrent in case of a load through an RCCB with two current paths.....	84
9.18.2	Verification of the limiting value of overcurrent in case of a single phase load through a three-pole or four-pole RCCB.....	84
9.19	Verification of behaviour of RCCBs in case of current surges caused by impulse voltages.....	85
9.19.1	Current surge test for all RCCBs (0,5 μ s/100 kHz ring wave test).....	85
9.19.2	Verification of behaviour at surge currents up to 3 000 A (8/20 μ s surge current test).....	85
9.20	Verification of resistance of the insulation against an impulse voltage Void.....	86
9.21	Verification of correct operation of residual currents with d.c. components Void.....	87
9.21.1	Type A residual current devices.....	87
9.22	Verification of reliability.....	88
9.22.1	Climatic test.....	88
9.22.2	Test with temperature of 40 °C.....	90
9.23	Verification of ageing of electronic components.....	90
9.24	Electromagnetic compatibility (EMC).....	91
9.24.1	Tests covered by the present standard.....	91
9.24.2	Additional tests.....	91
9.25	Test of resistance to rusting.....	91
Annex A (normative)	Test sequence and number of samples to be submitted for certification purposes.....	120
Annex B (normative)	Determination of clearances and creepage distances.....	127
Annex C (normative)	Arrangement for the detection of the emission of ionized gases during short-circuit tests.....	134
Annex D (normative)	Routine tests.....	137
Annex E (informative)	Void.....	138
Annex IA (informative)	Methods for determination of short-circuit power-factor.....	139
Annex IB (informative)	Glossary of symbols.....	140
Annex IC (informative)	Examples of terminal designs.....	141
Annex ID (informative)	Correspondence between ISO and AWG copper conductors.....	144
Annex IE (informative)	Follow-up testing program for RCCBs.....	145

Annex IF (informative) SCPDs for short-circuit tests	149
Annex J (normative) Particular requirements for RCCBs with screwless type terminals for external copper conductors	150
Annex K (normative) Particular requirements for RCCBs with flat quick-connect terminations.....	158
Annex L (normative) Specific requirements for RCCBs with screw-type terminals for external untreated aluminium conductors and with aluminium screw-type terminals for use with copper or with aluminium conductors	165
Bibliography	175
Figure 1 – Thread forming tapping screw (3.6.10).....	92
Figure 2 – Thread cutting tapping screw (3.6.11)	92
Figure 3 – Standard test finger (9.6).....	93
Figure 4 – Test circuit for the verification of – operating characteristics (9.9) – trip-free mechanism (9.15) – behaviour in case of failure of line voltage (9.17.3 and 9.17.4) for RCCBs functionally dependent on line voltage	94
Figure 5 – Test circuit for the verification of the correct operation of RCCBs in the case of residual pulsating direct currents.....	95
Figure 6 – Test circuit for the verification of the correct operation in case of residual pulsating direct currents in presence of a standing smooth direct current of 0,006 A.....	96
Figure 7 – Test circuit for the verification of the suitability of an RCCB for use in IT systems.....	98
Figure 7 – Typical diagram for all short circuit tests except for 9.11.2.3 c).....	99
Figure 8 – Test circuit for the verification of the rated making and breaking capacity and of the coordination with a SCPD of a single pole RCCB with two current paths (9.11)	100
Figure 8 – Typical diagram for short circuit tests according to 9.11.2.3 c).....	101
Figure 9 – Test circuit for the verification of the rated making and breaking capacity and of the coordination with a SCPD of a two-pole RCCB, in case of a single-phase circuit (9.11)	102
Figure 9 – Detail of impedances Z, Z₁ and Z₂	102
Figure 10 – Test circuit for the verification of the rated making and breaking capacity and of the coordination with a SCPD of a three-pole RCCB on three-phase circuit (9.11)Void	103
Figure 11 – Test circuit for the verification of the rated making and braking capacity and of the coordination with a SCPD of a three-pole RCCB with four current paths on a three-phase circuit with neutral (9.11)Void	104
Figure 12 – Test circuit for the verification of the rated making and breaking capacity and of the coordination with a SCPD of a four-pole RCCB on a three-phase circuit with neutral (9.11)Void	105
Figure 13 – Test apparatus for the verification of the minimum I^2t and I_p values to be withstood by the RCCB (9.11.2.1 a)	106
Figure 14 – Mechanical shock test apparatus (9.12.1)	107
Figure 15 – Mechanical impact test apparatus (9.12.2.1)	108
Figure 16 – Striking element for pendulum impact test apparatus (9.12.2.1)	109
Figure 17 – Mounting support for sample for mechanical impact test (9.12.2.1)	110
Figure 18 – Example of mounting and unenclosed RCCB for mechanical impact test (9.12.2.1)	111

Figure 19 – Example of mounting of panel mounting type RCCB for the mechanical impact test (9.212.2.1)	112
Figure 20 – Application of force for mechanical test of rail mounted RCCB (9.12.2.2)	113
Figure 21 – Ball-pressure test apparatus (9.13.2)	113
Figure 22 – Test circuit for the verification of the limiting value of overcurrent in case of single-phase load through a three-pole RCCB (9.18.2)	114
Figure 23 – Current ring wave 0,5 µs/100 kHz	115
Figure 24 – Test circuit for the ring wave test at RCCBs	115
Figure 25 – Stabilizing period for reliability test (9.22.1.3).....	116
Figure 26 – Reliability test cycle (9.22.1.3)	117
Figure 27 – Example for test circuit for verification of ageing of electronic components (9.23)	118
Figure 28 – Surge current impulse 8/20 µs	118
Figure 29 – Test circuit for the surge current test at RCCBs.....	119
Figure 30 – Example of calibration record for short-circuit test (9.11.2.1 j) ii).....	119
Figure B.1 to B.10 – Illustrations of the application of creepage distances.....	131
Figure B.1 – Examples of methods of measuring creepage distances and clearances.....	133
Figure C.1 – Test arrangement.....	135
Figure C.2 – Grid	136
Figure C.3 – Grid circuit.....	136
Figure IC.1 – Examples of pillar terminals	141
Figure IC.2 – Examples of screw terminals and stud terminals	142
Figure IC.3 – Examples of saddle terminals	143
Figure IC.4 – Examples of lug terminals	143
Figure J.1 – Connecting samples	155
Figure J.2 – Examples of screwless-type terminals	156
Figure K.1 – Example of position of the thermocouple for measurement of the temperature-rise	161
Figure K.2 – Dimensions of male tabs	162
Figure K.3 – Dimensions of round dimple detents (see Figure K.2).....	163
Figure K.4 – Dimensions of rectangular dimple detents (see Figure K.2)	163
Figure K.5 – Dimensions of hole detents	163
Figure K.6 – Dimensions of female connectors	164
Figure L.1 – General arrangement for the test	173
Figure L.2.....	173
Figure L.3.....	174
Figure L.4.....	174
Figure L.5.....	174
Figure L.6.....	174
Table 1 – Limit values of break time and non-actuating time for alternating residual currents (r.m.s. values) for type AC and A RCCB.....	31
Table 2 – Maximum values of break time for half-wave pulsating residual currents (r.m.s. values) for type A RCCB	32

Table 3 – Rated impulse withstand voltage as a function of the nominal voltage of the installation	32
Table 4 – Standard conditions for operation in service	35
Table 5 – Minimum clearances and creepage distances	39
Table 6 – Connectable cross-sections of copper conductors for screw-type terminals	42
Table 7 – Temperature-rise values	45
Table 8 – Requirements for RCCBs functionally dependent on line voltage	47
Table 9 – List of type tests	48
Table 10 – Test copper conductors corresponding to the rated currents	49
Table 11 – Screw thread diameters and applied torques	50
Table 12 – Pulling forces	52
Table 13 – Conductor dimensions	56
Table 14 – Test voltage of auxiliary circuits	56
Table 15 – Test voltage across the open contacts for verifying the suitability for isolation, referred to the rated impulse withstand voltage of the RCCB and the altitude where the test is carried out	58
Table 16 – Test voltage for verification of impulse withstand voltage for the parts not tested in 9.7.7.1	60
Table 17 – Tests to be made to verify the behaviour of RCCBs under short-circuit conditions	68
Table 18 – Minimum values of I^2t and I_p	70
Table 19 – Power factors for short-circuit tests	71
Table 20 – Tripping current ranges for type A RCCBs	65
Table 21 – Tests to be applied for EMC covered by this standard	91
Table 22 – Test voltage for verifying the suitability for isolation, referred to the rated impulse withstand voltage of the RCCB and the altitude where the test is carried out	60
Table 23 – Tests to be carried out according to IEC 61543	91
Table A.1 – Test sequences	121
Table A.2 – Number of samples for full test procedure	123
Table A.3 – Number of samples for simplified test procedure	125
Table A.4 – Test sequences for RCCBs of different classification according to 4.6	126
Table IE.1 – Test sequences during follow-up inspections	145
Table IE.2 – Number of samples to be tested	148
Table IF.1 – Indication of silver wire diameters as a function of rated currents and short-circuit currents	149
Table J.1 – Connectable conductors	152
Table J.2 – Cross-sections of copper conductors connectable to screwless-type terminals	153
Table J.3 – Pull forces	154
Table K.1 – Informative table on colour code of female connectors in relationship with the cross section of the conductor	159
Table K.2 – Overload test forces	160
Table K.3 – Dimensions of tabs	161
Table K.4 – Dimensions of female connectors	164
Table L.1 – Marking for terminals	166

Table L.2 – Connectable cross-sections of aluminium conductors for screw-type terminals	167
Table L.3 – List of tests according to the material of conductors and terminals	168
Table L.4 – Connectable conductors and their theoretical diameters	168
Table L.5 – Cross sections (S) of aluminium test conductors corresponding to the rated currents	169
Table L.6 – Test conductor length	170
Table L.7 – Equalizer and busbar dimensions	170
Table L.8 – Test current as a function of rated current	172
Table L.9 – Example of calculation for determining the average temperature deviation D....	172

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC 61008-1:2010](https://standards.iteh.ai/catalog/standards/iec/4e247649-bb23-4b10-bb1d-4de82f54bfd5/iec-61008-1-2010)

<https://standards.iteh.ai/catalog/standards/iec/4e247649-bb23-4b10-bb1d-4de82f54bfd5/iec-61008-1-2010>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**RESIDUAL CURRENT OPERATED CIRCUIT-BREAKERS
WITHOUT INTEGRAL OVERCURRENT PROTECTION
FOR HOUSEHOLD AND SIMILAR USES (RCCBs) –****Part 1: General rules**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendments has been prepared for user convenience.

IEC 61008-1 edition 3.2 contains the third edition (2010) [documents 23E/681/FDIS and 23E/685/RVD], its amendment 1 (2012) [documents 23E/740/FDIS and 23E/744/RVD] and its amendment 2 (2013) [documents 23E/795/FDIS and 23E/819/RVD].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendments 1 and 2. Additions and deletions are displayed in red, with deletions being struck through. A separate Final version with all changes accepted is available in this publication.