



IEC 61008-1

Edition 3.1 2012-04

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses (RCCBs) –
Part 1: General rules

Interruuteurs automatiques à courant différentiel résiduel sans dispositif de protection contre les surintensités incorporé pour usages domestiques et analogues (ID) –

[IEC 61008-1:2010](#)

<https://standards.iteh.ai>





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2012 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électriques et électroniques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 61008-1

Edition 3.1 2012-04

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses (RCCBs) –
Part 1: General rules

Interruuteurs automatiques à courant différentiel résiduel sans dispositif de protection contre les surintensités incorporé pour usages domestiques et analogues (ID) –

[IEC 61008-1:2010](#)

<https://standards.iteh.ai>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.120.50

ISBN 978-2-8322-0082-7

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD	10
INTRODUCTION	12
1 Scope	13
2 Normative references	14
3 Terms and definitions	15
3.1 Definitions relating to currents flowing from live parts to earth	15
3.2 Definitions relating to the energization of a residual current circuit-breaker	16
3.3 Definitions relating to the operation and functions of residual current circuit-breakers	16
3.4 Definitions relating to values and ranges of energizing quantities	18
3.5 Definitions relating to values and ranges of influencing quantities	20
3.6 Definitions relating to terminals	21
3.7 Definitions relating to conditions of operation	22
3.8 Definitions relating to tests	23
3.9 Definitions relating to insulation coordination	23
4 Classification	25
4.1 According to the method of operation	25
4.1.1 RCCB functionally independent of line voltage (see 3.3.4)	25
4.1.2 RCCB functionally dependent on line voltage (see 3.3.5)	25
4.2 According to the type of installation	25
4.3 According to the number of poles and current paths	25
4.4 According to the possibility of adjusting the residual operating current	25
4.5 According to resistance to unwanted tripping due to voltage surges	25
4.6 According to behaviour in presence of d.c. components	26
4.7 According to time-delay (in presence of a residual current)	26
4.8 According to the protection against external influences	26
4.9 According to the method of mounting	26
4.10 According to the method of connection	26
4.11 According to the type of terminals	26
5 Characteristics of RCCBs	27
5.1 Summary of characteristics	27
5.2 Rated quantities and other characteristics	27
5.2.1 Rated voltage (U_n)	27
5.2.2 Rated current (I_n)	28
5.2.3 Rated residual operating current ($I_{\Delta n}$)	28
5.2.4 Rated residual non-operating current ($I_{\Delta no}$)	28
5.2.5 Rated frequency	28
5.2.6 Rated making and breaking capacity (I_m)	28
5.2.7 Rated residual making and breaking capacity ($I_{\Delta m}$)	28
5.2.8 RCCB type S	28
5.2.9 Operating characteristics in case of residual currents with d.c. components	28
5.3 Standard and preferred values	29
5.3.1 Preferred values of rated voltage (U_n)	29
5.3.2 Preferred values of rated current (I_n)	29

5.3.3	Standard values of rated residual operating current ($I_{\Delta n}$)	29
5.3.4	Standard value of residual non-operating current ($I_{\Delta no}$)	29
5.3.5	Standard minimum value of non-operating overcurrent in case of a multiphase balanced load through a multipole RCCB (see 3.4.2.1)	30
5.3.6	Standard minimum value of the non-operating overcurrent in case of a single-phase load through a three-pole or four-pole RCCB (see 3.4.2.2)	30
5.3.7	Preferred values of rated frequency	30
5.3.8	Minimum value of the rated making and breaking capacity (I_m)	30
5.3.9	Minimum value of the rated residual making and breaking capacity ($I_{\Delta m}$)	30
5.3.10	Standard and preferred values of the rated conditional short-circuit current (I_{nc})	30
5.3.11	Standard values of the rated conditional residual short-circuit current ($I_{\Delta c}$)	30
5.3.12	Limit values of break time and non-actuating time for RCCB of type AC and A	31
5.3.13	Standard value of rated impulse withstand voltage (U_{imp})	32
5.4	Coordination with short-circuit protective devices (SCPDs)	32
5.4.1	General	32
5.4.2	Rated conditional short-circuit current (I_{nc})	33
5.4.3	Rated conditional residual short-circuit current ($I_{\Delta c}$)	33
6	Marking and other product information	33
7	Standard conditions for operation in service and for installation	35
7.1	Standard conditions	35
7.2	Conditions of installation	35
7.3	Pollution degree	36
8	Requirements for construction and operation	36
8.1	Mechanical design	36
8.1.1	General	36
8.1.2	Mechanism	36
8.1.3	Clearances and creepage distances (see Annex B)	38
8.1.4	Screws, current-carrying parts and connections	40
8.1.5	Terminals for external conductors	41
8.2	Protection against electric shock	44
8.3	Dielectric properties and isolating capability	44
8.4	Temperature-rise	45
8.4.1	Temperature-rise limits	45
8.4.2	Ambient air temperature	45
8.5	Operating characteristic	45
8.6	Mechanical and electrical endurance	45
8.7	Performance at short-circuit currents	45
8.8	Resistance to mechanical shock and impact	46
8.9	Resistance to heat	46
8.10	Resistance to abnormal heat and to fire	46
8.11	Test device	46
8.12	Requirements for RCCBs functionally dependent on line voltage	46
8.13	Behaviour of RCCBs in case of overcurrents in the main circuit	47
8.14	Behaviour of RCCBs in the case of current surges caused by impulse voltages	47

8.15	Behaviour of RCCBs in case of earth fault currents comprising a d.c. component	47
8.16	Reliability	47
8.17	Electromagnetic compatibility (EMC)	47
9	Tests	47
9.1	General	47
9.2	Test conditions	48
9.3	Test of indelibility of marking	49
9.4	Test of reliability of screws, current-carrying parts and connections	50
9.5	Tests of reliability of screw-type terminals for external copper conductors	51
9.6	Verification of protection against electric shock	53
9.7	Test of dielectric properties	53
9.7.1	Resistance to humidity	53
9.7.2	Insulation resistance of the main circuit	54
9.7.3	Dielectric strength of the main circuit	55
9.7.4	Insulation resistance and dielectric strength of auxiliary circuits	55
9.7.5	Secondary circuit of detection transformers	56
9.7.6	Capability of control circuits connected to the main circuit withstanding high d.c. voltages due to insulation measurements.....	56
9.7.7	Verification of impulse withstand voltages (across clearances and across solid insulation) and of leakage current across open contacts	57
9.8	Test of temperature-rise	62
9.8.1	Ambient air temperature	62
9.8.2	Test procedure	62
9.8.3	Measurement of the temperature of parts	62
9.8.4	Temperature rise of a part	62
9.9	Verification of the operating characteristic	63
9.9.1	Test circuit	63
9.9.2	Off-load tests with residual sinusoidal alternating currents at the reference temperature of $20^{\circ}\text{C} \pm 5^{\circ}\text{C}$	63
9.9.3	Verification of the correct operation with load at the reference temperature	64
9.9.4	Tests at the temperature limits	64
9.9.5	Particular test conditions for RCCBs functionally dependent on line voltage	65
9.10	Verification of mechanical and electrical endurance	65
9.10.1	General test conditions	65
9.10.2	Test procedure	65
9.10.3	Condition of the RCCB after test	66
9.11	Verification of the behaviour of the RCCB under short-circuit conditions	66
9.11.1	List of the short-circuit tests	66
9.11.2	Short-circuit tests	66
9.12	Verification of resistance to mechanical shock and impact	75
9.12.1	Mechanical shock	75
9.12.2	Mechanical impact	76
9.13	Test of resistance to heat	78
9.14	Test of resistance to abnormal heat and to fire	79
9.15	Verification of the trip-free mechanism	80
9.15.1	General test conditions	80
9.15.2	Test procedure	80

9.16 Verification of the operation of the test device at the limits of rated voltage	80
9.17 Verification of the behaviour of RCCBs functionally dependent on line voltage, classified under 4.1.2.1, in case of failure of the line voltage	81
9.17.1 Determination of the limiting value of the line voltage (U_X).....	81
9.17.2 Verification of the automatic opening in case of failure of the line voltage	81
9.17.3 Verification of the correct operation, in presence of a residual current, for RCCBs opening with delay in case of failure of the line voltage	82
9.17.4 Verification of the correct operation of RCCBs with three or four current paths, with a residual current, one line terminal only being energized	82
9.17.5 Verification of the reclosing function of automatically reclosing RCCBs	82
9.18 Verification of limiting values of the non-operating current under overcurrent conditions.....	82
9.18.1 Verification of the limiting value of overcurrent in case of a load through an RCCB with two current paths	82
9.18.2 Verification of the limiting value of overcurrent in case of a single phase load through a three-pole or four-pole RCCB.....	82
9.19 Verification of behaviour of RCCBs in case of current surges caused by impulse voltages	83
9.19.1 Current surge test for all RCCBs (0,5 µs/100 kHz ring wave test)	83
9.19.2 Verification of behaviour at surge currents up to 3 000 A (8/20 µs surge current test)	83
9.20 Verification of resistance of the insulation against an impulse voltage Void	84
9.21 Verification of correct operation of residual currents with d.c. components	85
9.21.1 Type A residual current devices.....	85
9.22 Verification of reliability	86
9.22.1 Climatic test	86
9.22.2 Test with temperature of 40 °C	88
9.23 Verification of ageing of electronic components	89
9.24 Electromagnetic compatibility (EMC)	89
9.25 Test of resistance to rusting	89
 Annex A (normative) Test sequence and number of samples to be submitted for certification purposes.....	118
Annex B (normative) Determination of clearances and creepage distances	125
Annex C (normative) Arrangement for the detection of the emission of ionized gases during short-circuit tests	132
Annex D (normative) Routine tests.....	135
Annex E (informative) Void	136
Annex IA (informative) Methods for determination of short-circuit power-factor	137
Annex IB (informative) Glossary of symbols	138
Annex IC (informative) Examples of terminal designs.....	139
Annex ID (informative) Correspondence between ISO and AWG copper conductors	142
Annex IE (informative) Follow-up testing program for RCCBs	143
Annex IF (informative) SCPDs for short-circuit tests	147
Annex J (normative) Particular requirements for RCCBs with screwless type terminals for external copper conductors	148

Annex K (normative) Particular requirements for RCCBs with flat quick-connect terminations	156
--	-----

Annex L (normative) Specific requirements for RCCBs with screw-type terminals for external untreated aluminium conductors and with aluminium screw-type terminals for use with copper or with aluminium conductors	163
--	-----

Bibliography.....	173
-------------------	-----

Figure 1 – Thread forming tapping screw (3.6.10)	90
--	----

Figure 2 – Thread cutting tapping screw (3.6.11)	90
--	----

Figure 3 – Standard test finger (9.6)	91
---	----

Figure 4 – Test circuit for the verification of – operating characteristics (9.9) – trip-free mechanism (9.15) – behaviour in case of failure of line voltage (9.17.3 and 9.17.4) for RCCBs functionally dependent on line voltage	92
--	----

Figure 5 – Test circuit for the verification of the correct operation of RCCBs in the case of residual pulsating direct currents	93
--	----

Figure 6 – Test circuit for the verification of the correct operation in case of residual pulsating direct currents in presence of a standing smooth direct current of 0,006 A	94
--	----

Figure 7 – Test circuit for the verification of the suitability of an RCCB for use in IT systems	
---	--

Figure 7 – Typical diagram for all short circuit tests except for 9.11.2.3 c)	97
---	----

Figure 8 – Test circuit for the verification of the rated making and breaking capacity and of the coordination with a SCPD of a single-pole RCCB with two current paths (9.11)	
---	--

Figure 8 – Typical diagram for short circuit tests according to 9.11.2.3 c)	99
---	----

Figure 9 – Test circuit for the verification of the rated making and breaking capacity and of the coordination with a SCPD of a two-pole RCCB, in case of a single-phase circuit (9.11)	
--	--

Figure 9 – Detail of impedances Z, Z ₁ and Z ₂	100
--	-----

Figure 10 – Test circuit for the verification of the rated making and breaking capacity and of the coordination with a SCPD of a three-pole RCCB on three-phase circuit (9.11) Void	101
--	-----

Figure 11 – Test circuit for the verification of the rated making and braking capacity and of the coordination with a SCPD of a three-pole RCCB with four current paths on a three-phase circuit with neutral (9.11) Void	102
--	-----

Figure 12 – Test circuit for the verification of the rated making and breaking capacity and of the coordination with a SCPD of a four-pole RCCB on a three-phase circuit with neutral (9.11) Void	103
--	-----

Figure 13 – Test apparatus for the verification of the minimum I^2t and I_p values to be withstood by the RCCB (9.11.2.1 a))	104
---	-----

Figure 14 – Mechanical shock test apparatus (9.12.1)	105
--	-----

Figure 15 – Mechanical impact test apparatus (9.12.2.1)	106
---	-----

Figure 16 – Striking element for pendulum impact test apparatus (9.12.2.1)	107
--	-----

Figure 17 – Mounting support for sample for mechanical impact test (9.12.2.1)	108
---	-----

Figure 18 – Example of mounting and unenclosed RCCB for mechanical impact test (9.12.2.1).....	109
---	-----

Figure 19 – Example of mounting of panel mounting type RCCB for the mechanical impact test (9.21.2.1).....	110
---	-----

Figure 20 – Application of force for mechanical test of rail mounted RCCB (9.12.2.2)	111
--	-----

Figure 21 – Ball-pressure test apparatus (9.13.2)	111
Figure 22 – Test circuit for the verification of the limiting value of overcurrent in case of single-phase load through a three-pole RCCB (9.18.2)	112
Figure 23 – Current ring wave 0,5 µs/100 kHz	113
Figure 24 – Test circuit for the ring wave test at RCCBs	113
Figure 25 – Stabilizing period for reliability test (9.22.1.3)	114
Figure 26 – Reliability test cycle (9.22.1.3)	115
Figure 27 – Example for test circuit for verification of ageing of electronic components (9.23).....	116
Figure 28 – Surge current impulse 8/20 µs.....	116
Figure 29 – Test circuit for the surge current test at RCCBs.....	117
Figure 30 – Example of calibration record for short-circuit test (9.11.2.1 j) ii))	117
Figure B.1 to B.10 – Illustrations of the application of creepage distances	
Figure B.1 – Examples of methods of measuring creepage distances and clearances.....	131
Figure C.1 – Test arrangement	133
Figure C.2 – Grid	134
Figure C.3 – Grid circuit.....	134
Figure IC.1 – Examples of pillar terminals	139
Figure IC.2 – Examples of screw terminals and stud terminals	140
Figure IC.3 – Examples of saddle terminals	141
Figure IC.4 – Examples of lug terminals.....	141
Figure J.1 – Connecting samples	153
Figure J.2 – Examples of screwless-type terminals	154
Figure K.1 – Example of position of the thermocouple for measurement of the temperature-rise	159
Figure K.2 – Dimensions of male tabs.....	160
Figure K.3 – Dimensions of round dimple detents (see Figure K.2)	161
Figure K.4 – Dimensions of rectangular dimple detents (see Figure K.2).....	161
Figure K.5 – Dimensions of hole detents	161
Figure K.6 – Dimensions of female connectors	162
Figure L.1 – General arrangement for the test.....	171
Figure L.2	171
Figure L.3	172
Figure L.4	172
Figure L.5	172
Figure L.6	172
Table 1 – Limit values of break time and non-actuating time for alternating residual currents (r.m.s. values) for type AC and A RCCB	31
Table 2 – Maximum values of break time for half-wave pulsating residual currents (r.m.s. values) for type A RCCB	32
Table 3 – Rated impulse withstand voltage as a function of the nominal voltage of the installation	32
Table 4 – Standard conditions for operation in service	35
Table 5 – Minimum clearances and creepage distances.....	39

Table 6 – Connectable cross-sections of copper conductors for screw-type terminals	42
Table 7 – Temperature-rise values.....	45
Table 8 – Requirements for RCCBs functionally dependent on line voltage	47
Table 9 – List of type tests.....	48
Table 10 – Test copper conductors corresponding to the rated currents.....	49
Table 11 – Screw thread diameters and applied torques	50
Table 12 – Pulling forces	52

Table 13 – Conductor dimensions.....

Table 14 – Test voltage of auxiliary circuits	56
---	----

Table 15 – Test voltage across the open contacts for verifying the suitability for isolation, referred to the rated impulse withstand voltage of the RCCB and the altitude where the test is carried out.....

Table 16 – Test voltage for verification of impulse withstand voltage for the parts not tested in 9.7.7.1	60
--	----

Table 22 – Test voltage for verifying the suitability for isolation, referred to the rated impulse withstand voltage of the RCCB and the altitude where the test is carried out	60
---	----

Table 17 – Tests to be made to verify the behaviour of RCCBs under short-circuit conditions	66
---	----

Table 18 – Minimum values of I^2t and I_p	68
---	----

Table 19 – Power factors for short-circuit tests	69
--	----

Table 20 – Tripping current ranges for type A RCCBs	85
---	----

Table 21 – Tests to be applied for EMC	89
--	----

Table 22 – Test voltage for verifying the suitability for isolation, referred to the rated impulse withstand voltage of the RCCB and the altitude where the test is carried out 60

Table A.1 – Test sequences.....	119
---------------------------------	-----

Table A.2 – Number of samples for full test procedure	121
---	-----

Table A.3 – Number of samples for simplified test procedure	123
---	-----

Table A.4 – Test sequences for RCCBs of different classification according to 4.6	124
---	-----

Table IE.1 – Test sequences during follow-up inspections	143
--	-----

Table IE.2 – Number of samples to be tested.....	145
--	-----

Table IF.1 – Indication of silver wire diameters as a function of rated currents and short-circuit currents	147
---	-----

Table J.1 – Connectable conductors 150

Table J.2 – Cross-sections of copper conductors connectable to screwless-type terminals.....	151
--	-----

Table J.3 – Pull forces	152
-------------------------------	-----

Table K.1 – Informative table on colour code of female connectors in relationship with the cross section of the conductor.....	157
--	-----

Table K.2 – Overload test forces.....	158
---------------------------------------	-----

Table K.3 – Dimensions of tabs	159
--------------------------------------	-----

Table K.4 – Dimensions of female connectors.....	162
--	-----

Table L.1 – Marking for terminals.....	164
--	-----

Table L.2 – Connectable cross-sections of aluminium conductors for screw-type terminals.....	165
--	-----

Table L.3 – List of tests according to the material of conductors and terminals	166
---	-----

Table L.4 – Connectable conductors and their theoretical diameters	166
--	-----

Table L.5 – Cross sections (S) of aluminium test conductors corresponding to the rated currents	167
Table L.6 – Test conductor length.....	168
Table L.7 – Equalizer and busbar dimensions	168
Table L.8 – Test current as a function of rated current.....	170
Table L.9 – Example of calculation for determining the average temperature deviation D....	170

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC 61008-1:2010](#)

<https://standards.iteh.ai/catalog/standards/iec/4e247649-bb23-4b10-bb1d-4de82f54bfd5/iec-61008-1-2010>

INTERNATIONAL ELECTROTECHNICAL COMMISSION**RESIDUAL CURRENT OPERATED CIRCUIT-BREAKERS
WITHOUT INTEGRAL OVERCURRENT PROTECTION
FOR HOUSEHOLD AND SIMILAR USES (RCCBs) –****Part 1: General rules****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of IEC 61008-1 consists of the third edition (2010) [documents 23E/681/FDIS and 23E/685/RVD] and its amendment 1 (2012) [documents 23E/740/FDIS and 23E/744/RVD] and its corrigendum 1 (05-2016). It bears the edition number 3.1.

The technical content is therefore identical to the base edition and its amendment and has been prepared for user convenience. A vertical line in the margin shows where the base publication has been modified by amendment 1. Additions and deletions are displayed in red, with deletions being struck through.

International Standard IEC 61008-1 has been prepared by subcommittee 23E: Circuit-breakers and similar equipment for household use, of IEC technical committee 23: Electrical accessories.

This edition includes the following significant technical changes with respect to the previous edition:

- complete revision of EMC sequences, including the new test T.2.6 already approved in IEC 61543;
- clarification of RCDs current/time characteristics reported in Tables 1 and 2;
- revision of test procedure for $I_{\Delta n}$ between 5 A and 200 A;
- testing procedure regarding the 6mA d.c. current superimposed to the fault current;
- improvement highlighting RCDs with multiple sensitivity;
- tests for the use of RCCBs in IT systems.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61008 series, published under the general title, *Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses (RCCBs)*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be (<https://standards.iteh.ai>)

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

[IEC 61008-1:2010](#)

<https://standards.iteh.ai/catalog/standards/iec/4e247649-bb23-4b10-bb1d-4de82f54bfd5/iec-61008-1-2010>

IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

INTRODUCTION

This part includes definitions, requirements and tests, covering all types of RCCBs. For the applicability to a specific type this part applies in conjunction with the relevant part, as follows:

Part 2-1: Applicability of the general rules to RCCBs functionally independent of line voltage.

Part 2-2: Applicability of the general rules to RCCBs functionally dependent on line voltage.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC 61008-1:2010](#)

<https://standards.iteh.ai/catalog/standards/iec/4e247649-bb23-4b10-bb1d-4de82f54bfd5/iec-61008-1-2010>