INTERNATIONAL STANDARD

ISO 8977

First edition 1987-11-01



INTERNATIONAL ORGANIZATION FOR STANDARDIZATION ORGANISATION INTERNATIONALE DE NORMALISATION МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ

Tools for pressing — Round matrixes

Outillage de presse — Matrices rondes

iTeh STANDARD PREVIEW (standards.iteh.ai)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at least 75 % approval by the member bodies voting TANDARD PREVIEW

International Standard ISO 8977 was prepared by Technical Committee ISO/TC 29, Small tools.

Users should note that all International Standards undergo revision from time to time and that any reference made herein to any other International Standard implies lits -bfaf-47c7-a074-latest edition, unless otherwise stated.

e5f851628b94/iso-8977-1987

ISO 8977 : 1987 (E)

Tools for pressing — Round matrixes

iTeh STANDARD PREVIEW (standards.iteh.ai)

1 Scope and field of application

ISO 8977:1987

a) Tool steel with 5 to 12 % Cr: 62 \pm 2 HRC

It gives examples of materials and hardness, and specifies a designation of matrixes which meet the requirements of this International Standard.

The main use of matrixes defined in this International Standard is for punching holes in steel sheet. They may also be used for punching holes in other materials.

2 References

ISO 4957, Tool steels.

ISO 6508, Metallic materials — Hardness test — Rockwell test (scales A - B - C - D - E - F - G - H - K).

3 Dimensions

See the figure and the table.

4 Material and hardness

The material is left to the manufacturer's discretion. The following hardness values are given as examples:

5 Designation

Round matrixes in accordance with this International Standard shall be designated by


- a) "Round matrix";
- b) reference to this International Standard;
- c) the type of matrix (A or B);
- d) its external diameter, D;
- e) its internal diameter, d;
- f) its total length, L;
- g) the depth of the working part, l.

Example:

The designation for a round matrix, type A, of external diameter D=5 mm, internal diameter d=1 mm, total length L=16 mm and having a depth of the working part l=2 mm is as follows:

Round matrix ISO 8977 - A 5 imes 1 imes 16 imes 2

Surface roughness values in micrometres



* As a special requirement, the working part may be tapered within the tolerance for d and with the smallest taper diameter at the upper surface. e5f851628b94/iso-8977-1987

Figure

Table

	$d^{1)}$	L				D_1	h	h l + 0,25 Alternatives			<i>d</i> ₁
D	Н8	+ 0.5 0			0 -0,25	+ 0,25 0	max.				
		16	20	25	32			min.	standard	max.	
5	1;; 2,4	×	×	×		8	5		2	4	2,8
6	1,6;; 3	×	×	×		9	5		3	4	3,5
8	2;; 3,5	×	×	×	×	11	5		4	5	4
10	3;; 5	×	×	×	×	13	5		4	8	5,8
13	4;; 7,2		×	×	×	16	. 5		5	8	8
16	6;; 8,8		×	×	×	19	5		5	8	9,5
20	7,5;; 11,3		×	×	×	24	5	5	8	12	12
25	11;; 16,6		×	×	×	29	5	5	8	12	17,3
32	15;; 20		×	×	×	36	5	5	8	12	20,7
40	18;, 27		×	×	×	44	5	5	8	12	27,7
50	26;; 36		×	×	×	54	5	5	8	12	37

¹⁾ Increment = 0.1 mm.

iTeh STANDARD PREVIEW

This page intentionally left blank

iTeh STANDARD PREVIEW

This page intentionally left blank

iTeh STANDARD PREVIEW

This page intentionally left blank

ISO 8977: 1987 (E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 8977:1987 https://standards.iteh.ai/catalog/standards/sist/456e24a1-bfaf-47c7-a074-e5f851628b94/iso-8977-1987

UDC 621.7.073

Descriptors: tools, punches, cold forging dies, dimensions, material, designation.

Price based on 2 pages