

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**OPC unified architecture –  
Part 4: Services**

**Architecture unifiée OPC –  
Partie 4: Services**

<https://standards.iteh.ai/catalog/standards/sist/b6e7433e-9ff8-424d-8f45-1d3053ca3a65/iec-62541-4-2011>

<https://standards.iteh.ai/catalog/standards/sist/b6e7433e-9ff8-424d-8f45-1d3053ca3a65/iec-62541-4-2011>



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2011 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland  
Email: [inmail@iec.ch](mailto:inmail@iec.ch)  
Web: [www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: [www.iec.ch/webstore/custserv](http://www.iec.ch/webstore/custserv)

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: [csc@iec.ch](mailto:csc@iec.ch)  
Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00

### A propos de la CEI

La Commission Electrotechnique internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: [www.iec.ch/searchpub/cur\\_fut-f.htm](http://www.iec.ch/searchpub/cur_fut-f.htm)

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: [www.iec.ch/webstore/custserv/custserv\\_entry-f.htm](http://www.iec.ch/webstore/custserv/custserv_entry-f.htm)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: [csc@iec.ch](mailto:csc@iec.ch)  
Tél.: +41 22 919 02 11  
Fax: +41 22 919 03 00

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**OPC unified architecture –  
Part 4: Services**

**Architecture unifiée OPC –  
Partie 4: Services**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

PRICE CODE **XH**  
CODE PRIX

ICS 25.040.40; 25.100.01

ISBN 978-2-88912-730-6

## CONTENTS

FOREWORD.....	12
INTRODUCTION.....	14
1 Scope.....	15
2 Normative references .....	15
3 Terms, definitions and conventions.....	16
3.1 Terms and definitions .....	16
3.2 Abbreviations .....	16
3.3 Conventions for Service definitions .....	17
4 Overview .....	18
4.1 Service Set model .....	18
4.2 Request/response Service procedures .....	21
5 Service Sets.....	21
5.1 General.....	21
5.2 Service request and response header .....	22
5.3 Service results .....	22
5.4 Discovery Service Set.....	23
5.4.1 Overview .....	23
5.4.2 FindServers.....	24
5.4.3 GetEndpoints.....	26
5.4.4 RegisterServer.....	29
5.5 SecureChannel Service Set.....	31
5.5.1 Overview.....	31
5.5.2 OpenSecureChannel.....	33
5.5.3 CloseSecureChannel.....	35
5.6 Session Service Set.....	35
5.6.1 Overview.....	35
5.6.2 CreateSession.....	36
5.6.3 ActivateSession.....	39
5.6.4 CloseSession .....	42
5.6.5 Cancel.....	42
5.7 NodeManagement Service Set .....	43
5.7.1 Overview .....	43
5.7.2 AddNodes.....	43
5.7.3 AddReferences.....	45
5.7.4 DeleteNodes.....	47
5.7.5 DeleteReferences.....	48
5.8 View Service Set .....	49
5.8.1 Overview .....	49
5.8.2 Browse .....	49
5.8.3 BrowseNext.....	51
5.8.4 TranslateBrowsePathsToNodeIds .....	53
5.8.5 RegisterNodes.....	55
5.8.6 UnregisterNodes.....	56
5.9 Query Service Set .....	56

5.9.1	Overview .....	56
5.9.2	Querying Views .....	57
5.9.3	QueryFirst .....	57
5.9.4	QueryNext .....	60
5.10	Attribute Service Set .....	61
5.10.1	Overview .....	61
5.10.2	Read .....	61
5.10.3	HistoryRead .....	63
5.10.4	Write .....	65
5.10.5	HistoryUpdate.....	67
5.11	Method Service Set .....	68
5.11.1	Overview .....	68
5.11.2	Call .....	68
5.12	MonitoredItem Service Set .....	70
5.12.1	MonitoredItem model .....	70
5.12.2	CreateMonitoredItems .....	74
5.12.3	ModifyMonitoredItems .....	76
5.12.4	SetMonitoringMode.....	78
5.12.5	SetTriggering.....	79
5.12.6	DeleteMonitoredItems.....	80
5.13	Subscription Service Set .....	81
5.13.1	Subscription model .....	81
5.13.2	CreateSubscription .....	88
5.13.3	ModifySubscription .....	89
5.13.4	SetPublishingMode.....	90
5.13.5	Publish.....	91
5.13.6	Republish.....	93
5.13.7	TransferSubscriptions.....	93
5.13.8	DeleteSubscriptions.....	95
6	Service behaviours .....	96
6.1	Security.....	96
6.1.1	Overview .....	96
6.1.2	Obtaining and Installing an Application Instance Certificate .....	96
6.1.3	Obtaining and installing a Software Certificate.....	97
6.1.4	Determining if a Certificate is Trusted.....	99
6.1.5	Validating a Software Certificate.....	101
6.1.6	Creating a SecureChannel.....	101
6.1.7	Creating a Session .....	103
6.1.8	Impersonating a User .....	104
6.2	Auditing.....	104
6.2.1	Overview .....	104
6.2.2	General audit logs .....	104
6.2.3	General audit Events .....	105
6.2.4	Auditing for Discovery Service Set.....	105
6.2.5	Auditing for SecureChannel Service Set .....	105
6.2.6	Auditing for Session Service Set.....	105
6.2.7	Auditing for NodeManagement Service Set.....	106
6.2.8	Auditing for Attribute Service Set.....	106
6.2.9	Auditing for Method Service Set .....	106

6.2.10	Auditing for View, Query, MonitoredItem and Subscription Service Set .....	107
6.3	Redundancy .....	107
6.3.1	Redundancy overview .....	107
6.3.2	Server redundancy overview .....	107
6.3.3	Client redundancy .....	109
7	Common parameter type definitions .....	110
7.1	ApplicationDescription .....	110
7.2	ApplicationInstanceCertificate .....	110
7.3	BrowseResult .....	111
7.4	ContentFilter .....	111
7.4.1	ContentFilter structure .....	111
7.4.2	ContentFilterResult .....	112
7.4.3	FilterOperator .....	113
7.4.4	FilterOperand parameters .....	119
7.5	Counter .....	120
7.6	ContinuationPoint .....	121
7.7	DataValue .....	121
7.7.1	General .....	121
7.7.2	PicoSeconds .....	121
7.7.3	SourceTimestamp .....	122
7.7.4	ServerTimestamp .....	122
7.7.5	<i>Status</i> Code assigned to a value .....	123
7.8	DiagnosticInfo .....	123
7.9	EndpointDescription .....	124
7.10	ExpandedNodeId .....	124
7.11	ExtensibleParameter .....	125
7.12	Index .....	125
7.13	IntegerId .....	125
7.14	MessageSecurityMode .....	125
7.15	MonitoringParameters .....	125
7.16	MonitoringFilter parameters .....	126
7.16.1	Overview .....	126
7.16.2	DataChangeFilter .....	126
7.16.3	EventFilter .....	127
7.16.4	AggregateFilter .....	129
7.17	MonitoringMode .....	131
7.18	NodeAttributes parameters .....	131
7.18.1	Overview .....	131
7.18.2	ObjectAttributes parameter .....	132
7.18.3	VariableAttributes parameter .....	132
7.18.4	MethodAttributes parameter .....	133
7.18.5	ObjectTypeAttributes parameter .....	133
7.18.6	VariableTypeAttributes parameter .....	133
7.18.7	ReferenceTypeAttributes parameter .....	134
7.18.8	DataTypeAttributes parameter .....	134
7.18.9	ViewAttributes parameter .....	134
7.19	NotificationData parameters .....	135
7.19.1	Overview .....	135

7.19.2	DataChangeNotification parameter .....	135
7.19.3	EventNotificationList parameter .....	136
7.19.4	StatusChangeNotification parameter.....	136
7.20	NotificationMessage .....	136
7.21	NumericRange .....	137
7.22	QueryDataSet .....	138
7.23	ReadValueId .....	138
7.24	ReferenceDescription .....	139
7.25	RelativePath.....	139
7.26	RequestHeader .....	140
7.27	ResponseHeader.....	141
7.28	ServiceFault .....	141
7.29	SessionAuthenticationToken .....	141
7.30	SignatureData .....	143
7.31	SignedSoftwareCertificate .....	143
7.32	SoftwareCertificate .....	143
7.33	StatusCode .....	144
7.33.1	General .....	144
7.33.2	Common StatusCodes .....	146
7.34	TimestampsToReturn .....	148
7.35	UserIdentityToken parameters.....	148
7.35.1	Overview .....	148
7.35.2	AnonymousIdentityToken.....	149
7.35.3	UserNameIdentityToken .....	149
7.35.4	X509IdentityTokens .....	150
7.35.5	IssuedIdentityToken .....	150
7.36	UserTokenPolicy .....	151
7.37	ViewDescription .....	151
Annex A (informative)	BNF definitions.....	152
Annex B (informative)	Content Filter and Query Examples .....	154
Bibliography.....		172
Figure 1 – Discovery Service Set .....		18
Figure 2 – SecureChannel Service Set .....		18
Figure 3 – Session Service Set.....		19
Figure 4 – NodeManagement Service Set .....		19
Figure 5 – View Service Set.....		19
Figure 6 – Attribute Service Set .....		20
Figure 7 – Method Service Set.....		20
Figure 8 – MonitoredItem and Subscription Service Sets .....		21
Figure 9 – Discovery process.....		24
Figure 10 – Using a Gateway Server.....		28
Figure 11 – Registration process – Manually launched servers .....		29
Figure 12 – Registration process – Automatically Launched Servers.....		30
Figure 13 – SecureChannel and Session Services .....		32
Figure 14 – Multiplexing Users on a Session.....		37



Figure 15 – MonitoredItem Model.....	70
Figure 16 – Typical delay in change detection.....	72
Figure 17 – Triggering Model.....	74
Figure 18 – Obtaining and installing an Application Instance Certificate.....	97
Figure 19 – Obtaining and Installing a Software Certificate.....	98
Figure 20 – Determining if a Application Instance Certificate is Trusted.....	101
Figure 21 – Establishing a SecureChannel.....	102
Figure 22 – Establishing a Session.....	103
Figure 23 – Impersonating a User.....	104
Figure 24 – Transparent Redundancy setup.....	108
Figure 25 – Non-Transparent Redundancy setup.....	108
Figure 26 – Redundancy mode.....	109
Figure 27 – Logical layers of a Server.....	142
Figure 28 – Obtaining a SessionAuthenticationToken.....	142
Figure B.1 – Filter Logic Tree Example.....	154
Figure B.2 – Filter Logic Tree Example.....	155
Figure B.3 – Example Type Nodes.....	157
Figure B.4 – Example Instance Nodes.....	158
Figure B.5 – Example 1 Filter.....	159
Figure B.6 – Example 2 Filter Logic Tree.....	160
Figure B.7 – Example 3 Filter Logic Tree.....	162
Figure B.8 – Example 4 Filter Logic Tree.....	164
Figure B.9 – Example 5 Filter Logic Tree.....	165
Figure B.10 – Example 6 Filter Logic Tree.....	166
The corresponding ContentFilter is illustrated in.....	168
Figure B.11 – Example 7 Filter Logic Tree.....	168
Figure B.12 – Example 8 Filter Logic Tree.....	169
Figure 13 – Example 9 Filter Logic Tree.....	171
Table 1 – Service Definition Table.....	17
Table 2 – Parameter Types defined in IEC 62541-3.....	17
Table 3 – FindServers Service Parameters.....	26
Table 4 – GetEndpoints Service Parameters.....	28
Table 5 – RegisterServer Service Parameters.....	31
Table 6 – RegisterServer Service Result Codes.....	31
Table 7 – OpenSecureChannel Service Parameters.....	34
Table 8 – OpenSecureChannel Service Result Codes.....	35
Table 9 – CloseSecureChannel Service Parameters.....	35
Table 10 – CloseSecureChannel Service Result Codes.....	35
Table 11 – CreateSession Service Parameters.....	38
Table 12 – CreateSession Service Result Codes.....	39
Table 13 – ActivateSession Service Parameters.....	41
Table 14 – ActivateSession Service Result Codes.....	42



Table 15 – CloseSession Service Parameters .....	42
Table 16 – CloseSession Service Result Codes .....	42
Table 17 – Cancel Service Parameters .....	43
Table 18 – AddNodes Service Parameters .....	44
Table 19 – AddNodes Service Result Codes .....	44
Table 20 – AddNodes Operation Level Result Codes .....	45
Table 21 – AddReferences Service Parameters .....	46
Table 22 – AddReferences Service Result Codes .....	46
Table 23 – AddReferences Operation Level Result Codes .....	46
Table 24 – DeleteNodes Service Parameters .....	47
Table 25 – DeleteNodes Service Result Codes .....	47
Table 26 – DeleteNodes Operation Level Result Codes .....	48
Table 27 – DeleteReferences Service Parameters .....	48
Table 28 – DeleteReferences Service Result Codes .....	49
Table 29 – DeleteReferences Operation Level Result Codes .....	49
Table 30 – Browse Service Parameters .....	50
Table 31 – Browse Service Result Codes .....	51
Table 32 – Browse Operation Level Result Codes .....	51
Table 33 – BrowseNext Service Parameters .....	52
Table 34 – BrowseNext Service Result Codes .....	52
Table 35 – BrowseNext Operation Level Result Codes .....	53
Table 36 – TranslateBrowsePathsToNodeIds Service Parameters .....	54
Table 37 – TranslateBrowsePathsToNodeIds Service Result Codes .....	54
Table 38 – TranslateBrowsePathsToNodeIds Operation Level Result Codes .....	55
Table 39 – RegisterNodes Service Parameters .....	55
Table 40 – RegisterNodes Service Result Codes .....	56
Table 41 – UnregisterNodes Service Parameters .....	56
Table 42 – UnregisterNodes Service Result Codes .....	56
Table 43 – QueryFirst Request Parameters .....	58
Table 44 – QueryFirst Response Parameters .....	59
Table 45 – QueryFirst Service Result Codes .....	60
Table 46 – QueryFirst Operation Level Result Codes .....	60
Table 47 – QueryNext Service Parameters .....	61
Table 48 – QueryNext Service Result Codes .....	61
Table 49 – Read Service Parameters .....	62
Table 50 – Read Service Result Codes .....	62
Table 51 – Read Operation Level Result Codes .....	63
Table 52 – HistoryRead ServiceParameters .....	63
Table 53 – HistoryRead Service Result Codes .....	64
Table 54 – HistoryRead Operation Level Result Codes .....	65
Table 55 – Write Service Parameters .....	66
Table 56 – Write Service Result Codes .....	66
Table 57 – Write Operation Level Result Codes .....	67

Table 58 – HistoryUpdate Service Parameters .....	67
Table 59 – HistoryUpdate Service Result Codes .....	68
Table 60 – HistoryUpdate Operation Level Result Codes .....	68
Table 61 – Call Service Parameters .....	69
Table 62 – Call Service Result Codes .....	69
Table 63 – Call Operation Level Result Codes .....	70
Table 64 – CreateMonitoredItems Service Parameters .....	75
Table 65 – CreateMonitoredItems Service Result Codes .....	76
Table 66 – CreateMonitoredItems Operation Level Result Codes .....	76
Table 67 – ModifyMonitoredItems Service Parameters .....	77
Table 68 – ModifyMonitoredItems Service Result Codes .....	77
Table 69 – ModifyMonitoredItems Operation Level Result Codes .....	78
Table 70 – SetMonitoringMode Service Parameters .....	78
Table 71 – SetMonitoringMode Service Result Codes .....	78
Table 72 – SetMonitoringMode Operation Level Result Codes .....	79
Table 73 – SetTriggering Service Parameters .....	79
Table 74 – SetTriggering Service Result Codes .....	79
Table 75 – SetTriggering Operation Level Result Codes .....	80
Table 76 – DeleteMonitoredItems Service Parameters .....	80
Table 77 – DeleteMonitoredItems Service Result Codes .....	80
Table 78 – DeleteMonitoredItems Operation Level Result Codes .....	81
Table 79 – Subscription States .....	83
Table 80 – Subscription State Table .....	84
Table 81 – State variables and parameters .....	86
Table 82 – Functions .....	87
Table 83 – CreateSubscription Service Parameters .....	88
Table 84 – CreateSubscription Service Result Codes .....	89
Table 85 – ModifySubscription Service Parameters .....	89
Table 86 – ModifySubscription Service Result Codes .....	90
Table 87 – SetPublishingMode Service Parameters .....	90
Table 88 – SetPublishingMode Service Result Codes .....	90
Table 89 – SetPublishingMode Operation Level Result Codes .....	91
Table 90 – Publish Service Parameters .....	92
Table 91 – Publish Service Result Codes .....	92
Table 92 – Publish Operation Level Result Codes .....	92
Table 93 – Republish Service Parameters .....	93
Table 94 – Republish Service Result Codes .....	93
Table 95 – TransferSubscriptions Service Parameters .....	94
Table 96 – TransferSubscriptions Service Result Codes .....	94
Table 97 – TransferSubscriptions Operation Level Result Codes .....	94
Table 98 – DeleteSubscriptions Service Parameters .....	95
Table 99 – DeleteSubscriptions Service Result Codes .....	95
Table 100 – DeleteSubscriptions Operation Level Result Codes .....	95

Table 101 – Certificate Validation Steps .....	100
Table 102 – Redundancy failover actions.....	109
Table 103 – ApplicationDescription .....	110
Table 104 – ApplicationInstanceCertificate .....	111
Table 105 – BrowseResult .....	111
Table 106 – ContentFilter Structure .....	112
Table 107 – ContentFilterResult Structure .....	112
Table 108 – ContentFilterResult Result Codes.....	112
Table 109 – ContentFilterResult Operand Result Codes .....	112
Table 110 – Basic FilterOperator Definition.....	113
Table 111 – Complex FilterOperator Definition.....	115
Table 112 – Wildcard characters.....	116
Table 113 – Conversion Rules .....	117
Table 114 – Data Precedence Rules .....	118
Table 115 – Logical AND Truth Table .....	118
Table 116 – Logical OR Truth Table .....	119
Table 117 – FilterOperand parameterTypelds .....	119
Table 118 – ElementOperand .....	119
Table 119 – LiteralOperand .....	119
Table 120 – AttributeOperand .....	120
Table 121 – SimpleAttributeOperand .....	120
Table 122 – DataValue .....	121
Table 123 – DiagnosticInfo .....	123
Table 124 – EndpointDescription .....	124
Table 125 – ExpandedNodeId .....	124
Table 126 – ExtensibleParameter Base Type.....	125
Table 127 – MessageSecurityMode Values .....	125
Table 128 – MonitoringParameters .....	126
Table 129 – MonitoringFilter parameterTypelds .....	126
Table 130 – DataChangeFilter .....	127
Table 131 – EventFilter structure .....	129
Table 132 – EventFilterResult structure .....	129
Table 133 – EventFilterResult Result Codes .....	129
Table 134 – AggregateFilter structure .....	130
Table 135 – AggregateFilterResult structure .....	130
Table 136 – MonitoringMode Values .....	131
Table 137 – NodeAttributes parameterTypelds .....	131
Table 138 – Bit mask for specified Attributes.....	132
Table 139 – ObjectAttributes.....	132
Table 140 – VariableAttributes.....	133
Table 141 – MethodAttributes .....	133
Table 142 – ObjectTypeAttributes .....	133
Table 143 – VariableTypeAttributes .....	134

Table 144 – ReferenceTypeAttributes .....	134
Table 145 – DataTypeAttributes .....	134
Table 146 – ViewAttributes .....	135
Table 147 – NotificationData parameterTypelds .....	135
Table 148 – DataChangeNotification .....	136
Table 149 – EventNotificationList .....	136
Table 150 – StatusChangeNotification .....	136
Table 151 – NotificationMessage .....	137
Table 152 – NumericRange .....	138
Table 153 – QueryDataSet .....	138
Table 154 – ReadValueId .....	138
Table 155 – ReferenceDescription .....	139
Table 156 – RelativePath .....	139
Table 157 – RequestHeader .....	140
Table 158 – ResponseHeader .....	141
Table 159 – ServiceFault .....	141
Table 160 – SignatureData .....	143
Table 161 – SignedSoftwareCertificate .....	143
Table 162 – SoftwareCertificate .....	144
Table 163 – StatusCode Bit Assignments .....	145
Table 164 – DataValue InfoBits .....	145
Table 165 – Common Service Result Codes .....	146
Table 166 – Common Operation Level Result Codes .....	147
Table 167 – TimestampsToReturn Values .....	148
Table 168 – UserIdentityToken parameterTypelds .....	148
Table 169 – UserIdentityToken Encrypted Token Format .....	149
Table 170 – AnonymousIdentityToken .....	149
Table 171 – UserNameIdentityToken .....	150
Table 172 – X509 Identity Token .....	150
Table 173 – IssuedIdentityToken .....	151
Table 174 – UserTokenPolicy .....	151
Table 175 – ViewDescription .....	151
Table A.1 – RelativePath .....	152
Table A.2 – RelativePath Examples .....	153
Table B.1 – ContentFilter Example .....	155
Table B.2 – ContentFilter Example .....	155
Table B.3 – Example 1 NodeTypeDescription .....	159
Table B.4 – Example 1 ContentFilter .....	159
Table B.5 – Example 1 QueryDataSets .....	159
Table B.6 – Example 2 NodeTypeDescription .....	160
Table B.7 – Example 2 ContentFilter .....	161
Table B.8 – Example 2 QueryDataSets .....	161
Table B.9 – Example 3 – NodeTypeDescriptions .....	161

Table B.10 – Example 3 ContentFilter .....	163
Table B.11 – Example 3 QueryDataSets .....	163
Table B.12 – Example 4 NodeTypeDescription .....	164
Table B.13 – Example 4 ContentFilter .....	164
Table B.14 – Example 4 QueryDataSets .....	164
Table B.15 – Example 5 NodeTypeDescription .....	165
Table B.16 – Example 5 ContentFilter .....	165
Table B.17 – Example 5 QueryDataSets .....	165
Table B.18 – Example 6 NodeTypeDescription .....	166
Table B.19 – Example 6 ContentFilter .....	166
Table B.20 – Example 6 QueryDataSets .....	167
Table B.21 – Example 6 QueryDataSets without Additional Information .....	167
Table B.22 – Example 7 NodeTypeDescription .....	168
Table B.23 – Example 7 ContentFilter .....	168
Table B.24 – Example 7 QueryDataSets .....	169
Table B.25 – Example 8 NodeTypeDescription .....	169
Table B.26 – Example 8 ContentFilter .....	170
Table B.27 – Example 8 QueryDataSets .....	170
Table B.28 – Example 9 NodeTypeDescription .....	170
Table B.29 – Example 9 ContentFilter .....	171
Table B.30 – Example 9 QueryDataSets .....	171

<https://standards.iteh.ai/catalog/standards/sist/62541-4-2011>

<https://standards.iteh.ai/catalog/standards/sist/62541-4-2011>

WITHDRAWN

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

## OPC UNIFIED ARCHITECTURE –

### Part 4: Services

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62541-4 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation.

The text of this standard is based on the following documents:

FDIS	Report on voting
65E/191/FDIS	65E/213/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 62541 series, published under the general title *OPC Unified Architecture*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

[iec-62541-4-2011](https://standards.iteh.ai/catalog/standards/sist/b5e7433e-9ff8-424d-8f45-1d3053ca3a65/iec-62541-4-2011)

<https://standards.iteh.ai/catalog/standards/sist/b5e7433e-9ff8-424d-8f45-1d3053ca3a65/iec-62541-4-2011>

Withdrawn