



SLOVENSKI STANDARD
SIST EN 60317-32:2001/oprA2:2005
01-februar-2005

GdYWVZ_UVY'nUdcgYVbY'j fghY'bUj j'Ubj\ 'y]WE' &"XY. 'E'6 U_fYbUy]WUg
dfUj c_cfb]a 'dfYfYnca ž[c`UU]`Ya U^]fUbUžcj]HJn'cdh] b]a]j `U_b]`b`]a dfY[b]fUbU
g'ga c`c`U]`U_ca žhYa dYfUhi fb]`]bXY_g'%)

Specifications for particular types of winding wires -- Part 32: Glass-fibre wound, resin or varnish impregnated, bare or enamelled rectangular copper wire, temperature index 155

Technische Lieferbedingungen für bestimmte Typen von Wickeldrähten -- Teil 32: Flachdrähte aus Kupfer, blank oder lackisoliert, umhüllt mit Glasgewebe und imprägniert, Temperaturindex 155

Spécifications pour types particuliers de fils de bobinage -- Partie 32: Fil de section rectangulaire en cuivre nu ou émaillé guipé de fibres de verre imprégnées de vernis ou de résine, d'indice de température 155

Ta slovenski standard je istoveten z: EN 60317-32:1996/A2:2005

ICS:

29.060.10 Žice Wires

SIST EN 60317-32:2001/oprA2:2005 en



55/928/CDV

**COMMITTEE DRAFT FOR VOTE (CDV)
PROJET DE COMITÉ POUR VOTE (CDV)**

		Project number Numéro de projet	IEC 60317-32, A2 Ed. 1	
IEC/TC or SC: TC 55 CEI/CE ou SC:	Date of circulation Date de diffusion 2004-11-19	Closing date for voting (Voting mandatory for P-members) Date de clôture du vote (Vote obligatoire pour les membres (P)) 2005-04-22		
Titre du CE/SC: Fils de bobinage		TC/SC Title: Winding Wires		
Secretary: M. LEIBOWITZ - USA E-Mail: mik_leibowitz@nema.org				
Also of interest to the following committees Intéresse également les comités suivants		Supersedes document Remplace le document 55/854/CD 55/882/CC		
Functions concerned Fonctions concernées <input checked="" type="checkbox"/> Safety Sécurité <input type="checkbox"/> EMC CEM <input type="checkbox"/> Environment Environnement <input type="checkbox"/> Quality assurance Assurance qualité				

CE DOCUMENT EST TOUJOURS À L'ÉTUDE ET SUSCEPTIBLE DE MODIFICATION. IL NE PEUT SERVIR DE RÉFÉRENCE.

LES RÉCIPIENDAIRES DU PRÉSENT DOCUMENT SONT INVITÉS À PRÉSENTER, AVEC LEURS OBSERVATIONS, LA NOTIFICATION DES DROITS DE PROPRIÉTÉ DONT ILS AURAIENT ÉVENTUELLEMENT CONNAISSANCE ET À FOURNIR UNE DOCUMENTATION EXPLICATIVE.

THIS DOCUMENT IS STILL UNDER STUDY AND SUBJECT TO CHANGE. IT SHOULD NOT BE USED FOR REFERENCE PURPOSES.

RECIPIENTS OF THIS DOCUMENT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

Titre : Amendement 2 de IEC 60317-32, Ed. 1: Spécifications pour types particuliers de fils de bobinage - Partie 32: Fil de section rectangulaire en cuivre nu ou émaillé guipé de fibres de verre imprégnées de vernis ou de résine, d'indice de température 155

Title : Amendment 2 to IEC 60317-32, Ed. 1: Specifications for particular types of winding wire - Part 32: Glass-fibre wound, resin or varnish impregnated, bare or enamelled rectangular copper wire, temperature index 155

Note d'introduction

Introductory note

ATTENTION	ATTENTION
CDV soumis en parallèle au vote (CEI) et à l'enquête (CENELEC)	Parallel IEC CDV/CENELEC Enquiry

Copyright © 2004 International Electrotechnical Commission, IEC. All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without permission in writing from IEC.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SPECIFICATIONS FOR PARTICULAR TYPES
OF WINDING WIRES –****Part 32: Glass-fibre wound, resin or varnish impregnated,
bare or enamelled rectangular copper wire,
temperature index 155**

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international cooperation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all of such patent rights.

International Standard has been prepared by IEC Technical Committee 55: Winding wires.

This second amendment to the first edition of IEC 60317-32, issued in 1990, represents a technical revision.

The main changes with respect to the previous edition are listed below:

- Descriptions of glass-fibre coverings, clause 1, added
- New requirements for appearance, clause 3.1, added
- New pin hole test, clause 23, added

The committee has decided that this publication remains valid until 2009. At this date, in accordance with the committee's decision, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

Throughout the text, add 60000 to the numbers of the standards cited. For example, change “IEC 851” to “IEC 60851”.

Page 7

INTRODUCTION

Replace the existing text by the following:

This part of IEC 60317 is one of a series which deals with insulated wires used for windings in electrical equipment. The series has three groups describing:

- 1) Winding wires – Test methods (IEC 60851);
- 2) Specifications for particular types of winding wires (IEC 60317);
- 3) Packaging of winding wires (IEC 60264).

SPECIFICATIONS FOR PARTICULAR TYPES OF WINDING WIRES –

Part 32: Glass-fibre wound, resin or varnish impregnated, bare or enamelled rectangular copper wire, temperature index 155

Page 9

1 Scope

Clause 1, paragraph 1, replace the first paragraph by the following:

This part of IEC 60317 specifies requirements of glass-fibre wound impregnated, bare, grade 1 or grade 2 enamelled rectangular copper winding wire, temperature index 155. The impregnating agent can be, for instance, polyester or polyesterimide resin based.

Clause 1, paragraph 3, delete the year of publication from all referenced standards.

Clause 1, following paragraph 7, add the following:

The covering shall have two grades of thickness:

- grade G1 and grade G2 for bare covered wires;
- grade 2G1 and grade 2G2 for grade 2 enamelled wires.

Page 11

2 Normative references

Delete the year of publication from all references.

Replace the title of clause 3 by the following:

3 Definitions and general notes on methods of test and appearance

Add new subclause 3.1 for the existing text, and new subclause 3.2 as follows:

3.1 General

For definitions and general notes on methods of test, see clause 3 of IEC 60317-0-4.

In case of inconsistencies between IEC 60317-0-4 and this standard, IEC 60317-32 shall prevail.

3.2 Appearance

See Clause 3.3 of IEC 60317-0-4.

Page 15

Add the following clause:

23 Pin hole test

Test inappropriate.
