
Protišumni list za digitalne naprave in opremo – 2. del: Merilne metode (IEC 62333-2:2006)

Noise suppression sheet for digital devices and equipment – Part 2: Measuring methods (IEC 62333-2:2006)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 62333-2:2006

<https://standards.iteh.ai/catalog/standards/sist/f19d5f44-4dbb-40c8-bd9f-39e5b10e93f7/sist-en-62333-2-2006>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 62333-2:2006

<https://standards.iteh.ai/catalog/standards/sist/f19d5f44-4dbb-40c8-bd9f-39e5b10e93f7/sist-en-62333-2-2006>

Noise suppression sheet for digital devices and equipment
Part 2: Measuring methods
(IEC 62333-2:2006)

Plaque réduisant le bruit des dispositifs
et appareils numériques
Partie 2: Méthodes de mesure
(CEI 62333-2:2006)

Rauschunterdrückungsschicht für
digitale Geräte und Einrichtungen
Teil 2: Messverfahren
(IEC 62333-2:2006)

This European Standard was approved by CENELEC on 2006-06-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in two official versions (English and German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 51/853/FDIS, future edition 1 of IEC 62333-2, prepared by IEC TC 51, Magnetic components and ferrite materials, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 62333-2 on 2006-06-01.

This Standard is to be used in conjunction with EN 62333-1.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2007-03-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2009-06-01

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 62333-2:2006 was approved by CENELEC as a European Standard without any modification.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 62333-2:2006

<https://standards.iteh.ai/catalog/standards/sist/f19d5f44-4dbb-40c8-bd9f-39e5b10e93f7/sist-en-62333-2-2006>

Annex ZA
(normative)

**Normative references to international publications
with their corresponding European publications**

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 62333-1	- ¹⁾	Noise suppression sheet for digital devices and equipment Part 1: Terms and definitions	EN 62333-1	2006 ²⁾
CISPR 16-1	Series	Specification for radio disturbance and immunity measuring apparatus and methods Part 1: Radio disturbance and immunity measuring apparatus	EN 55016-1	Series
CISPR 22 (mod)	- ¹⁾	Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement	EN 55022	2006 ²⁾

[SIST EN 62333-2:2006
https://standards.iteh.ai/catalog/standards/sist/fl9d5f44-4dbb-40c8-bd9f-39e5b10e93f7/sist-en-62333-2-2006](https://standards.iteh.ai/catalog/standards/sist/fl9d5f44-4dbb-40c8-bd9f-39e5b10e93f7/sist-en-62333-2-2006)

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 62333-2:2006

<https://standards.iteh.ai/catalog/standards/sist/f19d5f44-4dbb-40c8-bd9f-39e5b10e93f7/sist-en-62333-2-2006>

INTERNATIONAL STANDARD

IEC 62333-2

First edition
2006-05

Noise suppression sheet for digital devices and equipment –

Part 2: Measuring methods

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 62333-2:2006

<https://standards.iteh.ai/catalog/standards/sist/f19d5f44-4dbb-40c8-bd9f-39e5b10e93f7/sist-en-62333-2-2006>

© IEC 2006 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

S

For price, see current catalogue

CONTENTS

FOREWORD	3
1 Scope	5
2 Normative references	5
3 General	5
4 Measuring methods	
4.1 Intra-decoupling ratio: R_{da}	6
4.2 Inter-decoupling ratio: R_{de}	11
4.3 Transmission attenuation power ratio: R_{tp}	15
4.4 Radiation suppression ratio: R_{rs}	18
Figure 1 – Schematic diagram of a pair of antennas and NSS under test	6
Figure 2 – A pair of antennas and NSS under test	6
Figure 3 – Frequency response of coupling between a pair of antennas	7
Figure 4 – Recommended examples of small loop antennas for the measurement	8
Figure 5 – Cross sectional view of the measuring configuration	9
Figure 6 – Schematic diagram of the measuring configuration	10
Figure 7 – Schematic diagram of a pair of loop antennas and test sample	12
Figure 8 – Schematic diagram of a pair of antenna and test sample	12
Figure 9 – Schematic diagram of the measuring configuration	13
Figure 10 – Schematic diagram of the measuring method for transmission attenuation power ratio R_{tp}	15
Figure 11 – Data examples of the measurement results	18
Figure 12 – Measurement system diagram of R_{rs}	19
Figure 13 – Schematic diagram of test fixture	19
Figure 14 – Size and structure of test fixture	20
Figure 15 – Test sample attachment on test fixture	22
Figure 16 – Test fixture setup on turntable	22
Table 1 – Merits and limitations of the recommended antennas	9
Table 2 – Dimensions of loop antennas	9
Table 3 – Dimensions of test sample	10
Table 4 – Dimensions of loop antennas	13
Table 5 – Dimensions of test fixture	16
Table 6 – Dimensions of test sample	16
Table 7 – Dimensions of test fixture	20
Table 8 – Dimensions of test sample	21

INTERNATIONAL ELECTROTECHNICAL COMMISSION

NOISE SUPPRESSION SHEET FOR DIGITAL DEVICES AND EQUIPMENT –

Part 2: Measuring methods

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62333-2 has been prepared IEC technical committee 51: Magnetic components and ferrite materials.

This standard is to be used in conjunction with IEC 62333-1.

The text of this standard is based on the following documents:

FDIS	Report on voting
51/853/FDIS	51/861/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 62333 consists of the following parts, under the general title *Noise suppression sheet for digital devices and equipment*:

Part 1: Definitions and general properties

Part 2: Measuring methods

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

SIST EN 62333-2:2006

<https://standards.iteh.ai/catalog/standards/sist/f19d5f44-4dbb-40c8-bd9f-39e5b10e93f7/sist-en-62333-2-2006>

NOISE SUPPRESSION SHEET FOR DIGITAL DEVICES AND EQUIPMENT –

Part 2: Measuring methods

1 Scope

This part of IEC 62333 specifies the methods for measuring the electromagnetic characteristics of a noise suppression sheet. Those methods are intended to provide useful and repeatable measurements to characterize the performance of the noise suppression sheets, so that manufacturers and their customers are able to obtain the same results.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendment) applies.

IEC 62333-1, *Noise suppression sheet for digital devices and equipment – Part 1: Definitions and general properties*

CISPR 16-1, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 1: Radio disturbance and immunity measuring apparatus*

CISPR 22, *Information technology equipment – Radio disturbance characteristics – Limits and methods of measurement*

3 General

Electromagnetic interference between electronic devices, and emission of radiation from electronic devices are caused, in part, by RF current generated by active devices which are driven at high frequency. Printed-circuit board (PCB), devices mounted on the PCB, and all other connected circuits or cables can act as antennas to radiate the RF noise. Levels of the electromagnetic interference and the emission are proportional to the RF current, and are also affected significantly by PCB design, radiation efficiency of the antennas, and noise coupling coefficients between the devices and the antennas.

The noise suppression sheet (NSS) is used for decoupling of the noise path, suppressing RF noise current, and reducing radiation. The noise suppression effect of the NSS can be evaluated by four parameters. They are defined as intra-decoupling ratio (R_{da}), inter-decoupling ratio (R_{de}), transmission attenuation power ratio (R_{tp}) and radiation suppression ratio (R_{rs}).

A pair of antennas is held close to each other for the measuring intra-decoupling ratio (R_{da}) and inter-decoupling ratio (R_{de}). One antenna acts as a noise source and another one as a receiver. Both decoupling ratios are derived from comparison before and after the NSS is installed nearby the antennas. These measuring procedures represent practical configurations of the NSS. Practically, the NSS is installed near the noise source or the noise interfered part, inside of the electronic equipments.