SLOVENSKI PREDSTANDARD

oSIST prEN 60079-28:2005

junij 2005

Električne naprave za potencialno eksplozivne atmosfere – 28. del: Zaščita opreme in prenosnih sistemov z optičnim sevanjem

Electrical apparatus for explosive atmospheres – Part 28: Protection of equipment and transmission systems using optical radiation

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN 60079-28:2007

https://standards.iteh.ai/catalog/standards/sist/e03283fc-8876-40d6-840d-8af02aa8fca0/sist-en-60079-28-2007

ICS 29.260.20

Referenčna številka oSIST prEN 60079-28:2005(en)

© Standard je založil in izdal Slovenski inštitut za standardizacijo. Razmnoževanje ali kopiranje celote ali delov tega dokumenta ni dovoljeno

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN 60079-28:2007

https://standards.iteh.ai/catalog/standards/sist/e03283fc-8876-40d6-840d-8af02aa8fca0/sist-en-60079-28-2007

31/571/CDV



COMMITTEE DRAFT FOR VOTE (CDV) PROJET DE COMITÉ POUR VOTE (CDV)

						· · ·
	Project number		IEC 600	79-28 E	d 1.0	
	Numéro de projet Date of circulation			Closing	data far	voting (Voting
IEC/TC or SC: TC 31	Date de diffusion					voting (Voting -members)
CEI/CE ou SC:	2005-02-25					du vote (Vote
	2000 02 20					les membres (P))
				2005-0	7-29	
Titre du CE/SC: Matériel électrique pour		TC/SC Title: Electrical apparatus for explosive				
atmosphères explosives gazeuses		atmospheres				
Secretary: UK — G F Thompson						
Secrétaire:						
Also of interest to the following committees		Supersedes document				
Intéresse également les comités suivants		Remplace le document				
TC18		31/479/CD 31/515/CC				
Functions concerned						
Fonctions concernées						
	ЛС		Environment			Quality assurance
Sécurité CE			Environneme			Assurance qualité
CE DOCUMENT EST TOUJOURS À L'ÉTUDE ET SUSCEPTIBLE DE MODIFICATION. IL NE PEUT SERVIR DE RÉFÉRENCE.		THIS DOCUMENT IS STILL UNDER STUDY AND SUBJECT TO CHANGE. IT SHOULD NOT BE USED FOR REFERENCE PURPOSES.				
LES RÉCIPIENDAIRES DU PRÉSENT DOCUMENT SONT INVITÉS À		RECIPIENTS OF THIS DOCUMENT ARE INVITED TO SUBMIT, WITH THEIR				
PRÉSENTER, AVEC LEURS OBSERVATIONS, LA NOTIFICATION DES		COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF				
DROITS DE PROPRIÉTÉ DONT ILS AURAIENT ÉVENTUELLEMENT		WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING				
CONNAISSANCE ET À FOURNIR UNE DOCUMENT	ATION EXPLICATIVE.	DOCUM	ENTATION.			

pour atmosphères explosives gazeuses Partie de transmission utilisant le rayonnement optique

Titre : CEI 60079-28 Ed. 1.0: Matériel électrique Title : IEC 60079-28 Ed. 1.0: Electrical apparatus for explosive gas atmospheres Part 28: 28: Protection de l'équipement et des systèmes Protection of equipment and transmission systems using optical radiation

Introductory note: 0d-8af02aa8fca0/sist-en-60079-28-2007 https://www.note-dintroduction:catalog/standards/sist/e03283

Une introduction a été ajoutée afin de faciliter la compréhension des remargues faites lors de la préparation du projet de norme CEI 60079-28

An "Introduction" has been provided to allow an understanding of the considerations made during the preparation of the draft for IEC 60079-28.

ATTENTION

ATTENTION

CDV soumis en parallèle au vote (CEI) et à l'enquête (CENELEC)

Parallel IEC CDV/CENELEC Enquiry

Copyright © 2005 International Electrotechnical Commission, IEC. All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without permission in writing from IEC.

CONTENTS

	1 Sc	оре	7		
2	2 No	Normative references			
3	3 De	finitions	8		
2		neral requirements			
	4.1				
	4.2				
		Ditection concepts			
	5.1				
	5.2				
		5.2.1 General			
		5.2.2 Continuous wave radiation			
		5.2.3 Pulsed radiation			
		5.2.4 Ignition tests			
	- <i>.</i>	5.2.5 Optical devices incorporating the inherently safe concept			
	5.3				
		5.3.1 Radiation inside fibre etc. (No mechanical damage to be expected)			
	-	5.3.2 Radiation inside enclosures			
	5.4	(https://stondords.itoh.oi)			
,	5.8 5.8				
C		be verifications and tests			
	6.1				
		6.1.1 Test vessel			
		6.1.2 Energy and power measurements			
		6.1.4 Mixture temperature			
		6.1.5 Mixture pressure			
		6.1.6 Safety factor			
	6.2				
		6.2.1 Reference gas			
		6.2.2 Reference absorber	15		
		6.2.3 Reference test for continuous wave radiation and pulses above 1s duration	15		
		6.2.4 Reference test for pulsed radiation below 1 ms pulse duration	15		
	6.3				
		6.3.1 Test mixtures	16		
	6.4	Ignition tests with single pulses below 1 ms duration	16		
		6.4.1 Test mixtures	16		
	6.5	Tests for pulse trains and pulses between 1 ms and 1 s duration	16		
7	7 Ma	rking	16		
	7.1	General	16		
	7.2				
	7.3				
		A (Normative) Reference test data			

Annex C (normative)	Ignition hazard assessment	.24
Annex D (informative)	Typical optical fibre cable design	.26
Annex E (informative)	Literature	.27

iTeh Standards (https://standards.iteh.ai) Document Preview

<u>SIST EN 60079-28:2007</u> https://standards.iteh.ai/catalog/standards/sist/e03283fc-8876-40d6-840d-8af02aa8fca0/sist-en-60079-28-2007

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRICAL APPARATUS FOR EXPLOSIVE GAS ATMOSPHERES -

Part 28: Protection of equipment and transmission systems using optical radiation

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.

https://stan6) All users should ensure that they have the latest edition of this publication. d-8af02aa8fca0/sist-en-60079-28-2007

- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60079-28 has been prepared by IEC technical committee 31: Electrical apparatus for explosive atmospheres.

The text of this standard is based on the following documents:

FDIS	Report on voting
XX/XX/FDIS	XX/XX/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until 2XXX. At this date, the publication will be

60079-28 Ed. 1/CDV © IEC

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

iTeh Standards (https://standards.iteh.ai) Document Preview

<u>SIST EN 60079-28:2007</u> https://standards.iteh.ai/catalog/standards/sist/e03283fc-8876-40d6-840d-8af02aa8fca0/sist-en-60079-28-2007 Optical equipment in the form of lamps, lasers, LEDs, optical fibers etc. is increasingly used for communications; surveying, sensing and measurement. In material processing optical radiation of high irradiance is used. Often the installation is inside or close to potentially explosive atmospheres, and radiation from such equipment may pass through these atmospheres. Depending on the characteristics of the radiation it might then be able to ignite a surrounding explosive atmosphere. The presence or absence of an additional absorber significantly influences the ignition.

There are four possible ignition mechanisms:

- a) Optical radiation is absorbed by surfaces or particles, causing them to heat up, and under certain circumstances this may allow them to attain a temperature which will ignite a surrounding explosive atmosphere.
- b) Thermal ignition of a gas volume, where the optical wavelength matches an absorption band of the gas.
- c) Photochemical ignition due to photo dissociation of oxygen molecules by radiation in the ultraviolet wavelength range.
- d) Direct laser induced breakdown of the gas at the focus of a strong beam, producing plasma and a shock wave both eventually acting as ignition source. These processes can be supported by a solid material close to the breakdown point.

The most likely case of ignition occurring in practice with lowest radiation power of ignition capability is case a). Under some conditions for pulsed radiation case d) also will become relevant.

Optical equipment is used in most cases in conjunction with electrical equipment, for which clear and detailed requirements and standards for use in potentially explosive atmospheres exist. One purpose of this Standard is to inform industry about potential ignition hazards associated with the use of optical systems in hazardous locations as defined in IEC 60079-10

https://star and the adequate protection methods.e03283fc-8876-40d6-840d-8af02aa8fca0/sist-en-60079-28-2007

This Standard details engineering and installation practices to control the ignition hazard from equipment using optical radiation in hazardous locations.

ELECTRICAL APPARATUS FOR EXPLOSIVE GAS ATMOSPHERES –

Part 28: Protection of equipment and transmission systems using optical radiation

1 Scope

This Standard explains the potential ignition hazard from equipment using optical radiation intended for use in explosive gas atmospheres. It also covers equipment, which itself is located outside but its emitted optical radiation enters such atmospheres. It describes precautions and requirements to be taken when using optical radiation transmitting equipment in explosive gas atmospheres. It also outlines a test method, which can be used to verify a beam is not ignition capable under selected test conditions, if the optical limit values cannot be guaranteed by assessment or beam strength measurement.

This standard contains requirements for optical radiation in the wavelength range from 380 nm to 10 μ m. It covers the following ignition mechanisms

- Optical radiation is absorbed by surfaces or particles, causing them to heat up, and under certain circumstances this may allow them to attain a temperature which will ignite a surrounding explosive atmosphere.
- Direct laser induced breakdown of the gas at the focus of a strong beam, producing plasma and a shock wave both eventually acting as ignition source. These processes can be supported by a solid material close to the breakdown point.

NOTE 1: a) and d) of the introduction.

This standard does not cover ignition by ultraviolet radiation and by absorption of the radiation in the explosive mixture itself. Explosive absorbers or absorbers that contain their own oxidizer as well as catalytic absorbers are also outside the scope of this Standard.

This Standard specifies requirements for equipment intended for use under atmospheric conditions.

SIST EN 60079-28:2007

NOTE 2: Although one should be aware of ignition mechanism b) and c) explained in the introduction, they are not a source addressed in this Standard due the very special situation with ultraviolet radiation and with the absorption properties of most gases (see annex B).

NOTE 3: Safety requirements to reduce human exposure hazards from fibre optic communication systems are found in IEC 60825-2:2000: Safety of laser products - Part 2: Safety of optical fibre communication systems.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-426: 1990: International Electrotechnical Vocabulary. Chapter 426: Electrical apparatus for explosive atmospheres

IEC 60079-0 2004: Electrical apparatus for explosive gas atmospheres Part 0: General requirements

IEC 60079-10: 2002: Electrical apparatus for explosive gas atmospheres - Part 10: Classification of hazardous areas

IEC 60079-11:1999: Electrical apparatus for explosive gas atmospheres - Part 11: Intrinsic safety

IEC 60825-2:2000: Safety of laser products - Part 2: Safety of optical fibre communication systems

IEC 60050-731:1991: International electrotechnical vocabulary Chapter 731: Optical fibre communication

IEC 61508: Parts 1 through 7: Functional safety of electrical/electronic/programmable electronic safety-related systems

IEC 61511:2003: Part 1 and 3: Functional safety - Safety instrumented systems for the process industry sector

3 Definitions

For the purposes of this document, the terms and definitions given in IEC 60050-426, IEC 60050-731, IEC 60079-0 and the following apply.

3.1

absorption:

in a propagation medium, the conversion of electromagnetic wave energy into another form of energy, for instance heat. (IEC 60050-731:1991-10)

3.2

beam diameter (or beam width):

the distance between two diametrically opposed points where the irradiance is a specified fraction of the beams peak irradiance. (IEC 60050-731:1991-10)

NOTE — Most commonly applied to beams that are circular or nearly circular in cross section.

3.3

beam strength:

a general term used in this Standard referring to an optical beam's power, irradiance, energy, or radiant exposure.

3.4

core: the central region of an optical fibre through which most of the optical power is transmitted. (IEC 60050-731:1991-10)

3.5

cladding:

that dielectric material of an optical fibre surrounding the core. (IEC 60050-731:1991-10)

tandards.iteh.ai/catalog/standards/sist/e03283fc-8876-40d6-840d-8af02aa8fca0/sist-en-60079-28-2007

fibre bundle:

an assembly of unbuffered optical fibres. (IEC 60050-731:1991-10)

3.7

fibre optic terminal device:

an assembly including one or more opto-electronic devices which converts an electrical signal into an optical signal, and/or vice versa, which is designed to be connected to at least one optical fibre. (IEC 60050-731:1991-10)

NOTE — A fibre optic terminal device always has one or more integral fibre optic connector(s) or optical fibre pigtails(s).

3.8

inherently safe optical radiation:

visible or infrared radiation that is incapable of producing sufficient energy under normal or specified fault conditions to ignite a specific hazardous atmospheric mixture.

NOTE — This definition is analogous to the term "intrinsically safe " applied to electrical circuits.

3.9

irradiance:

the radiant power incident on an element of a surface divided by the area of that element. (IEC 60050-731:1991-10)

3.10

light (or visible radiation):

any optical radiation capable of causing a visual sensation directly on a human being. (IEC 60050-731:1991-10)