INTERNATIONAL STANDARD



INTERNATIONAL ORGANIZATION FOR STANDARDIZATION ORGANISATION INTERNATIONALE DE NORMALISATION ΜΕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ

Black leads for wood-cased pencils — Classification and diameters

Mines graphite pour crayons à papier Classification et diamètres EVIEW (standards.iteh.ai)

ISO 9180:1988 https://standards.iteh.ai/catalog/standards/sist/75ff4160-a984-4c59-a9ce-1dabadc90247/iso-9180-1988

ISO

9180

First edition 1988-10-01

Reference number ISO 9180:1988 (E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at VIEW least 75 % approval by the member bodies voting.

International Standard ISO 9180 was prepared by Technical Committee ISO/TC 10, *Technical drawings*.

https://standards.iteh.ai/catalog/standards/sist/75ff4160-a984-4c59-a9ce-1dabadc90247/iso-9180-1988

© International Organization for Standardization, 1988 ●

Printed in Switzerland

INTERNATIONAL STANDARD

Black leads for wood-cased pencils — Classification and diameters

1 Scope

3 Classification

This International Standard specifies a classification and diameters for black leads used for wood-cased pencils. DAR the following 17 types:

2 Definitions

(standards.iteh, 89, j), 6H, 5H, 4H, 3H, 2H, H, F, HB, B, 2B, 3B, 4B,

For the purposes of this International Standard, the following definitions apply.

https://standards.iteh.ai/catalog/standards/sist/75ff4160-a984-4c59-a9ce-

2.1 black lead: Solid writing material which consists of carbon (e.g. graphite) and a binding agent. The lead generates black lines which are erasable.

2.2 hardness degree: Classification indicating increasing hardness from 6B to 9H and increasing line density from 9H to 6B.

NOTE - A scientific definition of hardness degree is not yet available.

2.3 wood-cased pencil: Hand-held drawing tool which has the lead permanently secured in a wood case and which is capable of withstanding the force involved in drawing.

⁻⁹¹⁸⁰ Diameters

Lead diameters shall be as specified in table 1.

Table 1 – Diameters

Hardness degree (see 2.2)	Diameter mm
9H, 8H, 7H, 6H, 5H, 4H, 3H, 2H, H	> 1,8
F, HB, B, 2B, 3B, 4B, 5B, 6B	> 2

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 9180:1988</u>

https://standards.iteh.ai/catalog/standards/sist/75ff4160-a984-4c59-a9ce-1dabadc90247/iso-9180-1988

UDC 661.666.2.001.33 : 686.863.32 : 744.36

Descriptors : drawing equipment, pencils, leads (pencils), classification, dimensions.

Price based on 1 page